

○志津川湾水質分析結果

調査年月日：平成24年1月19日

観測地点	時間	水深 (m)	風向 風力	天候 雲量	透明度 (m)	pH	水温 (℃)	塩分	DO (mg/L)	DO (%)	大腸菌群数 (最雑数) MPN/100ml	砒素 mg/l	n-ヘキサン抽出物質 mg/l	残留塩素濃度(mg/l)		
														遊離塩素	結合塩素	全残留塩素
S t. 1 唐島	8:50	0	N	晴	13.0	8.2	9.0	33.86	14.8	157.2	<1.8	<0.005	<0.5	0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
S t. 2 荒砥	8:30	0	-	晴	13.0	8.2	8.8	33.88	11.3	119.5	<1.8	<0.005	<0.5	0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
S t. 3 椿島	9:45	0	-	晴	13.0	8.2	8.8	33.87	11.7	123.0	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5												0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
S t. 4 作根	9:05	0	-	晴	13.0	8.2	8.9	33.86	11.6	122.8	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5												0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
S t. 5 大森	12:30	0	S	曇	6.0	8.0	7.5	33.72	10.7	109.4	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5												0.00	0.00	0.00
		5												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
S t. 6 戸倉出張所前	11:30	0	-	晴	6.0	8.2	7.5	33.80	13.7	140.3	<1.8	<0.005	<0.5	0.00	0.00	0.00
		1												0.00	0.00	0.00
		5												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
S t. 7 魚市場	12:20	0	S	晴	5.5	8.1	7.1	33.65	11.5	117.2	<1.8	<0.005	<0.5	0.00	0.00	0.00
		1												0.00	0.00	0.00
		5												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
S t. 8 志津川ギンザケ	9:55	0	-	晴	10.5	8.2	8.4	33.88	10.9	113.6	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5												0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
S t. 9 戸倉ギンザケ	11:00	0	-	晴	11.5	8.2	8.4	33.88	10.9	114.5	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5												0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
折立(A)	11:50	0	-	晴	7.0	8.2	7.8	33.84	13.9	143.8	<1.8	<0.005	<0.5	0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
		B-1												0.00	0.00	0.00
弁天(B)	12:10	0	S	晴	7.5	8.2	7.5	33.71	11.9	122.1	<1.8	<0.005	<0.5	0.00	0.00	0.00
		5												0.00	0.00	0.00
		10												0.00	0.00	0.00
		B-1												0.00	0.00	0.00