

平成27年人口動態統計(確定数)

【正】

人口動態総覧(対前年比較)

	実数			率		対前年比	
	平成27年	平成26年	対前年増減	平成27年	平成26年	H27/H26	
宮城県	出生	18,023	18,069	△ 46	7.8	7.8	99.7
	死亡	23,121	22,854	267	10.0	9.9	101.2
	乳児死亡	28	35	△ 7	1.6	1.9	80.0
	新生児死亡	15	23	△ 8	0.8	1.3	65.2
	自然増減	△ 5,098	△ 4,785	△ 313	△ 2.2	△ 2.1	...
	死産	428	421	7	23.2	22.8	101.7
	自然死産	203	180	23	11.0	9.7	112.8
	人工死産	225	241	△ 16	12.2	13.0	93.4
	周産期死亡	65	69	△ 4	3.6	3.8	94.2
	妊娠満22週以後の死産	54	50	4	3.0	2.8	108.0
	早期新生児死亡	11	19	△ 8	0.6	1.1	57.9
	婚姻	11,334	11,767	△ 433	4.9	5.1	96.3
	離婚	3,993	3,824	169	1.72	1.65	104.4

	実数			率		対前年比	
	平成27年	平成26年	対前年増減	平成27年	平成26年	H27/H26	
全国	出生	1,005,721	1,003,609	2,112	8.0	8.0	100.2
	死亡	1,290,510	1,273,025	17,485	10.3	10.1	101.4
	乳児死亡	1,916	2,080	△ 164	1.9	2.1	92.1
	新生児死亡	902	952	△ 50	0.9	0.9	94.7
	自然増減	△ 284,789	△ 269,416	△ 15,373	△ 2.3	△ 2.1	...
	死産	22,621	23,526	△ 905	22.0	22.9	96.2
	自然死産	10,864	10,906	△ 42	10.6	10.6	99.6
	人工死産	11,757	12,620	△ 863	11.4	12.3	93.2
	周産期死亡	3,729	3,751	△ 22	3.7	3.7	99.4
	妊娠満22週以後の死産	3,064	3,040	24	3.0	3.0	100.8
	早期新生児死亡	665	711	△ 46	0.7	0.7	93.5
	婚姻	635,225	643,783	△ 8,558	5.1	5.1	98.7
	離婚	226,238	222,115	4,123	1.81	1.77	101.9

平成27年人口動態統計(確定数)

【誤】

人口動態総覧(対前年比較)

	実数			率		対前年比	
	平成27年	平成26年	対前年増減	平成27年	平成26年	H27/H26	
宮城県	出生	17,999	18,069	△ 70	7.8	7.8	99.6
	死亡	23,070	22,854	216	9.9	9.9	100.9
	乳児死亡	28	35	△ 7	1.6	1.9	80.0
	新生児死亡	15	23	△ 8	0.8	1.3	65.2
	自然増減	△ 5,071	△ 4,785	△ 286	△ 2.2	△ 2.1	...
	死産	427	421	6	23.2	22.8	101.4
	自然死産	202	180	22	11.0	9.7	112.2
	人工死産	225	241	△ 16	12.2	13.0	93.4
	周産期死亡	64	69	△ 5	3.5	3.8	92.8
	妊娠満22週以後の死産	53	50	3	2.9	2.8	106.0
	早期新生児死亡	11	19	△ 8	0.6	1.1	57.9
	婚姻	11,317	11,765	△ 448	4.9	5.1	96.2
	離婚	3,987	3,824	163	1.72	1.65	104.3

	実数			率		対前年比	
	平成27年	平成26年	対前年増減	平成27年	平成26年	H27/H26	
全国	出生	1,005,677	1,003,539	2,138	8.0	8.0	100.2
	死亡	1,290,444	1,273,004	17,440	10.3	10.1	101.4
	乳児死亡	1,916	2,080	△ 164	1.9	2.1	92.1
	新生児死亡	902	952	△ 50	0.9	0.9	94.7
	自然増減	△ 284,767	△ 269,465	△ 15,302	△ 2.3	△ 2.1	...
	死産	22,617	23,524	△ 907	22.0	22.9	96.1
	自然死産	10,862	10,905	△ 43	10.6	10.6	99.6
	人工死産	11,755	12,619	△ 864	11.4	12.3	93.2
	周産期死亡	3,728	3,750	△ 22	3.7	3.7	99.4
	妊娠満22週以後の死産	3,063	3,039	24	3.0	3.0	100.8
	早期新生児死亡	665	711	△ 46	0.7	0.7	93.5
	婚姻	635,156	643,749	△ 8,593	5.1	5.1	98.7
	離婚	226,215	222,107	4,108	1.8	1.77	101.8

平成27年人口動態統計(確定数)

【正】

死亡数・死亡率（人口10万対）・死因順位

死因	死因順位	平成27年			平成26年		平成27年／平成26年	
		死亡数	死亡率 (人口10万対)	全死因に占める割合 (%)	死亡数	増減数	対前年比	
全死因		23,121	996.8	100.0	22,854	267	101.2	
悪性新生物	第1位	6,591	284.1	28.5	6,540	51	100.8	
心疾患	第2位	3,494	150.6	15.1	3,526	△ 32	99.1	
脳血管疾患	第3位	2,299	99.1	9.9	2,391	△ 92	96.2	
老衰	第4位	1,876	80.9	8.1	1,733	143	108.3	
肺炎	第5位	1,845	79.5	8.0	1,755	90	105.1	
不慮の事故	第6位	672	29.0	2.9	677	△ 5	99.3	
自殺	第7位	404	17.4	1.7	455	△ 51	88.8	
腎不全	第8位	400	17.2	1.7	408	△ 8	98.0	
大動脈瘤及び解離	第9位	380	16.4	1.6	305	75	124.6	
アルツハイマー病	第10位	272	11.7	1.2	252	20	107.9	

宮城県死亡数・死亡率（人口10万対）・死因順位・性別

死因	死因順位	平成27年			平成26年		平成27年／平成26年	
		死亡数	死亡率 (人口10万対)	全死因に占める割合 (%)	死亡数	増減数	対前年比	
全死因		11,859	1,045.9	100.0	11,752	107	100.9	
悪性新生物	第1位	3,905	344.4	32.9	3,879	26	100.7	
心疾患	第2位	1,684	148.5	14.2	1,729	△ 45	97.4	
脳血管疾患	第3位	1,100	97.0	9.3	1,131	△ 31	97.3	
肺炎	第4位	994	87.7	8.4	1,010	△ 16	98.4	
老衰	第5位	483	42.6	4.1	436	47	110.8	
不慮の事故	第6位	405	35.7	3.4	375	30	108.0	
自殺	第7位	286	25.2	2.4	315	△ 29	90.8	
慢性閉塞性肺疾患	第8位	206	18.2	1.7	225	△ 19	91.6	
大動脈瘤及び解離	第9位	196	17.3	1.7	168	28	116.7	
腎不全	第10位	189	16.7	1.6	209	△ 20	90.4	

平成27年人口動態統計(確定数)

【誤】

死亡数・死亡率（人口10万対）・死因順位

死因	死因順位	平成27年			平成26年		平成27年／平成26年	
		死亡数	死亡率 (人口10万対)	全死因に占める割合 (%)	死亡数	増減数	対前年比	
全死因		23,070	994.6	100.0	22,854	216	100.9	
悪性新生物	第1位	6,578	283.6	28.5	6,540	38	100.6	
心疾患	第2位	3,484	150.2	15.1	3,526	△ 42	98.8	
脳血管疾患	第3位	2,298	99.1	10.0	2,391	△ 93	96.1	
老衰	第4位	1,869	80.6	8.1	1,733	136	107.8	
肺炎	第5位	1,839	79.3	8.0	1,755	84	104.8	
不慮の事故	第6位	670	28.9	2.9	677	△ 7	99.0	
自殺	第7位	404	17.4	1.8	455	△ 51	88.8	
腎不全	第8位	399	17.2	1.7	408	△ 9	97.8	
大動脈瘤及び解離	第9位	380	16.4	1.7	305	75	124.6	
アルツハイマー病	第10位	271	11.7	1.2	252	19	107.5	

宮城県死亡数・死亡率（人口10万対）・死因順位・性別

死因	死因順位	平成27年			平成26年		平成27年／平成26年	
		死亡数	死亡率 (人口10万対)	全死因に占める割合 (%)	死亡数	増減数	対前年比	
全死因		11,840	1,044.2	100.0	11,752	88	100.7	
悪性新生物	第1位	3,898	343.8	32.9	3,879	19	100.5	
心疾患	第2位	1,681	148.3	14.2	1,729	△ 48	97.2	
脳血管疾患	第3位	1,100	97.0	9.3	1,131	△ 31	97.3	
肺炎	第4位	992	87.5	8.4	1,010	△ 18	98.2	
老衰	第5位	480	42.3	4.1	436	44	110.1	
不慮の事故	第6位	404	35.6	3.4	375	29	107.7	
自殺	第7位	286	25.2	2.4	315	△ 29	90.8	
慢性閉塞性肺疾患	第8位	206	18.2	1.7	225	△ 19	91.6	
大動脈瘤及び解離	第9位	196	17.3	1.7	168	28	116.7	
腎不全	第10位	189	16.7	1.6	209	△ 20	90.4	

平成27年人口動態統計(確定数)

【正】

人口動態総覧(率)の年次推移

Table with columns for birth rate, death rate, infant mortality rate, natural change rate, fertility rate, marriage rate, divorce rate, and total special birth rate. Rows include years from 25th year of Showa to 27th year of Heisei, with '県' and '全国' sub-columns for each rate. A yellow highlight is present at the bottom row (27th year of Heisei, birth rate) with the value 10.0.

平成27年人口動態統計(確定数)

【誤】

人口動態総覧(率)の年次推移

Table identical in structure to the '【正】' table, containing population dynamics statistics from 25th year of Showa to 27th year of Heisei. A yellow highlight is present at the bottom row (27th year of Heisei, birth rate) with the value 9.9.

平成27年人口動態統計(確定数)

【正】

死因順位表(年次推移)

(宮城県分 率:人口10万対)

年次	全死亡総数		第1位		第2位		第3位		第4位		第5位		第6位		第7位		第8位		第9位		第10位											
	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率									
昭和28	14,375	849.1	中枢神経系の血管損傷	2,542	150.1	悪性新生物	1,364	80.6	肺炎および気管支炎	1,324	78.2	老衰	1,163	68.7	心臓の疾患	1,063	62.8	その他新生児固有の疾患	845	49.9	全結核	826	48.8	肺炎・十二指腸炎・腸炎および大腸炎	802	47.4	不慮の事故	558	33	腎炎およびネフローゼ	365	21.6
29	13,253	776.4	"	2,420	141.8	"	1,369	80.2	"	1,133	66.4	"	1,048	61.4	"	942	55.2	全結核	801	46.9	肺炎・十二指腸炎・腸炎および大腸炎	768	45	その他新生児固有の疾患	647	37.9	"	636	37.3	"	284	16.6
30	12,166	732.2	"	2,563	152.3	"	1,369	80.2	老衰	961	55.1	心臓の疾患	881	53.5	肺炎および気管支炎	881	53.5	"	799	49.0	不慮の事故	636	38.4	肺炎・十二指腸炎・腸炎および大腸炎	557	33.9	その他新生児固有の疾患	557	33.9	"	284	16.6
31	11,008	666.1	"	2,685	160.3	"	1,369	80.2	"	1,104	67.1	"	1,910	117.2	"	1,212	75.1	"	727	45.1	"	411	25.7	"	411	25.7	"	261	16.2	慢性閉塞性肺疾患	261	16.2
22	21,932	1,370.8	"	6,371	397.2	"	3,303	205.1	"	2,830	176.2	"	1,940	121.2	"	1,071	66.2	"	749	46.4	"	533	32.8	"	426	26.2	"	318	19.6	糖尿病	283	17.4
23	33,975	2,117.2	不慮の事故	11,205	698.4	悪性新生物	6,253	390.7	心疾患	3,705	231.3	脳血管疾患	2,959	183.6	肺炎	2,312	142.8	老衰	1,366	84.1	腎不全	497	30.6	自殺	480	29.7	"	322	19.8	"	284	17.5
24	22,101	1,381.3	悪性新生物	6,451	403.2	心疾患	3,341	207.8	脳血管疾患	2,549	158.7	肺炎	1,932	121.2	老衰	1,295	80.2	不慮の事故	648	40.2	自殺	437	27.0	腎不全	413	25.6	"	307	19.0	"	257	15.9
25	22,214	1,388.4	"	6,498	405.9	"	3,330	207.2	"	2,464	152.7	"	1,776	110.3	"	1,467	91.1	"	626	39.0	"	458	28.3	"	440	27.2	"	327	20.2	慢性閉塞性肺疾患	244	15.1
26	22,854	1,428.4	"	6,540	408.8	"	3,526	219.1	"	2,391	149.4	"	1,755	109.7	"	1,733	107.9	"	677	41.9	"	455	28.3	"	408	25.4	"	305	19.0	"	278	17.2
27	23,121	1,445.1	"	6,591	411.9	"	3,494	218.4	"	2,299	143.7	老衰	1,876	117.3	肺炎	1,845	114.6	"	672	41.9	"	404	25.1	"	400	24.9	大動脈瘤及び解離	380	23.4	アルツハイマー病	272	16.7

平成27年人口動態統計(確定数)

【誤】

死因順位表(年次推移)

(宮城県分 率:人口10万対)

年次	全死亡総数		第1位		第2位		第3位		第4位		第5位		第6位		第7位		第8位		第9位		第10位											
	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率	死因	実数	率									
昭和28	14,375	849.1	中枢神経系の血管損傷	2,542	150.1	悪性新生物	1,364	80.6	肺炎および気管支炎	1,324	78.2	老衰	1,163	68.7	心臓の疾患	1,063	62.8	その他新生児固有の疾患	845	49.9	全結核	826	48.8	肺炎・十二指腸炎・腸炎および大腸炎	802	47.4	不慮の事故	558	33	腎炎およびネフローゼ	365	21.6
29	13,253	776.4	"	2,420	141.8	"	1,369	80.2	"	1,133	66.4	"	1,048	61.4	"	942	55.2	全結核	801	46.9	肺炎・十二指腸炎・腸炎および大腸炎	768	45	その他新生児固有の疾患	647	37.9	"	636	37.3	"	284	16.6
30	12,166	732.2	"	2,563	152.3	"	1,369	80.2	老衰	961	55.1	心臓の疾患	881	53.5	肺炎および気管支炎	881	53.5	"	799	49.0	不慮の事故	636	38.4	肺炎・十二指腸炎・腸炎および大腸炎	557	33.9	その他新生児固有の疾患	557	33.9	"	284	16.6
31	11,008	666.1	"	2,685	160.3	"	1,369	80.2	"	1,104	67.1	"	1,910	117.2	"	1,212	75.1	"	727	45.1	"	411	25.7	"	411	25.7	"	261	16.2	慢性閉塞性肺疾患	261	16.2
22	21,932	1,370.8	"	6,371	397.2	"	3,303	205.1	"	2,830	176.2	"	1,940	121.2	"	1,071	66.2	"	749	46.4	"	533	32.8	"	426	26.2	"	318	19.6	糖尿病	283	17.4
23	33,975	2,117.2	不慮の事故	11,205	698.4	悪性新生物	6,253	390.7	心疾患	3,705	231.3	脳血管疾患	2,959	183.6	肺炎	2,312	142.8	老衰	1,366	84.1	腎不全	497	30.6	自殺	480	29.7	"	322	19.8	"	284	17.5
24	22,101	1,381.3	悪性新生物	6,451	403.2	心疾患	3,341	207.8	脳血管疾患	2,549	158.7	肺炎	1,932	121.2	老衰	1,295	80.2	不慮の事故	648	40.2	自殺	437	27.0	腎不全	413	25.6	"	307	19.0	"	257	15.9
25	22,214	1,388.4	"	6,498	405.9	"	3,330	207.2	"	2,464	152.7	"	1,776	110.3	"	1,467	91.1	"	626	39.0	"	458	28.3	"	440	27.2	"	327	20.2	慢性閉塞性肺疾患	244	15.1
26	22,854	1,428.4	"	6,540	408.8	"	3,526	219.1	"	2,391	149.4	"	1,755	109.7	"	1,733	107.9	"	677	41.9	"	455	28.3	"	408	25.4	"	305	19.0	"	278	17.2
27	23,070	1,443.8	"	6,578	411.2	"	3,484	218.0	"	2,298	143.6	老衰	1,869	117.1	肺炎	1,839	114.4	"	670	41.7	"	404	25.1	"	399	24.8	大動脈瘤及び解離	380	23.4	アルツハイマー病	271	16.5