

宮城県公共用水域水質測定結果（海域）

(KEN12-04)

項目名	注意事項等	項目 コード	603-01A0		603-55A		603-56A		603-57A		603-58A		603-59A		611-03B0		612-01A0		612-02A0		613-01C0		614-01B0		615-01A0		625-07A0		625-08A0		625-10A0		625-11A0		625-78A			
			桂島	桂島西	内裡島沖	松島海岸沖	蛇島崎西	蛇島崎東	御殿崎-1	葛蒲田前-1	御殿崎-2	二ノ倉前-1	二ノ倉前-2	二ノ倉前-3	雄勝地先	萩浜地先	広田湾	追波湾	鮫ノ浦																			
*測定年度	西暦下2桁	002	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	
*測定地点番号	文字	001	603-01	603-55	603-56	603-57	603-58	603-59	611-03	612-01	612-02	613-01	614-01	615-01	625-07	625-08	625-10	625-11	625-78																			
*調査区分コード	数字1桁	004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
*採水月日	数値(MMDD)	101	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	1112	
*採水時刻	数値(HHMM)	102	0900	0854	0935	0928	0920	0928	0913	0831	0837	0825	0724	0729	0736	1034	0915	0611	0955	0757																		
*採水位置コード	コード2桁	107	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	
*採水水深	(m)	999.9	108	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
全水深	(m)	99.9	109	2.9	6.1	3.0	3.4	2.9	4.1	11.8	8.6	19.0	16.2	19.6	20.8	37.6	13.2	39.1	16.3	44.5																		
透明度	(m)	9.9	110	2.7	2.6	2.6	2.6	2.2	2.5	4.2	4.2	4.6	5.2	6.5	7.2	8.5	3.8	8.2	5.8	13.2																		
天候コード	コード2桁	103	10	10	10	10	10	10	10	04	04	10	04	04	04	02	02	02	02	02																		
降雨状況	コード3桁	901	××○	××○	××○	××○	××○	××○	××○	××○	××○	××○	×××	×××	×××	×○×	×××	×○×	×××	×××	×××																	
気温(度)		99.9	104	11.0	11.4	11.0	11.0	10.5	10.5	11.0	12.0	12.1	12.0	11.8	11.8	11.8	16.1	10.2	11.6	14.8	9.7																	
水温(度)		99.9	105	13.2	13.7	13.0	12.8	12.4	12.5	15.7	15.3	15.3	15.1	15.0	15.0	15.5	13.1	14.8	15.3	14.7																		
pH		99.9	201	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.1	8.2	8.2	8.2	8.2	8.0	8.1	8.1	8.1																		
DO	(mg/l)	99.9	202	8.8	8.8	8.9	9.6	9.5	9.3	7.9	8.0	8.9	9.3	9.1	8.9	9.1	8.7	8.6	10.0	8.4																		
BOD	(mg/l)	99.9	203																																			
COD	(mg/l)	99.9	204	1.7	2.0	2.0	1.8	2.3	2.0		1.4	1.7	1.5	1.8	1.6	1.6	1.4	1.3	2.0	1.3																		
SS	(mg/l)	9999	205																																			
大腸菌群数	(MPN/100ml)	1.0E+99	206	< 1.8E+00	< 1.8E+00	< 1.8E+00	< 1.8E+00	< 1.8E+00	< 1.8E+00		2.0E+00	1.2E+01			2.0E+00	1.8E+00	1.8E+00	1.8E+00	1.8E+00	3.9E+01	< 1.8E+00																	
ノニキリン(油分)	(mg/l)	99.9	207	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND																		
全窒素	(mg/l)	99.99	208	0.23	0.25	0.25	0.22	0.23	0.23	0.25	0.19	0.17	0.11	0.10	0.11	0.09	0.16	0.11	0.08	0.08																		
全リン	(mg/l)	99.999	209	0.039	0.043	0.044	0.042	0.049	0.047	0.037	0.028	0.020	0.014	0.015	0.014	0.012	0.029	0.018	0.024	0.014																		
カドミウム	(mg/l)	9.999	301																																			
全シアン	(mg/l)	99.9	302																																			
鉛	(mg/l)	9.999	304																																			
六価クロム	(mg/l)	99.99	305																																			
砒素	(mg/l)	9.999	306																																			
総水銀	(mg/l)	9.9999	307																																			
メチル水銀	(mg/l)	9.9999	308																																			
P.C.B	(mg/l)	9.9999	309																																			
ジクロロメタン	(mg/l)	9.999	310																																			
四塩化炭素	(mg/l)	9.9999	311																																			
1,2-ジクロロエタン	(mg/l)	9.9999	312																																			
1,1-ジクロロエタン	(mg/l)	9.999	313																																			
シス-1,2-ジクロロエタン	(mg/l)	9.999	314																																			
1,1,1-トリクロロエタン	(mg/l)	9.999	315																																			
1,1,2-トリクロロエタン	(mg/l)	9.9999	316																																			
トリクロロエタン	(mg/l)	9.999	317																																			
テトラクロロエタン	(mg/l)	9.9999	318																																			
1,3-ジクロロプロペン	(mg/l)	9.9999	319																																			
チウラム	(mg/l)	9.9999	320																																			
シマジン	(mg/l)	9.9999	321																																			
チオベンゾカルブ	(mg/l)	9.999	322																																			
ベンゼン	(mg/l)	9.999	323																																			
キシレン	(mg/l)	9.999	324																																			
硝酸性窒素及び亜硝酸性窒素	(mg/l)	9.999	325	0.069	0.10	0.080	0.069	0.058	0.																													