

○志津川湾水質分析結果

調査年月日：平成24年8月30日

観測地点	時間	水深 (m)	風向 風力	天候 雲量	透明度 (m)	水温 (℃)	塩分	大腸菌群数 MPN/100ml	砒素 mg/l	N-ヘキサノ抽出物質 mg/l	残留塩素濃度(mg/l)		
											遊離塩素	結合塩素	全残留塩素
S t . 1 唐島	8:45	0	S	晴	10.0	24.3	33.67	2.0	<0.005	<0.5	0.00	0.00	0.00
		5	1	7		20.9	33.76				0.00	0.00	0.00
		10				19.9	33.80				0.00	0.00	0.00
		B-1				17.7	33.90				0.00	0.00	0.00
S t . 2 荒砥	8:25	0	S	晴	11.0	25.3	33.65	<1.8	<0.005	<0.5	0.00	0.00	0.00
		5	1	7		22.2	33.74				0.00	0.00	0.00
		10				20.6	33.77				0.00	0.00	0.00
		B-1				18.6	33.75				0.00	0.00	0.00
S t . 3 椿島	9:20	0	-	晴	11.0	26.6	33.30	2.0	<0.005	<0.5	0.00	0.00	0.00
		2.5	0	7		23.6	33.68				0.00	0.00	0.00
		5				22.1	33.70				0.00	0.00	0.00
		10				20.6	33.70				0.00	0.00	0.00
S t . 4 作根	9:05	0	S	晴	12.0	25.4	33.65	4.5	<0.005	<0.5	0.00	0.00	0.00
		2.5	1	7		23.6	33.72				0.00	0.00	0.00
		5				22.0	33.72				0.00	0.00	0.00
		10				20.1	33.78				0.00	0.00	0.00
S t . 5 大森	10:25	0	-	晴	6.0	26.7	33.43	13.0	<0.005	<0.5	0.00	0.00	0.00
		2.5	0	7		23.9	33.64				0.00	0.00	0.00
		5				22.2	33.67				0.00	0.00	0.00
		B-1				21.6	33.71				0.00	0.00	0.00
S t . 6 戸倉出張所前	9:47	0	-	晴	5.0	26.9	33.37	4.5	<0.005	<0.5	0.00	0.00	0.00
		1	0	7		26.8	33.36				0.00	0.00	0.00
		5				22.2	33.62				0.00	0.00	0.00
		B-1				21.3	33.65				0.00	0.00	0.00
S t . 7 魚市場	10:17	0	-	晴	5.0	25.6	33.49	23.0	<0.005	<0.5	0.00	0.00	0.00
		1	0	7		25.0	33.57				0.00	0.00	0.00
		5				22.4	33.65				0.00	0.00	0.00
		B-1				22.1	33.67				0.00	0.00	0.00
S t . 8 志津川ギンザケ	9:33	0	-	晴	10.5	26.5	33.37	4.5	<0.005	<0.5	0.00	0.00	0.00
		2.5	0	6		23.7	33.68				0.00	0.00	0.00
		5				22.3	33.69				0.00	0.00	0.00
		10				20.3	33.69				0.00	0.00	0.00
S t . 9 戸倉ギンザケ	9:40	0	-	晴	8.5	26.4	33.36	<1.8	<0.005	<0.5	0.00	0.00	0.00
		2.5	0	6		23.9	33.58				0.00	0.00	0.00
		5				22.1	33.67				0.00	0.00	0.00
		10				20.7	33.68				0.00	0.00	0.00
折立(A)	9:55	0	-	晴	4.5	26.5	33.24	13.0	<0.005	<0.5	0.00	0.00	0.00
		5	0	7		22.2	33.65				0.00	0.00	0.00
		B-1				22.3	33.64				0.00	0.00	0.00
弁天(B)	10:10	0	-	晴	8.0	26.9	33.21	7.8	<0.005	<0.5	0.00	0.00	0.00
		5	0	7		22.1	33.66				0.00	0.00	0.00
		B-1				20.6	33.67				0.00	0.00	0.00