8-3 平鋼の標準寸法及び単位重量等(JIS-G3194)

標準	標準断面			標準断面				標準断面				標準断面]
寸	法	断面積	単 位	寸	法	断面積	単 位	寸	法	断面積	単 位	寸	法	断面積	単位
厚さ			重量	厚さ	幅		重量	厚さ	幅		重量	厚さ	幅	*	重量
mm	mm	cm²	kg/m	mm	mm	cm²	kg/m	mm	mm	cm²	kg/m	mm	mm	cm²	kg/m
4.5	25	1.125	0.88	9	180	16.20	12.7	16	300	48.00	37.7	25	180	45.00	35.3
4.5	32	1.440	1.13	9	200	18.00	14.1	19	38	7.220	5.67	25	200	50.00	39.2
4.5	38	1.710	1.34	9	230	20.70	16.2	19	44	8.360	6.56	25	230	57.50	45.1
4.5	44	1.980	1.55	9	250	22.50	17.7	19	50	9.500	7.46	25	250	62.50	49.1
4.5	50	2.250	1.77	12	25	3.000	2.36	19	65	12.35	9.69	25	280	70.00	55.0
6	25	1.500	1.18	12	32	3.840	3.01	19	75	14.25	11.2	25	300	75.00	58.9
6	32	1.920	1.51	12	38	4.560	3.58	19	90	17.10	13.4	28	100	28.00	22.0
6	38	2.280	1.79	12	44	5.280	4.14	19	100	19.00	14.9	28	125	35.00	27.5
6	41	2.640	2.07	12	50	6.000	4.71	19	125	23.75	18.6	28	150	42.00	33.0
6	50	3.000	2.36	12	65	7.800	6.12	19	150	28.50	22.4	28	180	50.40	39.6
6	65	3.900	3.06	12	75	9.000	7.06	19	180	34.20	26.8	28	200	56.00	44.0
6	75	4.500	3.53	12	90	10.80	8.48	19	200	38.00	29.8	28	230	64.40	50.6
6	90	5.400	4.24	12	100	12.00	9.42	19	230	43.70	34.3	28	250	70.00	55.0
6	100	6.000	4.71	12	125	15.00	11.8	19	250	47.50	37.3	28	280	78.40	61.5
6	125	7.500	5.89	12	150	18.00	14.1	19	280	53.20	41.8	28	300	84.00	65.9
8	25	2.000	1.57	12	180	21.60	17.0	19	300	57.00	44.7	32	100	32.00	25.1
8	32	2.560	2.01	12	200	24.00	18.8	22	50	11.00	8.64	32	125	40.00	31.4
8	38	3.040	2.39	12	230	27.60	21.7	22	65	14.30	11.2	32	150	48.00	37.7
8	44	3.520	2.76	12	250	30.00	23.6	22	75	16.50	13.0	32	180	57.60	45.2
8	50	4.000	3.14	12	280	33.60	26.4	22	90	19.80	15.5	32	200	64.00	50.2
8	65	5.200	4.08	12	300	36.00	28.3	22	100	22.00	17.3	32	230	73.60	57.8
8 :	75	6.000	4.71	16	32	5.120	4.02	22	125	27.50	21.6	32	250	80.00	62.8
8	90	7.200	5.65	16	38	6.080	4.77	22	150	33.00	25.9	32	280	89.60	70.3
8	100	8.000	6.28	1	44	7.040	5.53		180	39.60	31.1	32	300	96.00	75.4
8	125	10.00	7.85		50	8.000	6.28	22	200	44.00	34.5	36	100	36.00	28.3
9	25	2.250	1.77	16	65	10.40	8.16		230	50.60	39.7	36	125	45.00	35.3
9	32	2.880	2.26		75	12.00	9.42	22	250	55.00	43.2	36	150	54.00	42.4
9	38	3.420	2.68		90	14.40	11.3	22	280	61.60	48.4	36	180	61.80	50.9
9	44	3.960			100	16.00	12.6	22	300	66.00	51.8	36	200	72.00	56.5
9	50	4.500	3.53	- 1	125	20.00	15.7	25	50	12.50	9.81	36	230	82.80	65.0
9	65	5.850	4.59		150	24.00	18.8	25	65	16.25	12.8	36	250	90.00	70.6
9	75	6.750	5.30	16	180	28.80	22.6	25	75	18.75	14.7	36	280	100.8	79.1
9	90	8.100	6.36		200	32.00	25.1	25	90	22.50	17.7	36	300	108.0	84.8
9	100	9.000	7.06	16	230	36.80	28.9	25	100	25.00	19.6	2 .		5 B 55	v
9	125	11.25	8.83	16	250	40.00	31.4	25	125	31.25	24.5				
9	150	13.50	10.6	16	280	44.80	35.2	25	150	37.50	29.4				