

宮 城 県 公 共 用 水 域 水 質 測 定 結 果 (R7.6 海 域)

1/4

項 目 名		605-02B0		605-01B0		606-01A0		606-02A0 K－2 (二つ根)		606-03A0 K－3 (日向貝)		606-56A K－1 (千岩田)		621-01B0 志津川 魚市場前		622-01A0 荒島沖		622-02A0 弁天崎沖		622-58A 樺島沖		622-59A 館崎沖		623-03B0 鮎川漁港内		624-01A0 御番所崎沖		607-01C0 女川 魚市場前	
神明崎沖		25		25		25		25		25		25		25		25		25		25		25		25		25		25	
605-02		605-01		606-01		606-02		606-03		606-56		621-01		622-01		622-02		622-58		622-59		623-03		624-01		607-01			
0		0		0		0		0		0		0		0		0		0		0		0		0		0		0	
0604		0604		0604		0604		0604		0604		0604		0604		0604		0604		0604		0610		0610		0610		0604	
0614		0621		0630		0637		0648		0640		0837		0826		0831		0817		0809		0814		0807		1130			
11		11		11		11		11		11		11		11		11		11		11		11		11		11		11	
(m)		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5	
(m)		8.0		6.9		31.7		11.4		8.6		10.7		5.7		13.8		11.6		29.4		19.0		10.4		25.8		9.8	
(m)		3.1		3.2		4.0		4.2		4.9		4.2		2.9		3.4		3.2		3.8		5.9		4.6		6.9		4.0	
02		04		04		04		04		02		02		02		02		02		02		02		02		02		02	
×○○		×○○		×○○		×○○		×○○		×○○		×○○		×○○		×○○		×○○		×○○		×○○		×××		×××		×○○	
22.5		20.3		19.0		18.8		18.3		18.6		21.8		22.0		21.7		20.7		21.3		22.2		21.0		22.5		22.5	
16.5		15.9		15.5		16.6		15.3		16.3		17.7		16.2		16.0		15.8		15.4		18.8		18.6		15.5		15.5	
7.6		7.7		7.8		7.9		8.0		7.9		7.9		7.9		7.9		8.0		8.0		8.0		8.1		7.9		7.9	
(mg/L)		9.1		9.6		9.3		9.3		9.3		8.1		8.3		8.3		8.7		8.7		8.4		8.9		9.1		9.1	
(mg/L)		1.8		1.9		2.1		1.9		2.2		2.1		1.9		2.0		1.7		1.6		2.3		2.0		1.8		1.8	
(mg/L)		13		31		5		70						4		3		1		1				1					
(mg/L)		0.70		0.51		0.54		0.47		0.23		0.62		0.31		0.24		0.19		0.12		0.13		0.14		0.09		0.18	
(mg/L)		0.048		0.027		0.029		0.032		0.016		0.042		0.033		0.020		0.017		0.013		0.014		0.014		0.007		0.018	
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													
(mg/L)																													

宮 城 県 公 共 用 水 域 水 質 測 定 結 果 (R7.6 海 域)

2/4

		608-01B0		609-01A0		609-51A		616-01C0		616-51C 工業港沖 (K－1)		616-52C 工業港 (MK-A3)		617-01C0 雲雀野海岸沖 (H－1)		617-51C 石巻漁港内		618-01B0 長浜沖 (N－2)		619-01B0 雲雀野海岸沖 (H－2)		619-51B 北上河口沖		620-01A0 万石橋		620-06A0 万石浦M-6 (湾中央)		620-02A0 鳴瀬沖	
項 目 名		小乗浜前		桐ヶ崎		鳥島沖		工業港入口																					
*測定年度		25		25		25		25		25		25		25		25		25		25		25		25		25		25	
*測定地点番号		608-01		609-01		609-51		616-01		616-51		616-52		617-01		617-51		618-01		619-01		619-51		620-01		620-06		620-02	
*調査区分コード		0		0		0		0		0		0		0		0		0		0		0		0		0		0	
*採水月日		0604		0604		0604		0610		0610		0610		0610		0610		0610		0610		0610		0610		0610		0610	
*採水時刻		1122		1138		1109		1053		1107		1055		1030		1013		1017		1035		1025		0919		0944		1129	
*採水位置コード		11		11		11		11		11		11		11		11		11		11		11		11		11		11	
*採水水深 (m)		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5		0.5	
*全水深 (m)		23.8		30.7		35.3		12.2		11.6		7.4		7.2		6.5		8.2		9.7		7.8		7.6		4.3		14.0	
*透明度 (m)		3.9		4.0		4.0		1.2		2.1		1.2		2.6		3.0		3.4		2.6		2.6		3.2		2.0		3.6	
*天候コード				02		02		02		02		02		02		02		02		02		02		02		02		02	
*降雨状況		×○○		×○○		×○○		×××		×××		×××		×××		×××		×××		×××		×××		×××		×××		×××	
*気温(度)		22.5		22.5		23.4		23.6		23.2		23.7		23.2		23.5		23.3		23.2		23.3		24.5		24.6		22.9	
*水温(度)		15.1		13.8		15.0		21.4		21.2		21.0		20.9		21.0		20.5		21.1		20.8		21.0		21.8		20.9	
*pH		8.0		8.0		8.0		8.0		8.2		7.7		8.0		8.1		8.1		8.0		8.0		7.9		7.9		8.2	
*DO (mg/L)		9.2		9.1		8.8		9.3		10		8.5		8.9		8.9		8.8		8.5		8.7		7.7		8.0		9.6	
*BOD (mg/L)																													
*COD (mg/L)		1.8		1.9		1.8		4.1		4.1		5.7		3.3		3.0		2.7		3.0		3.7		2.6		2.3		3.1	
*SS (mg/L)																													
*大腸菌数 (CFU/100mL)		<		1<		1																<		1<		1<		1	
n-ヘキサン(油分) (mg/L)																													
*全窒素 (mg/L)		0.18		0.11		0.13		0.56		0.35		0.59		0.34		0.13		0.14		0.32		0.41		0.11		0.12		0.12	
*全リン (mg/L)		0.015		0.012		0.012		0.039		0.033		0.036		0.019		0.012		0.010		0.022		0.024		0.007		0.008		0.009	
*鉛 (mg/L)																													
*六価クロム (mg/L)																													
*砒素 (mg/L)																													
*総水銀 (mg/L)																													
*アルキル水銀 (mg/L)																													
*PCB (mg/L)																													
*ジクロロメタン (mg/L)																													
*四塩化炭素 (mg/L)																													
*1,2-ジクロロエタン (mg/L)																													
*1,1-ジクロロエチレン (mg/L)																													
*シス-1,2-ジクロロエチレン (mg/L)																													
*1,1,1-トリクロロエタン (mg/L)																													
*1,1,2-トリクロロエタン (mg/L)																													
*トリクロロエチレン (mg/L)																													
*テトラクロロエチレン (mg/L)																													
*1,3-ジクロロプロペン (mg/L)																													
*チウラム (mg/L)																													
*シマジン (mg/L)																													
*チオベンザルグ (mg/L)																													
*ベンゼン (mg/L)																													
*セレン (mg/L)																													
*硝酸性窒素及び亜硝酸性窒素 (mg/L)		0.065		0.015		0.035		0.17		0.015		0.23		0.12<		0.015<		0.015		0.13		<		0.015<		0.015<		0.015	
*フッ素 (mg/L)																													
*ホウ素 (mg/L)																													
*1,4-ジオキサン (mg/L)						<		0.005		<		0.005		<		0.005<		0.005		0.005		<		0.005<		0.005<		0.005	
*亜鉛 (mg/L)		0.001		0.001		<		0.002		<		0.002		<		0.001		0.001		0.002		<		0.001		<		0.005	
*ニクロフェノール (mg/L)		<		0.00006<		<		0.00006		<		0.00006		<		0.00006		0.00006		0.00006		<		0.00006		<			
*ニクロフェノール異性体No.1 (mg/L)		<		0.0000030<		<		0.0000030		<		0.0000030		<		0.0000030		0.0000030		0.0000030		<		0.0000030		<			
*ニクロフェノール異性体No.2 (mg/L)		<		0.0000062<		<		0.0000062		<		0.0000062		<		0.0000062		0.0000062		0.0000062		<		0.0000062		<			
*ニクロフェノール異性体No.3 (mg/L)		<		0.0000089<		<		0.0000089		<		0.0000089		<		0.0000089		0.0000089		0.0000089		<		0.0000089		<			
*ニクロフェノール異性体No.4 (mg/L)		<		0.0000034<		<		0.0000034		<		0.0000034		<		0.0000034		0.0000034		0.0000034		<		0.0000034		<			
*ニクロフェノール異性体No.5 (mg/L)		<		0.0000036<		<		0.0000036		<		0.0000036		<		0.0000036		0.0000036		0.0000036		<		0.0000036		<			
*ニクロフェノール異性体No.6 (mg/L)		<		0.0000037<		<		0.0000037		<		0.0000037		<		0.0000037		0.0000037		0.0000037		<		0.0000037		<			
*ニクロフェノール異性体No.7 (mg/L)		<		0.0000033<		<		0.0000033		<		0.0000033		<		0.0000033		0.0000033		0.0000033		<		0.0000033		<			
*ニクロフェノール異性体No.8 (mg/L)		<		0.0000025		0.0000019		<		0.0000018		<		0.0000057		0.0000023		0.0000027		0.0000027		<		0.0000018		<			
*ニクロフェノール異性体No.9 (mg/L)		<		0.0000039<		0.0000039		0.0000045		<		0.0000039		<		0.0000039		0.0000039		0.0000039		<		0.0000039		<			
*ニクロフェノール異性体No.10 (mg/L)		<		0.0000020<		0.0000020		0.0000034		<		0.0000020		<		0.0000020		0.0000020		0.0000020		<		0.0000020		<			
*ニクロフェノール異性体No.11 (mg/L)		<		0.0000059<		0.0000059		<		0.0000059		<		0.0000059		<		0.0000059		0.0000059		<		0.0000059		<			
*ニクロフェノール異性体No.12 (mg/L)		<		0.0000014<		0.0000014		<		0.0000014		<		0.0000014		<		0.0000014		0.0000014		<		0.0000014		<			
*ニクロフェノール異性体No.13 (mg/L)		<		0.0000033<		0.0000033		<		0.0000033		<		0.0000033		<		0.0000033		0.0000033		<		0.0000033		<			
*LAS (mg/L)		<		0.0006		0.0015		<		0.0006		<		0.0006		<		0.0006		0.0026		<		0.0006		<			
*C10-LAS (mg/L)		<		0.0001		0.0001		<		0.0001		<		0.0001		<		0.0001		0.0002		<		0.0001		<			
*C11-LAS (mg/L)		<		0.0001		0.0005		<		0.0001		<		0.0001		<		0.0001		0.0008		<		0.0001		<			
*C12-LAS (mg/L)		<		0.0001		0.0005		<		0.0001		<		0.0001		<		0.0001		0.0009		<		0.0001		<			
*C13-LAS (mg/L)		<		0.0001		0.0003		<		0.0001		<		0.0001		<		0.0001		0.0006		<		0.0001		<			
*C14-LAS (mg/L)		<		0.0001		0.0001		<		0.0001		<		0.0001		<		0.0001		0.0001		<		0.0001		<			
*E P N (mg/L)																													
*糞便性大腸菌群数 (個/100mL)																													
*塩化物イオン (mg/L)		17100		18300		17700		7350		12800		5510		11700		16300		15800		12000		8360		16900		16700		15800	
*リノ酸糖リン (mg/L)		0.010		0.008		0.007		0.033		0.027		0.031		0.014		0.007		0.005		0.014		<		0.005<		0.005<		0.005	
*アンモニア性窒素 (mg/L)		<		0.05<		0.05<		0.05<		0.05<		0.05<		0.05<		0.05<		0.05<		0.05		<		0.05<		0.05<		0.05	
*亜硝酸性窒素 (mg/L)		<		0.005<																									

コード表

調査区分コード	内容
0	年間調査
1	補足調査
2	通日調査(計画に基づく)
3	通日調査(計画に基づかない)
4	水質自動モニター調査(計画に基づく)
5	水質自動モニター調査(計画に基づかない)

採取位置コード	内容
01	流心(中央)
02	左岸
03	右岸
04	左岸、右岸の混合
05	左岸、流心、右岸の混合
11	上層(表層)
12	中層
13	下層
14	上層、下層の混合
15	上層、中層の混合
16	中層、下層の混合
17	上層、中層、下層の混合

天候コード	天候名
01	快晴
02	晴れ
03	薄曇り
04	曇り
05	霧霧
06	砂塵嵐
07	地吹雪
08	霧
09	霧雨
10	雨
11	みぞれ
12	雪
13	あられ
14	ひょう
15	雷
16	一時雨
17	一時雪
18	時々雨
19	時々雪
20	大雨
21	大雪
99	不明

色相コード	色相名
001	無色
010	赤色・淡(明)
011	赤色・中
012	赤色・濃(暗)
020	茶色・淡(明)
021	茶色・中
022	茶色・濃(暗)
030	黄色・淡(明)
031	黄色・中
032	黄色・濃(暗)
040	黄赤色・淡(明)
041	黄赤色・中
042	黄赤色・濃(暗)
050	黄緑色・淡(明)
051	黄緑色・中
052	黄緑色・濃(暗)
060	緑色・淡(明)
061	緑色・中
062	緑色・濃(暗)
070	青緑色・淡(明)
071	青緑色・中
072	青緑色・濃(暗)
080	緑青色・淡(明)
081	緑青色・中
082	緑青色・濃(暗)
090	青色・淡(明)
091	青色・中
092	青色・濃(暗)
100	紺色・淡(明)
101	紺色・中
102	紺色・濃(暗)
110	紫色・淡(明)
111	紫色・中
112	紫色・濃(暗)
120	青紫色・淡(明)
121	青紫色・中
122	青紫色・濃(暗)
130	赤紫色・淡(明)
131	赤紫色・中
132	赤紫色・濃(暗)
140	褐色・淡(明)
141	褐色・中
142	褐色・濃(暗)
150	赤褐色・淡(明)
151	赤褐色・中
152	赤褐色・濃(暗)
160	茶褐色・淡(明)
161	茶褐色・中
162	茶褐色・濃(暗)
170	黄褐色・淡(明)
171	黄褐色・中
172	黄褐色・濃(暗)
180	緑褐色・淡(明)
181	緑褐色・中
182	緑褐色・濃(暗)
190	黒褐色・淡(明)
191	黒褐色・中
192	黒褐色・濃(暗)
200	灰色・淡(明)
201	灰色・中
202	灰色・濃(暗)
210	灰黄色・淡(明)
211	灰黄色・中
212	灰黄色・濃(暗)
220	灰茶色・淡(明)
221	灰茶色・中
222	灰茶色・濃(暗)
230	灰緑色・淡(明)
231	灰緑色・中
232	灰緑色・濃(暗)
240	灰青色・淡(明)
241	灰青色・中
242	灰青色・濃(暗)
250	灰黒色・淡(明)
251	灰黒色・中
252	灰黒色・濃(暗)
260	灰赤色・淡(明)
261	灰赤色・中
262	灰赤色・濃(暗)
270	灰黄緑色・淡(明)
271	灰黄緑色・中
272	灰黄緑色・濃(暗)
280	灰黄茶色・淡(明)
281	灰黄茶色・中
282	灰黄茶色・濃(暗)
290	灰紫色・淡(明)
291	灰紫色・中
292	灰紫色・濃(暗)
300	灰青紫色・淡(明)
301	灰青紫色・中
302	灰青紫色・濃(暗)
310	灰赤紫色・淡(明)
311	灰赤紫色・中
312	灰赤紫色・濃(暗)
320	白色・乳白色・淡(明)
321	白色・乳白色・中
322	白色・乳白色・濃(暗)
330	黒色・淡(明)
331	黒色・中
332	黒色・濃(暗)
999	不明

臭気コード	臭気名
011	無臭
021	メロン臭(微)
022	メロン臭(中)
023	メロン臭(強)
031	スミレ臭(微)
032	スミレ臭(中)
033	スミレ臭(強)
041	キュウリ臭(微)
042	キュウリ臭(中)
043	キュウリ臭(強)
051	樟脳臭(微)
052	樟脳臭(中)
053	樟脳臭(強)
061	丁子臭(微)
062	丁子臭(中)
063	丁子臭(強)
071	ラベンダー臭(微)
072	ラベンダー臭(中)
073	ラベンダー臭(強)
081	レモン臭(微)
082	レモン臭(中)
083	レモン臭(強)
091	ニンニク臭(微)
092	ニンニク臭(中)
093	ニンニク臭(強)
101	グラニューム臭(微)
102	グラニューム臭(中)
103	グラニューム臭(強)
111	ハニラ臭(微)
112	ハニラ臭(中)
113	ハニラ臭(強)
121	青草臭(微)
122	青草臭(中)
123	青草臭(強)
131	木材臭(微)
132	木材臭(中)
133	木材臭(強)
141	川藁臭(微)
142	川藁臭(中)
143	川藁臭(強)
151	海藻臭(微)
152	海藻臭(中)
153	海藻臭(強)
161	土臭(微)
162	土臭(中)
163	土臭(強)
171	沼沢臭(微)
172	沼沢臭(中)
173	沼沢臭(強)
181	カビ臭(微)
182	カビ臭(中)
183	カビ臭(強)
191	魚臭(微)
192	魚臭(中)
193	魚臭(強)
201	肝油臭(微)
202	肝油臭(中)
203	肝油臭(強)
211	貝(はまぐり)類臭(微)
212	貝(はまぐり)類臭(中)
213	貝(はまぐり)類臭(強)
221	フェノール臭(微)
222	フェノール臭(中)
223	フェノール臭(強)
231	タール臭(微)
232	タール臭(中)
233	タール臭(強)
241	油(精油廃液)臭(微)
242	油(精油廃液)臭(中)
243	油(精油廃液)臭(強)
251	硫化水素臭(微)
252	硫化水素臭(中)
253	硫化水素臭(強)
261	塩素(遊離塩素)臭(微)
262	塩素(遊離塩素)臭(中)
263	塩素(遊離塩素)臭(強)
271	アンモニア臭(微)
272	アンモニア臭(中)
273	アンモニア臭(強)
281	ヨードホルム臭(微)
282	ヨードホルム臭(中)
283	ヨードホルム臭(強)
291	洗剤臭(微)
292	洗剤臭(中)
293	洗剤臭(強)
301	皮革臭(微)
302	皮革臭(中)
303	皮革臭(強)
311	ハルプ臭(微)
312	ハルプ臭(中)
313	ハルプ臭(強)
321	金気臭(微)
322	金気臭(中)
323	金気臭(強)
331	金風臭(微)
332	金風臭(中)
333	金風臭(強)
341	ちゅうかい臭(微)
342	ちゅうかい臭(中)
343	ちゅうかい臭(強)
351	魚腐敗臭(微)
352	魚腐敗臭(中)
353	魚腐敗臭(強)
361	動物腐敗臭(微)
362	動物腐敗臭(中)
363	動物腐敗臭(強)
371	し尿、ふん尿臭(微)
372	し尿、ふん尿臭(中)
373	し尿、ふん尿臭(強)
381	下水臭(微)
382	下水臭(中)
383	下水臭(強)
391	青物臭(微)
392	青物臭(中)
393	青物臭(強)
401	デンプン臭(微)
402	デンプン臭(中)
403	デンプン臭(強)
501	その他(微)
502	その他(中)
503	その他(強)
999	不明

濁りコード	濁り有無
01	なし
02	ほとんどなし
03	少々あり
04	ややあり
05	あり