

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

宮城県

2015年

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	I0D-10		男		女		男		女		男		女		男		女	
	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1
全部位	9,604	7,243	16,848	100.0	100.0	100.0	858.2	606.3	728.2	460.5	333.2	386.9	327.2	250.6	283.0	39.4	27.7	33.2
口腔・咽頭	238	127	365	2.5	1.8	2.2	21.3	10.6	15.8	12.4	5.7	8.8	9.0	4.2	6.4	1.1	0.5	0.8
食道	424	85	509	4.4	1.2	3.0	37.9	7.1	22.0	20.0	3.3	11.0	13.8	2.3	7.7	1.8	0.3	1.0
胃	1,906	834	2,740	19.8	11.5	16.3	170.3	69.8	118.4	88.2	30.4	56.8	61.3	21.3	39.8	7.7	2.5	5.0
大腸(結腸・直腸)	1,455	1,179	2,634	15.1	16.3	15.6	130.0	98.7	113.8	72.1	44.7	57.5	51.8	32.0	41.3	6.3	3.7	5.0
結腸	893	869	1,762	9.3	12.0	10.5	79.8	72.7	76.2	42.7	30.9	36.4	30.2	21.8	25.7	3.7	2.5	3.1
直腸	562	310	872	5.9	4.3	5.2	50.2	26.0	37.7	29.3	13.8	21.1	21.5	10.2	15.6	2.6	1.2	1.9
肝および肝内胆管	421	201	622	4.4	2.8	3.7	37.6	16.8	26.9	19.9	5.7	12.3	13.9	3.7	8.5	1.7	0.4	1.0
胆のう・胆管	215	206	421	2.2	2.8	2.5	19.2	17.2	18.2	8.8	5.7	7.0	5.8	3.9	4.7	0.6	0.4	0.5
膵臓	381	333	714	4.0	4.6	4.2	34.0	27.9	30.9	17.8	11.0	14.2	12.6	7.6	9.9	1.6	0.9	1.2
喉頭	78	11	89	0.8	0.2	0.5	7.0	0.9	3.8	3.5	0.5	1.9	2.4	0.4	1.3	0.3	0.0	0.2
肺	1,444	653	2,098	15.0	9.0	12.5	129.0	54.7	90.7	64.8	24.0	42.2	44.6	17.0	29.5	5.4	2.2	3.7
皮膚	156	170	326	1.6	2.3	1.9	13.9	14.2	14.1	6.6	5.8	6.0	4.5	4.3	4.3	0.4	0.4	0.4
乳房	13	1,567	1,580	0.1	21.6	9.4	1.2	131.2	68.3	0.6	93.6	48.2	0.4	72.3	37.0	0.0	8.0	4.1
子宮	-	457	457	-	6.3	2.7	-	38.3	-	-	29.4	-	-	22.7	-	-	2.5	-
子宮頸部	-	169	169	-	2.3	1.0	-	14.1	-	-	12.8	-	-	10.0	-	-	1.0	-
子宮体部	-	269	269	-	3.7	1.6	-	22.5	-	-	16.2	-	-	12.4	-	-	1.4	-
卵巣	-	206	206	-	2.8	1.2	-	17.2	-	-	12.6	-	-	9.9	-	-	1.1	-
前立腺	1,341	-	1,341	14.0	-	8.0	119.8	-	-	60.5	-	-	41.4	-	-	5.6	-	-
膀胱	253	104	357	2.6	1.4	2.1	22.6	8.7	15.4	11.2	2.8	6.6	7.6	1.9	4.5	0.8	0.2	0.5
腎・尿路(膀胱除く)	341	148	489	3.6	2.0	2.9	30.5	12.4	21.1	17.9	5.8	11.5	12.9	4.2	8.4	1.5	0.5	1.0
脳・中枢神経系	61	41	102	0.6	0.6	0.6	5.5	3.4	4.4	4.0	2.7	3.3	3.5	2.9	3.2	0.3	0.2	0.3
甲状腺	88	270	358	0.9	3.7	2.1	7.9	22.6	15.5	5.7	19.8	12.7	4.4	16.4	10.4	0.5	1.6	1.0
悪性リンパ腫	283	245	528	2.9	3.4	3.1	25.3	20.5	22.8	15.4	11.3	13.2	11.4	8.6	9.9	1.3	1.0	1.1
多発性骨髄腫	63	70	133	0.7	1.0	0.8	5.6	5.9	5.7	3.0	2.4	2.7	2.0	1.6	1.8	0.2	0.2	0.2
白血病	127	85	212	1.3	1.2	1.3	11.3	7.1	9.2	8.7	5.3	6.9	7.7	5.2	6.4	0.7	0.4	0.5

\*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

B. 上皮内がんを含む

宮城県

2015年

部位	罹患数										部位割合										粗罹患率										年齢調整罹患率										累積罹患率(0-74歳)									
	男					女					男					女					男					女					男					女					男					女				
	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合	総数	*1	男	女	割合										
ICD-10	全部位		10,499	8,264	18,764	100.0	100.0	100.0	100.0	100.0	938.2	811.0	506.0	401.3	442.9	360.0	304.2	325.7	43.5	33.0	37.9																													
	C00-C96 D00-D09		448	94	542	4.3	1.1	2.9	40.0	7.9	23.4	21.0	3.6	11.6	14.5	2.6	8.1	1.9	0.4	1.1																														
	C15 D001		1,967	1,443	3,410	18.7	17.5	18.2	175.8	120.8	147.4	99.3	57.0	76.8	71.7	40.9	55.5	8.8	4.8	6.7																														
	C18-C20 D010-D012	大腸(結腸・直腸)*2	1,240	1,053	2,293	11.8	12.7	12.2	110.8	88.1	99.1	61.1	39.3	49.5	43.6	27.8	35.2	5.3	3.3	4.3																														
	C18 D010	結腸*2	727	390	1,117	6.9	4.7	6.0	65.0	32.6	48.3	38.2	17.8	27.4	28.1	13.2	20.3	3.4	1.5	2.5																														
	C19-C20 D011-D012	直腸*2	1,451	654	2,106	13.8	7.9	11.2	129.7	54.7	91.0	65.2	24.0	42.4	44.9	17.0	29.6	5.4	2.2	3.7																														
	C33-C34 D021-D022	肺	192	220	412	1.8	2.7	2.2	17.2	18.4	17.8	8.0	7.2	7.4	5.5	5.3	5.3	0.6	0.5	0.5																														
	C43-C44 D030-D049	皮膚	13	1,781	1,794	0.1	21.6	9.6	1.2	149.1	77.5	0.6	107.8	55.4	0.4	83.3	42.6	0.0	0.0	4.7																														
	C50 D05	乳房	-	820	820	-	9.9	4.4	-	68.6	-	-	64.0	-	-	51.4	-	-	-	-																														
	C53-C55 D06	子宮	-	532	532	-	6.4	2.8	-	44.5	-	-	47.4	-	-	38.7	-	-	-	-																														
	C53 D06	子宮頸部	495	157	652	4.7	1.9	3.5	44.2	13.1	28.2	22.8	5.0	13.1	15.8	3.5	9.2	1.8	0.4	1.1																														
	C67 D090	膀胱																																																

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2015年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	9,604	7	8	7	8	14	30	30	76	104	140	264	571	1,117	1,657	1,882	1,605	1,289	738	222	31	4	0
	口腔・咽頭	C00-C14	238	0	0	0	0	0	1	2	4	5	7	3	21	38	42	42	39	21	13	0	0	0	0
	食道	C15	424	0	0	0	0	0	0	0	0	2	3	16	22	49	81	89	77	60	18	6	1	0	0
	胃	C16	1,906	0	0	0	0	1	1	1	8	12	23	37	99	233	350	351	341	267	147	30	5	0	0
	大腸(結腸・直腸)	C18-C20	1,455	0	0	0	2	1	1	4	12	22	33	60	104	192	256	235	222	162	109	32	6	2	0
	結腸	C18	893	0	0	0	1	1	1	4	7	11	14	28	60	97	147	161	141	111	79	26	3	1	0
	直腸	C19-C20	562	0	0	0	1	0	0	0	5	11	19	32	44	95	109	74	81	51	30	6	3	1	0
	肝および肝内胆管	C22	421	0	0	0	0	0	0	1	1	4	9	10	25	52	71	71	81	52	30	12	2	0	0
	胆のう・胆管	C23-C24	215	0	0	0	0	0	1	0	0	0	1	4	9	11	24	32	40	49	34	9	1	0	0
	膵臓	C25	381	0	0	0	0	0	0	0	2	1	4	8	28	49	66	76	61	42	32	12	0	0	0
	喉頭	C32	78	0	0	0	0	0	0	0	1	0	0	0	4	9	22	11	14	11	4	2	0	0	0
	肺	C33-C34	1,444	0	0	0	0	0	0	0	6	6	18	32	82	141	235	257	233	231	143	51	8	1	0
	皮膚	C43-C44	156	0	0	0	0	0	0	0	3	2	3	3	2	14	21	17	25	24	24	16	2	0	0
	乳房	C50	13	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2	1	4	1	0	0	0	0
	前立腺	C61	1,341	0	0	0	0	1	0	0	0	0	3	18	54	146	270	304	273	165	82	22	2	1	0
	膀胱	C67	253	0	0	0	0	0	1	0	0	5	2	4	14	33	25	32	43	53	29	10	2	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	341	0	0	0	0	0	1	2	9	4	10	20	29	45	57	48	51	43	19	3	0	0	0
	脳・中枢神経系	C70-C72	61	0	2	4	0	1	3	2	2	3	0	0	6	3	8	9	7	3	5	3	0	0	0
	甲状腺	C73	88	0	0	0	0	1	1	4	6	7	2	10	10	10	12	7	3	6	5	3	1	0	0
	悪性リンパ腫	C81-C85 C96	283	0	1	0	2	2	2	5	4	6	7	16	22	42	38	40	33	45	14	4	0	0	0
	多発性骨髄腫	C88-C90	63	0	0	0	0	0	0	0	0	2	0	2	5	4	12	9	13	13	3	0	0	0	0
	白血病	C91-C95	127	3	3	1	3	2	7	3	5	7	3	5	13	9	13	17	16	10	4	3	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

## A. 上皮内がんを除く

## 宮城県

2015年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	7,243	8	4	7	12	19	28	71	138	282	326	396	508	734	864	866	866	927	734	361	80	12	0
	口腔・咽頭	C00-C14	127	0	0	0	0	0	0	1	1	5	8	10	9	8	10	18	16	17	17	6	1	0	0
	食道	C15	85	0	0	0	0	0	0	0	0	0	0	3	6	10	15	15	12	12	5	6	1	0	0
	胃	C16	834	0	0	0	0	0	2	1	4	9	17	15	44	73	103	122	136	154	107	39	7	1	0
	大腸（結腸・直腸）	C18-C20	1,179	0	0	0	0	1	0	4	10	19	26	47	63	122	125	156	159	193	155	75	20	4	0
	結腸	C18	869	0	0	0	0	1	0	2	8	11	15	28	37	78	84	121	126	152	127	61	14	4	0
	直腸	C19-C20	310	0	0	0	0	0	0	2	2	8	11	19	26	44	41	35	33	41	28	14	6	0	0
	肝および肝内胆管	C22	201	0	0	0	0	0	0	1	0	0	1	1	5	8	20	26	32	48	40	14	4	1	0
	胆のう・胆管	C23-C24	206	0	0	0	0	0	0	0	0	2	1	2	7	11	17	23	29	34	48	29	3	0	0
	膵臓	C25	333	0	0	0	1	0	0	0	1	2	2	7	15	25	33	48	59	59	55	22	2	2	0
	喉頭	C32	11	0	0	0	0	0	0	0	0	0	0	1	1	2	4	0	1	2	0	0	0	0	0
	肺	C33-C34	653	0	0	0	0	0	0	0	2	7	7	17	33	51	120	101	102	90	74	38	10	1	0
	皮膚	C43-C44	170	0	0	0	1	0	2	3	4	4	4	5	4	9	11	12	18	26	33	26	7	1	0
	乳房	C50	1,567	0	0	0	0	2	5	17	42	130	159	152	165	218	209	146	118	109	57	31	6	1	0
	子宮	C53-C55	457	0	0	0	0	0	3	14	26	39	43	56	56	47	48	45	26	26	17	8	3	0	0
	子宮頸部	C53	169	0	0	0	0	0	1	12	16	25	28	18	12	15	12	13	7	5	2	2	1	0	0
	子宮体部	C54	269	0	0	0	0	0	2	2	10	14	15	37	44	32	34	30	18	19	10	2	0	0	0
	卵巢	C56	206	0	0	0	0	0	4	4	10	17	16	17	23	33	20	22	14	11	9	6	0	0	0
	膀胱	C67	104	0	0	0	0	0	0	0	0	1	1	1	1	5	8	13	20	14	22	13	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	148	0	0	0	0	0	0	0	1	2	3	4	12	14	27	18	20	21	16	9	1	0	0
	脳・中枢神経系	C70-C72	41	2	3	1	2	2	0	2	2	0	0	0	0	3	6	4	5	3	4	1	1	0	0
	甲状腺	C73	270	0	0	0	4	10	9	18	19	32	23	25	19	30	25	19	14	9	9	2	2	1	0
	悪性リンパ腫	C81-C85 C96	245	0	0	2	1	2	1	0	3	4	5	17	23	31	22	36	36	30	20	12	0	0	0
	多発性骨髄腫	C88-C90	70	0	0	0	0	0	0	0	0	1	0	3	4	6	6	6	15	17	9	2	1	0	0
	白血病	C91-C95	85	5	1	4	2	0	0	0	4	3	3	4	8	5	11	7	8	13	2	3	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

## A. 上皮内がんを除く

## 宮城県

2015年

性別	部位	I0D-I0	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	C00-C96	16,848	16	12	14	20	33	58	101	214	386	466	660	1,079	1,851	2,522	2,548	2,471	2,216	1,472	583	111	16	0
	口腔・咽頭	C00-C14	365	0	0	0	0	0	1	3	5	10	15	13	30	46	52	60	55	38	30	6	1	0	0
	食道	C15	509	0	0	0	0	0	0	0	0	2	3	19	28	59	96	104	89	72	23	12	2	0	0
	胃	C16	2,740	0	0	0	0	1	3	2	12	21	40	52	143	306	453	473	477	421	254	69	12	1	0
	大腸(結腸・直腸)	C18-C20	2,634	0	0	0	2	2	1	8	22	41	59	107	167	314	381	391	381	355	264	107	26	6	0
	結腸	C18	1,762	0	0	0	1	2	1	6	15	22	29	56	97	175	231	282	267	263	206	87	17	5	0
	直腸	C19-C20	872	0	0	0	1	0	0	2	7	19	30	51	70	139	150	109	114	92	58	20	9	1	0
	肝および肝内胆管	C22	622	0	0	0	0	0	0	2	1	4	10	11	30	60	91	97	113	100	70	26	6	1	0
	胆のう・胆管	C23-C24	421	0	0	0	0	0	1	0	0	2	2	6	16	22	41	55	69	83	82	38	4	0	0
	膵臓	C25	714	0	0	0	1	0	0	0	3	3	6	15	43	74	99	124	120	101	87	34	2	2	0
	喉頭	C32	89	0	0	0	0	0	0	0	1	0	0	1	5	11	26	11	15	13	4	2	0	0	0
	肺	C33-C34	2,088	0	0	0	0	0	0	0	8	13	25	49	115	192	356	358	335	321	217	89	18	2	0
	皮膚	C43-C44	326	0	0	0	1	0	2	3	7	6	7	8	6	23	32	29	43	50	57	42	9	1	0
	乳房	C50	1,580	0	0	0	0	2	5	17	42	131	159	152	166	220	210	148	119	113	58	31	6	1	0
	子宮	C53-C55	457	0	0	0	0	0	3	14	26	39	43	56	56	47	48	45	26	26	17	8	3	0	0
	子宮頸部	C53	169	0	0	0	0	0	3	14	26	39	43	56	56	47	48	45	26	26	17	8	3	0	0
	子宮体部	C54	289	0	0	0	0	0	1	12	16	25	28	18	12	15	12	13	7	5	2	2	1	0	0
	卵巢	C56	206	0	0	0	0	0	2	2	10	14	15	37	44	32	34	30	18	19	10	2	0	0	0
	前立腺	C61	1,341	0	0	0	0	1	0	0	0	0	3	18	54	146	270	304	273	165	82	22	2	1	0
	膀胱	C67	357	0	0	0	0	0	1	0	0	6	3	5	15	38	33	45	63	67	51	23	7	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	489	0	0	0	0	0	1	2	10	6	13	24	41	59	84	66	71	64	35	12	1	0	0
	脳・中枢神経系	C70-C72	102	2	5	5	2	3	3	4	4	3	0	0	6	6	14	13	12	6	9	4	1	0	0
	甲状腺	C73	358	0	0	0	4	11	10	22	25	39	25	35	29	40	37	26	17	15	14	5	3	1	0
	悪性リンパ腫	C81-C85 C96	528	0	1	2	3	4	3	5	7	10	12	33	45	73	60	76	69	75	34	16	0	0	0
	多発性骨髄腫	C88-C90	133	0	0	0	0	0	0	0	0	3	0	5	9	10	18	15	28	30	12	2	1	0	0
	白血病	C91-C95	212	8	4	5	5	2	7	3	9	10	6	9	21	14	24	24	24	23	6	6	2	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

## B. 上皮内がんを含む

## 宮城県

2015年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	10,499	7	8	7	8	14	30	31	81	123	159	300	655	1,257	1,814	1,928	1,726	1,300	794	232	31	4	0	
	食道	C15 D001	448	0	0	0	0	0	0	0	2	2	3	16	23	52	85	92	81	65	22	6	1	0	0	
	大腸(結腸・直腸)*2	C18-C20 D010-D012	1,967	0	0	0	2	1	1	4	15	36	45	85	161	284	358	306	290	208	130	33	6	2	0	
	結腸*2	C18 D010	1,240	0	0	0	1	1	1	4	8	20	23	49	95	153	213	213	187	147	94	27	3	1	0	
	直腸*2	C19-C20 D011-D012	727	0	0	0	1	0	0	0	7	16	22	36	66	131	145	93	103	61	36	6	3	1	0	
	肺	C33-C34 D021-D022	1,451	0	0	0	0	0	0	0	6	6	18	32	83	141	237	260	234	231	143	51	8	1	0	
	皮膚	C43-C44 D030-D049	192	0	0	0	0	0	0	0	0	3	2	3	3	15	26	26	31	30	32	16	2	0	0	
	乳房	C50 D05	13	0	0	0	0	0	0	0	0	0	1	0	1	2	1	2	1	4	1	0	0	0	0	
	膀胱	C67 D090	495	0	0	0	0	0	1	1	1	0	10	7	13	29	65	58	76	90	48	19	2	0	0	
	女	全部位	C00-C96 D00-D09	8,264	8	4	8	13	27	62	148	238	367	407	465	567	820	949	977	964	1,000	769	374	85	12	0
		食道	C15 D001	94	0	0	0	0	0	0	0	0	0	1	3	6	10	15	19	14	14	5	6	1	0	0
		大腸(結腸・直腸)*2	C18-C20 D010-D012	1,443	0	0	0	0	1	0	5	16	23	35	65	83	150	159	202	208	227	168	76	21	4	0
		結腸*2	C18 D010	1,053	0	0	0	0	1	0	3	12	15	20	37	51	94	111	155	158	178	138	62	14	4	0
		直腸*2	C19-C20 D011-D012	390	0	0	0	0	0	0	2	4	8	15	28	32	56	48	47	50	49	30	14	7	0	0
		肺	C33-C34 D021-D022	654	0	0	0	0	0	0	0	0	2	7	17	33	51	121	101	102	90	74	38	10	1	0
		皮膚	C43-C44 D030-D049	220	0	0	0	1	0	3	3	4	4	4	5	5	11	13	21	23	37	42	32	11	1	0
		乳房	C50 D05	1,781	0	0	0	0	2	6	20	51	156	191	174	181	245	230	173	133	117	62	33	6	1	0
子宮		C53-C55 D06	820	0	0	0	1	8	35	87	111	91	79	79	79	72	62	56	52	30	29	17	8	3	0	
子宮頸部		C53 D06	532	0	0	0	1	8	33	85	101	77	64	64	41	28	30	20	11	8	2	2	1	0	0	
膀胱		C67 D090	157	0	0	1	0	0	0	0	0	1	3	3	2	12	15	20	30	21	27	17	5	0	0	
総数*3 全部位		C00-C96 D00-D09	18,764	15	12	15	21	41	92	179	319	490	566	765	1,222	2,077	2,764	2,805	2,690	2,390	1,563	606	116	16	0	
食道		C15 D001	542	0	0	0	0	0	0	0	0	2	4	19	29	62	100	111	95	79	27	12	2	0	0	
大腸(結腸・直腸)*2		C18-C20 D010-D012	3,410	0	0	0	2	2	1	9	31	59	80	150	244	434	517	508	498	435	298	109	27	6	0	
結腸*2		C18 D010	2,293	0	0	0	1	2	1	7	20	35	43	86	146	247	324	368	345	325	232	89	17	5	0	
直腸*2		C19-C20 D011-D012	1,117	0	0	0	1	0	0	2	11	24	37	64	98	187	193	140	153	110	66	20	10	1	0	
肺		C33-C34 D021-D022	2,106	0	0	0	0	0	0	0	8	13	25	49	116	192	359	361	336	321	217	89	18	2	0	
皮膚	C43-C44 D030-D049	412	0	0	0	1	0	3	3	7	6	7	8	8	26	39	47	54	67	74	48	13	1	0		
乳房	C50 D05	1,794	0	0	0	0	2	6	20	51	157	191	174	182	247	231	175	134	121	63	33	6	1	0		
子宮	C53-C55 D06	820	0	0	0	1	8	35	87	111	91	79	79	72	62	56	52	30	29	17	8	3	0	0		
子宮頸部	C53 D06	532	0	0	0	1	8	33	85	101	77	64	64	41	28	30	20	11	8	2	2	1	0	0		
膀胱	C67 D090	652	0	0	1	0	0	0	1	1	0	11	10	16	31	77	96	106	111	75	36	7	0	0		

\*1 総数は年齢不詳を含む

\*2 粘膜炎を含む

\*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

## A. 上皮内がんを除く

## 宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C96	858.2	15.5	16.2	13.2	13.4	23.5	49.4	43.3	96.4	120.9	187.5	368.1	774.6	1,341.1	1,988.4	2,819.2	3,362.9	3,618.8	3,681.2	3,438.1	2,598.5	2,259.9	・
	口腔・咽頭	000-C14	21.3	0.0	0.0	0.0	0.0	0.0	1.6	2.9	5.1	5.8	9.4	4.2	28.5	45.6	50.4	70.4	81.7	59.0	64.8	0.0	0.0	0.0	・
	食道	C15	37.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.0	22.3	29.8	58.8	97.2	149.2	161.3	188.4	89.8	92.9	83.8	0.0	・
	胃	C16	170.3	0.0	0.0	0.0	0.0	1.7	1.6	1.4	10.1	13.9	30.8	51.6	134.3	279.7	420.0	588.3	714.5	749.6	733.2	464.6	419.1	0.0	・
	大腸（結腸・直腸）	C18-C20	130.0	0.0	0.0	0.0	3.4	1.7	1.6	5.8	15.2	25.6	44.2	83.6	141.1	230.5	307.2	393.9	465.2	454.8	543.7	495.6	502.9	1,129.9	・
	結腸	C18	79.8	0.0	0.0	0.0	1.7	1.7	1.6	5.8	8.9	12.8	18.7	39.0	81.4	116.5	176.4	269.9	295.4	311.6	394.1	402.7	251.5	565.0	・
	直腸	C19-C20	50.2	0.0	0.0	0.0	1.7	0.0	0.0	0.0	6.3	12.8	25.4	44.6	59.7	114.1	130.8	124.0	169.7	143.2	149.6	92.9	251.5	565.0	・
	肝および肝内胆管	C22	37.6	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.6	12.1	13.9	33.9	62.4	85.2	119.0	169.7	146.0	149.6	185.8	167.6	0.0	・
	胆のう・胆管	C23-C24	19.2	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.3	5.6	12.2	13.2	28.8	53.6	83.8	137.6	169.6	139.4	83.8	0.0	・
	膵臓	C25	34.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.2	5.4	11.2	38.0	58.8	79.2	127.4	127.8	117.9	159.6	185.8	0.0	0.0	・
	喉頭	C32	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	5.4	10.8	26.4	18.4	29.3	30.9	20.0	31.0	0.0	0.0	・
	肺	C33-C34	129.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	7.0	24.1	44.6	111.2	169.3	282.0	430.8	488.2	648.5	713.3	789.8	670.6	565.0	・
	皮膚	C43-C44	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.3	4.0	4.2	2.7	16.8	25.2	28.5	52.4	67.4	119.7	247.8	167.6	0.0	・
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.4	2.4	1.2	3.4	2.1	11.2	5.0	0.0	0.0	0.0	・
	前立腺	C61	119.8	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	4.0	25.1	73.3	175.3	324.0	509.5	572.0	463.2	409.0	340.7	167.6	565.0	・
	膀胱	C67	22.6	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	5.8	2.7	5.6	19.0	39.6	30.0	53.6	90.1	148.8	144.7	154.9	167.6	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	30.5	0.0	0.0	0.0	0.0	0.0	1.6	2.9	11.4	4.6	13.4	27.9	39.3	54.0	68.4	80.5	106.9	120.7	94.8	46.5	0.0	0.0	・
	脳・中枢神経系	C70-C72	5.5	0.0	4.1	7.6	0.0	1.7	4.9	2.9	2.5	3.5	0.0	0.0	8.1	3.6	9.6	15.1	14.7	8.4	24.9	46.5	0.0	0.0	・
	甲状腺	C73	7.9	0.0	0.0	0.0	0.0	1.7	1.6	5.8	7.6	8.1	2.7	13.9	13.6	12.0	14.4	11.7	6.3	16.8	24.9	46.5	83.8	0.0	・
	悪性リンパ腫	C81-C85 C96	25.3	0.0	2.0	0.0	3.4	3.4	3.3	7.2	5.1	7.0	9.4	22.3	29.8	50.4	45.6	67.0	69.1	126.3	69.8	61.9	0.0	0.0	・
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.8	6.8	4.8	14.4	15.1	27.2	36.5	15.0	0.0	0.0	0.0	・
	白血病	C91-C95	11.3	6.7	6.1	1.9	5.0	3.4	11.5	4.3	6.3	8.1	4.0	7.0	17.6	10.8	15.6	28.5	33.5	28.1	20.0	46.5	0.0	0.0	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2015年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	000-C96	606.3	18.2	8.5	13.9	21.6	33.1	46.3	101.4	177.7	335.6	442.4	547.9	670.6	849.9	993.2	1,283.8	1,367.5	1,631.1	1,818.4	1,894.0	1,594.9	1,122.5	・	
	口腔・咽頭	000-C14	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	6.0	10.9	11.9	9.3	11.5	26.7	25.3	29.9	42.1	31.5	19.9	0.0	・	
	食道	C15	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.9	11.6	17.2	22.2	18.9	21.1	12.4	31.5	19.9	0.0	・
	胃	C16	69.8	0.0	0.0	0.0	0.0	0.0	3.3	3.3	1.4	5.1	10.7	23.1	20.8	58.1	84.5	118.4	180.9	214.8	271.0	265.1	204.6	139.6	93.5	・
	大腸（結腸・直腸）	C18-C20	98.7	0.0	0.0	0.0	0.0	1.7	0.0	1.7	0.0	5.7	22.6	35.3	65.0	83.2	141.3	143.7	231.3	251.1	339.6	384.0	393.5	398.7	374.2	・
	結腸	C18	72.7	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.9	10.3	13.1	20.4	38.7	48.8	90.3	96.6	179.4	199.0	267.5	314.6	320.0	279.1	374.2	・
	直腸	C19-C20	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	9.5	14.9	26.3	34.3	50.9	47.1	51.9	52.1	72.1	69.4	73.5	119.6	0.0	・
	肝および肝内胆管	C22	16.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.4	1.4	6.6	9.3	23.0	38.5	50.5	84.5	99.1	73.5	79.7	93.5	・
	胆のう・胆管	C23-C24	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.4	2.8	9.2	12.7	19.5	34.1	45.8	59.8	118.9	152.2	59.8	0.0	・
	膵臓	C25	27.9	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.3	2.4	2.7	9.7	19.8	28.9	37.9	71.2	93.2	103.8	136.3	115.4	39.9	187.1	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	2.3	4.6	0.0	1.6	3.5	0.0	0.0	0.0	0.0	・
	肺	C33-C34	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.3	9.5	23.5	43.6	59.1	137.9	149.7	161.1	158.4	183.3	199.4	199.4	93.5	・
	皮膚	C43-C44	14.2	0.0	0.0	0.0	1.8	0.0	0.0	3.3	4.3	5.1	4.8	5.4	6.9	5.3	10.4	12.6	17.8	28.4	45.7	81.8	136.4	139.6	93.5	・
	乳房	C50	131.2	0.0	0.0	0.0	0.0	0.0	3.5	8.3	24.3	54.1	154.7	215.8	210.3	217.8	252.4	240.3	216.4	186.3	191.8	141.2	162.6	119.6	93.5	・
	子宮	C63-C65	38.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	20.0	33.5	46.4	58.4	77.5	73.9	54.4	55.2	66.7	41.1	45.7	42.1	42.0	59.8	0.0	・
	子宮頸部	C53	14.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	17.1	20.6	29.8	38.0	24.9	15.8	17.4	13.8	19.3	11.1	8.8	5.0	10.5	19.9	0.0	・
	子宮体部	C54	22.5	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	12.9	16.7	20.4	51.2	58.1	37.1	39.1	44.5	28.4	33.4	24.8	10.5	0.0	0.0	・
	卵巣	C56	17.2	0.0	0.0	0.0	0.0	0.0	0.0	6.6	5.7	12.9	20.2	21.7	23.5	30.4	38.2	23.0	32.6	22.1	19.4	22.3	31.5	0.0	0.0	・
	膀胱	C67	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	1.3	5.8	9.2	19.3	31.6	24.6	54.5	68.2	99.7	0.0	・
	腎・尿管（膀胱除く）	C64-C66 C68	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	4.1	5.5	15.8	16.2	31.0	26.7	31.6	37.0	39.6	47.2	19.9	0.0	・
	脳・中枢神経系	C70-C72	3.4	4.5	6.4	2.0	3.6	3.5	0.0	0.0	2.9	2.6	0.0	0.0	0.0	0.0	3.5	6.9	5.9	7.9	5.3	9.9	5.2	19.9	0.0	・
	甲状腺	C73	22.6	0.0	0.0	0.0	7.2	17.4	14.9	14.9	25.7	24.5	38.1	31.2	34.6	25.1	34.7	28.7	28.2	22.1	15.8	22.3	10.5	39.9	93.5	・
	悪性リンパ腫	C81-C85 C96	20.5	0.0	0.0	4.0	1.8	3.5	1.7	0.0	0.0	3.9	4.8	6.8	23.5	30.4	35.9	25.3	53.4	56.8	52.8	49.5	63.0	0.0	0.0	・
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	5.3	6.9	6.9	8.9	23.7	29.9	22.3	10.5	19.9	0.0	・
	白血病	C91-C95	7.1	11.4	2.1	8.0	3.6	0.0	0.0	0.0	0.0	5.1	3.6	4.1	5.5	10.6	5.8	12.6	10.4	12.6	22.9	5.0	15.7	39.9	0.0	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表3-1. 年齢階級別罹患率（人口10万対, 100歳以上をまるめ）： 部位別、性別

## A. 上皮内がんを除く

## 宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	000-C96	728.2	16.8	12.5	13.6	17.4	28.2	47.9	72.5	136.7	226.9	314.1	458.3	721.9	1,091.0	1,480.7	2,004.4	2,225.1	2,396.9	2,436.6	2,284.8	1,787.7	1,284.1	-
	口腔・咽頭	000-C14	15.8	0.0	0.0	0.0	0.0	0.0	0.8	2.2	3.2	5.9	10.1	9.0	20.1	27.1	30.5	47.2	49.5	41.1	49.7	23.5	16.1	0.0	-
	食道	C15	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	13.2	18.7	34.8	56.4	81.8	80.1	77.9	38.1	47.0	32.2	0.0	-
	胃	C16	118.4	0.0	0.0	0.0	0.0	0.9	2.5	1.4	7.7	12.3	27.0	36.1	95.7	180.4	266.0	372.1	429.5	455.4	420.4	270.4	193.3	80.3	-
	大腸（結腸・直腸）	C18-C20	113.8	0.0	0.0	0.0	1.7	1.7	0.8	5.7	14.1	24.1	39.8	74.3	111.7	185.1	223.7	307.6	343.1	384.0	437.0	419.3	418.7	481.5	-
	結腸	C18	76.2	0.0	0.0	0.0	0.9	1.7	0.8	4.3	9.6	12.9	19.5	38.9	64.9	103.1	135.6	221.8	240.4	284.5	341.0	340.9	273.8	401.3	-
	直腸	C19-C20	37.7	0.0	0.0	0.0	0.9	0.0	0.0	1.4	4.5	11.2	20.2	35.4	46.8	81.9	88.1	85.7	102.7	99.5	96.0	78.4	145.0	80.3	-
	肝および肝内胆管	C22	26.9	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	2.4	6.7	7.6	20.1	35.4	53.4	76.3	101.8	108.2	115.9	101.9	96.6	80.3	-
	胆のう・胆管	C23-C24	18.2	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.2	1.3	4.2	10.7	13.0	24.1	43.3	62.1	89.8	135.7	148.9	64.4	0.0	-
	膵臓	C25	30.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.9	1.8	4.0	10.4	28.8	43.6	58.1	97.5	108.1	109.2	144.0	133.2	32.2	160.5	-
	喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	3.3	6.5	15.3	8.7	13.5	14.1	6.6	7.8	0.0	0.0	-
	肺	C33-C34	90.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	7.6	16.8	34.0	76.9	113.2	209.0	281.6	301.7	347.2	359.2	348.8	289.9	160.5	-
	皮膚	C43-C44	14.1	0.0	0.0	0.0	0.9	0.0	1.7	2.2	4.5	3.5	4.7	5.6	4.0	13.6	18.8	22.8	38.7	54.1	94.4	164.6	145.0	80.3	-
	乳房	C50	68.3	0.0	0.0	0.0	0.0	1.7	4.1	12.2	26.8	77.0	107.2	105.6	111.1	129.7	123.3	116.4	107.2	122.2	96.0	121.5	96.6	80.3	-
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	15.4	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	3.5	2.0	3.5	10.0	22.4	19.4	35.4	56.7	72.5	84.4	90.1	112.7	0.0	-
	腎・尿管（膀胱除く）	C64-C66 C68	21.1	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.4	3.5	8.8	16.7	27.4	34.8	49.3	51.9	63.9	69.2	57.9	47.0	16.1	0.0	-
	脳・中枢神経系	C70-C72	4.4	2.2	5.2	4.8	1.7	2.6	2.5	2.9	2.6	1.8	0.0	0.0	4.0	3.5	8.2	10.2	10.8	6.5	14.9	15.7	16.1	0.0	-
	甲状腺	C73	15.5	0.0	0.0	0.0	3.5	9.4	8.3	15.8	16.0	22.9	16.8	24.3	19.4	23.6	21.7	20.5	15.3	16.2	23.2	19.6	48.3	80.3	-
	悪性リンパ腫	C81-C85 C96	22.8	0.0	1.0	1.9	2.6	3.4	2.5	3.6	4.5	5.9	8.1	22.9	30.1	43.0	35.2	59.8	62.1	81.1	56.3	62.7	0.0	0.0	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.5	6.0	5.9	10.6	11.8	25.2	32.4	19.9	7.8	16.1	0.0	-
	白血病	C91-C95	9.2	9.0	4.2	4.8	4.3	1.7	5.8	2.2	5.7	5.9	4.0	6.2	14.1	8.3	14.1	18.9	21.6	24.9	9.9	23.5	32.2	0.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上まるめ）： 部位別、性別

## B. 上皮内がんを含む

## 宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C96 D00-D09	938.2	15.5	16.2	13.2	13.4	23.5	49.4	44.7	102.7	142.9	212.9	418.2	888.6	1,509.2	2,176.8	3,063.9	3,616.5	3,902.3	3,960.5	3,593.0	2,998.5	2,259.9	・
	食道	C15 D001	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.0	22.3	31.2	62.4	102.0	154.2	169.7	182.5	109.7	92.9	83.8	0.0	・
	大腸 (結腸・直腸)	*2 C18-C20 D010-D012	175.8	0.0	0.0	0.0	3.4	1.7	1.6	5.8	19.0	41.8	60.3	118.5	218.4	341.0	429.6	512.9	607.6	583.9	648.4	511.1	502.9	1,129.9	・
	結腸 *2	C18 D010	110.8	0.0	0.0	0.0	1.7	1.7	1.6	5.8	10.1	23.2	30.8	68.3	128.9	183.7	255.6	357.0	391.8	412.7	468.9	418.2	251.5	565.0	・
	直腸 *2	C19-C20 D011-D012	65.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	8.9	18.6	29.5	50.2	89.5	157.3	174.0	155.9	215.8	171.3	179.6	92.9	251.5	565.0	・
	肺	C33-C34 D021-D022	129.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	7.0	24.1	44.6	112.6	169.3	284.4	435.8	490.3	648.5	713.3	789.8	670.6	565.0	・
	皮膚	C43-C44 D030-D049	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.3	4.0	4.2	4.1	18.0	31.2	43.6	65.0	84.2	159.6	247.8	167.6	0.0	・
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.4	2.4	1.2	3.4	2.1	11.2	5.0	0.0	0.0	0.0	・
	膀胱	C67 D090	44.2	0.0	0.0	0.0	0.0	1.6	1.4	1.4	0.0	11.6	9.4	18.1	39.3	78.0	69.6	127.4	159.2	282.7	239.4	294.3	167.6	0.0	・
	全部位	000-C96 D00-D09	691.8	18.2	8.5	15.9	23.4	47.1	102.6	211.3	306.4	436.7	552.3	643.4	748.5	949.4	1,090.9	1,448.4	1,522.3	1,759.6	1,905.1	1,962.2	1,694.6	1,122.5	・
	食道	C15 D001	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	7.9	11.6	17.2	28.2	22.1	24.6	12.4	31.5	19.9	0.0	・
	大腸 (結腸・直腸)	*2 C18-C20 D010-D012	120.8	0.0	0.0	0.0	0.0	1.7	0.0	7.1	20.6	27.4	47.5	89.9	109.6	173.7	182.8	299.5	328.5	399.4	416.2	398.7	418.7	374.2	・
	結腸 *2	C18 D010	88.1	0.0	0.0	0.0	0.0	1.7	0.0	4.3	15.4	17.9	27.1	51.2	67.3	108.8	127.6	229.8	249.5	313.2	341.9	325.3	279.1	374.2	・
	直腸 *2	C19-C20 D011-D012	32.6	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.1	9.5	20.4	38.7	42.2	64.8	55.2	69.7	79.0	86.2	74.3	73.5	139.6	0.0	・
	肺	C33-C34 D021-D022	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.3	9.5	23.5	43.6	59.1	139.1	149.7	161.1	158.4	183.3	199.4	199.4	93.5	・
	皮膚	C43-C44 D030-D049	18.4	0.0	0.0	0.0	0.0	1.8	0.0	5.0	4.3	5.1	4.8	6.9	6.6	12.7	14.9	31.1	36.3	65.1	104.1	167.9	219.3	93.5	・
	乳房	C50 D05	149.1	0.0	0.0	0.0	0.0	0.0	3.5	9.9	28.6	65.7	185.6	259.2	240.8	238.9	283.7	264.4	256.5	210.0	205.9	153.6	173.1	119.6	93.5
子宮	C53-C55 D06	68.6	0.0	0.0	0.0	0.0	1.8	13.9	57.9	124.2	142.9	108.3	107.2	109.3	95.0	71.8	64.4	77.1	47.4	51.0	42.1	42.0	59.8	0.0	・
子宮頸部	C53 D06	44.5	0.0	0.0	0.0	1.8	13.9	54.6	121.4	130.0	91.6	86.8	56.7	37.0	34.7	23.0	29.6	29.6	17.4	14.1	5.0	10.5	19.9	0.0	・
膀胱	C67 D090	13.1	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.2	4.1	4.2	2.6	13.9	17.2	29.6	29.6	47.4	37.0	66.9	89.2	99.7	0.0	・
総数 *3 全部位	000-C96 D00-D09	811.0	16.8	12.5	14.5	18.2	35.1	75.9	128.4	203.8	288.1	381.5	531.2	817.6	1,224.2	1,622.8	2,206.6	2,422.3	2,585.1	2,587.2	2,374.9	1,868.3	1,284.1	・	
食道	C15 D001	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	13.2	19.4	36.5	58.7	87.3	85.5	85.4	44.7	47.0	32.2	0.0	・	
大腸 (結腸・直腸)	*2 C18-C20 D010-D012	147.4	0.0	0.0	0.0	1.7	1.7	0.8	6.5	19.8	34.7	53.9	104.2	163.3	255.8	303.5	399.6	448.4	470.5	493.3	427.2	434.9	481.5	・	
結腸 *2	C18 D010	99.1	0.0	0.0	0.0	0.9	1.7	0.8	5.0	12.8	20.6	29.0	59.7	97.7	145.6	190.2	289.5	310.7	351.5	384.0	348.8	273.8	401.3	・	
直腸 *2	C19-C20 D011-D012	48.3	0.0	0.0	0.0	0.9	0.0	0.0	1.4	7.0	14.1	24.9	44.4	65.6	110.2	113.3	110.1	137.8	119.0	109.2	78.4	161.1	80.3	・	
肺	C33-C34 D021-D022	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	7.6	16.8	34.0	77.6	113.2	210.8	284.0	302.6	347.2	359.2	348.8	289.9	160.5	・	
皮膚	C43-C44 D030-D049	17.8	0.0	0.0	0.0	0.9	0.0	2.5	2.2	4.5	3.5	4.7	5.6	5.4	15.3	22.9	37.0	48.6	72.5	122.5	188.1	209.4	80.3	・	
乳房	C50 D05	77.5	0.0	0.0	0.0	0.0	1.7	5.0	14.4	32.6	92.3	128.7	120.8	121.8	145.6	135.6	137.7	120.7	130.9	104.3	129.3	96.6	80.3	・	
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
膀胱	C67 D090	28.2	0.0	0.0	1.0	0.0	0.0	0.8	0.7	0.0	6.5	6.7	11.1	20.7	45.4	42.9	75.5	95.5	120.1	124.1	141.1	112.7	0.0	・	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C96	858.2	15.5	16.2	13.2	13.4	23.5	49.4	43.3	96.4	120.9	187.5	368.1	774.6	1,341.1	1,988.4	2,819.2	3,362.9	3,618.8	3,569.5	・
	口腔・咽頭	000-C14	21.3	0.0	0.0	0.0	0.0	0.0	1.6	2.9	5.1	5.8	9.4	4.2	28.5	45.6	50.4	70.4	81.7	59.0	46.6	・
	食道	C15	37.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.0	22.3	29.8	58.8	97.2	149.2	161.3	168.4	89.7	・
	胃	C16	170.3	0.0	0.0	0.0	0.0	1.7	1.6	1.4	10.1	13.9	30.8	51.6	134.3	279.7	420.0	588.3	714.5	749.6	652.9	・
	大腸（結腸・直腸）	C18-C20	130.0	0.0	0.0	0.0	3.4	1.7	1.6	5.8	15.2	25.6	44.2	83.6	141.1	230.5	307.2	393.9	465.2	454.8	534.5	・
	結腸	C18	79.8	0.0	0.0	0.0	1.7	1.7	1.6	5.8	8.9	12.8	18.7	39.0	81.4	116.5	176.4	269.9	295.4	311.6	391.0	・
	直腸	C19-C20	50.2	0.0	0.0	0.0	1.7	0.0	0.0	0.0	6.3	12.8	25.4	44.6	59.7	114.1	130.8	124.0	169.7	143.2	143.5	・
	肝および肝内胆管	C22	37.6	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.6	12.1	13.9	33.9	62.4	85.2	119.0	169.7	146.0	157.8	・
	胆のう・胆管	C23-C24	19.2	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	1.3	5.6	12.2	13.2	28.8	53.6	83.8	137.6	157.8	・
	膵臓	C25	34.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.2	5.4	11.2	38.0	58.8	79.2	127.4	127.8	117.9	157.8	・
	喉頭	C32	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	5.4	10.8	26.4	18.4	29.3	30.9	21.5	・
	肺	C33-C34	129.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	7.0	24.1	44.6	111.2	169.3	282.0	430.8	488.2	648.5	728.3	・
	皮膚	C43-C44	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.3	4.0	4.2	2.7	16.8	25.2	28.5	52.4	67.4	150.7	・
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.4	2.4	1.2	3.4	2.1	11.2	3.6	・
	前立腺	C61	119.8	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	4.0	25.1	73.3	175.3	324.0	509.5	572.0	463.2	383.9	・
	膀胱	C67	22.6	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	5.8	2.7	5.6	19.0	39.6	30.0	53.6	90.1	148.8	147.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	30.5	0.0	0.0	0.0	0.0	0.0	1.6	2.9	11.4	4.6	13.4	27.9	39.3	54.0	68.4	80.5	106.9	120.7	78.9	・
	脳・中枢神経系	C70-C72	5.5	0.0	4.1	7.6	0.0	1.7	4.9	2.9	2.5	3.5	0.0	0.0	8.1	3.6	9.6	15.1	14.7	8.4	28.7	・
	甲状腺	C73	7.9	0.0	0.0	0.0	0.0	1.7	1.6	5.8	7.6	8.1	2.7	13.9	13.6	12.0	14.4	11.7	6.3	16.8	32.3	・
	悪性リンパ腫	C81-C85 C96	25.3	0.0	2.0	0.0	3.4	3.4	3.3	7.2	5.1	7.0	9.4	22.3	29.8	50.4	45.6	67.0	69.1	126.3	64.6	・
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.8	6.8	4.8	14.4	15.1	27.2	36.5	10.8	・
	白血病	C91-C95	11.3	6.7	6.1	1.9	5.0	3.4	11.5	4.3	6.3	8.1	4.0	7.0	17.6	10.8	15.6	28.5	33.5	28.1	25.1	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

## A. 上皮内がんを除く

## 宮城県

2015年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	000-C96	606.3	18.2	8.5	13.9	21.6	33.1	46.3	101.4	177.7	335.6	442.4	547.9	670.6	849.9	993.2	1,283.8	1,367.5	1,631.1	1,811.9	・
	口腔・咽頭	000-C14	10.6	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	6.0	10.9	13.8	11.9	9.3	11.5	26.7	25.3	29.9	36.6	・
	食道	C15	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.9	11.6	17.2	22.2	18.9	21.1	18.3	・
	胃	C16	69.8	0.0	0.0	0.0	0.0	0.0	3.3	1.4	5.1	10.7	23.1	20.8	58.1	84.5	118.4	180.9	214.8	271.0	235.1	・
	大腸（結腸・直腸）	C18-C20	98.7	0.0	0.0	0.0	0.0	1.7	0.0	5.7	12.9	22.6	35.3	65.0	83.2	141.3	143.7	231.3	251.1	339.6	387.7	・
	結腸	C18	72.7	0.0	0.0	0.0	0.0	1.7	0.0	2.9	10.3	13.1	20.4	38.7	48.8	90.3	96.6	179.4	199.0	287.5	314.5	・
	直腸	C19-C20	26.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	9.5	14.9	26.3	34.3	50.9	47.1	51.9	52.1	72.1	73.3	・
	肝および肝内胆管	C22	16.8	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.4	1.4	6.6	9.3	23.0	38.5	50.5	84.5	90.1	・
	胆のう・胆管	C23-C24	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.4	2.8	9.2	12.7	19.5	34.1	45.8	59.8	122.1	・
	膵臓	C25	27.9	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.3	2.4	2.7	9.7	19.8	28.9	37.9	71.2	93.2	103.8	123.6	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	2.3	4.6	0.0	1.6	3.5	0.0	・
	肺	C33-C34	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.3	9.5	23.5	43.6	59.1	137.9	149.7	161.1	158.4	187.8	・
	皮膚	C43-C44	14.2	0.0	0.0	0.0	1.8	0.0	3.3	4.3	5.1	4.8	5.4	6.9	5.3	10.4	12.6	17.8	28.4	45.7	102.3	・
	乳房	C50	131.2	0.0	0.0	0.0	0.0	3.5	8.3	24.3	54.1	154.7	215.8	210.3	217.8	252.4	240.3	216.4	186.3	191.8	145.0	・
	子宮	C63-C65	38.3	0.0	0.0	0.0	0.0	0.0	5.0	20.0	33.5	46.4	58.4	77.5	73.9	54.4	55.2	66.7	41.1	45.7	42.7	・
	子宮頸部	C53	14.1	0.0	0.0	0.0	0.0	0.0	1.7	17.1	20.6	29.8	38.0	24.9	15.8	17.4	13.8	19.3	11.1	8.8	7.6	・
	子宮体部	C54	22.5	0.0	0.0	0.0	0.0	0.0	3.3	2.9	12.9	16.7	20.4	51.2	58.1	37.1	39.1	44.5	28.4	33.4	18.3	・
	卵巣	C56	17.2	0.0	0.0	0.0	0.0	0.0	6.6	5.7	12.9	20.2	21.7	23.5	30.4	38.2	23.0	32.6	22.1	19.4	22.9	・
	膀胱	C67	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	1.3	5.8	9.2	19.3	31.6	24.6	61.1	・
	腎・尿管（膀胱除く）	C64-C66 C68	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	4.1	5.5	15.8	16.2	31.0	26.7	31.6	37.0	39.7	・
	脳・中枢神経系	C70-C72	3.4	4.5	6.4	2.0	3.6	3.5	0.0	2.9	2.6	0.0	0.0	0.0	0.0	3.5	6.9	5.9	7.9	5.3	9.2	・
	甲状腺	C73	22.6	0.0	0.0	0.0	7.2	17.4	14.9	25.7	24.5	38.1	31.2	34.6	25.1	34.7	28.7	28.2	22.1	15.8	21.4	・
	悪性リンパ腫	C81-C85 C96	20.5	0.0	0.0	4.0	1.8	3.5	1.7	0.0	3.9	4.8	6.8	23.5	30.4	35.9	25.3	53.4	56.8	52.8	48.8	・
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	5.3	6.9	6.9	8.9	23.7	29.9	18.3	・
	白血病	C91-C95	7.1	11.4	2.1	8.0	3.6	0.0	0.0	0.0	5.1	3.6	4.1	5.5	10.6	5.8	12.6	10.4	12.6	22.9	10.7	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	728.2	16.8	12.5	13.6	17.4	28.2	47.9	72.5	136.7	226.9	314.1	458.3	721.9	1,091.0	1,480.7	2,004.4	2,225.1	2,396.9	2,336.6	-
	口腔・咽頭	C00-C14	15.8	0.0	0.0	0.0	0.0	0.0	0.8	2.2	3.2	5.9	10.1	9.0	20.1	27.1	30.5	47.2	49.5	41.1	39.6	-
	食道	C15	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	13.2	18.7	34.8	56.4	81.8	80.1	77.9	39.6	-
	胃	C16	118.4	0.0	0.0	0.0	0.0	0.9	2.5	1.4	7.7	12.3	27.0	36.1	95.7	180.4	266.0	372.1	429.5	455.4	359.8	-
	大腸（結腸・直腸）	C18-C20	113.8	0.0	0.0	0.0	1.7	1.7	0.8	5.7	14.1	24.1	39.8	74.3	111.7	185.1	223.7	307.6	343.1	384.0	431.5	-
	結腸	C18	76.2	0.0	0.0	0.0	0.9	1.7	0.8	4.3	9.6	12.9	19.5	38.9	64.9	103.1	135.6	221.8	240.4	284.5	337.3	-
	直腸	C19-C20	37.7	0.0	0.0	0.0	0.9	0.0	0.0	1.4	4.5	11.2	20.2	35.4	46.8	81.9	88.1	85.7	102.7	99.5	94.2	-
	肝および肝内胆管	C22	26.9	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	2.4	6.7	7.6	20.1	35.4	53.4	76.3	101.8	108.2	110.3	-
	胆のう・胆管	C23-C24	18.2	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.2	1.3	4.2	10.7	13.0	24.1	43.3	62.1	89.8	132.8	-
	膵臓	C25	30.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.9	1.8	4.0	10.4	28.8	43.6	58.1	97.5	108.1	109.2	133.9	-
	喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	3.3	6.5	15.3	8.7	13.5	14.1	6.4	-
	肺	C33-C34	90.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	7.6	16.8	34.0	76.9	113.2	209.0	281.6	301.7	347.2	349.1	-
	皮膚	C43-C44	14.1	0.0	0.0	0.0	0.9	0.0	1.7	2.2	4.5	3.5	4.7	5.6	4.0	13.6	18.8	22.8	38.7	54.1	116.7	-
	乳房	C50	68.3	0.0	0.0	0.0	0.0	1.7	4.1	12.2	26.8	77.0	107.2	105.6	111.1	129.7	123.3	116.4	107.2	122.2	102.8	-
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	15.4	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	3.5	2.0	3.5	10.0	22.4	19.4	35.4	56.7	72.5	86.7	-
	腎・尿管（膀胱除く）	C64-C66 C68	21.1	0.0	0.0	0.0	0.0	0.0	0.8	1.4	6.4	3.5	8.8	16.7	27.4	34.8	49.3	51.9	63.9	69.2	51.4	-
	脳・中枢神経系	C70-C72	4.4	2.2	5.2	4.8	1.7	2.6	2.5	2.9	2.6	1.8	0.0	0.0	4.0	3.5	8.2	10.2	10.8	6.5	15.0	-
	甲状腺	C73	15.5	0.0	0.0	0.0	3.5	9.4	8.3	15.8	16.0	22.9	16.8	24.3	19.4	23.6	21.7	20.5	15.3	16.2	24.6	-
	悪性リンパ腫	C81-C85 C96	22.8	0.0	1.0	1.9	2.6	3.4	2.5	3.6	4.5	5.9	8.1	22.9	30.1	43.0	35.2	59.8	62.1	81.1	53.5	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.5	6.0	5.9	10.6	11.8	25.2	32.4	16.1	-
	白血病	C91-C95	9.2	9.0	4.2	4.8	4.3	1.7	5.8	2.2	5.7	5.9	4.0	6.2	14.1	8.3	14.1	18.9	21.6	24.9	15.0	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

## B. 上皮内がんを含む

宮城県 2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C96 D00-D09	938.2	15.5	16.2	13.2	13.4	23.5	49.4	44.7	102.7	142.9	212.9	418.2	888.6	1,509.2	2,176.8	3,063.9	3,616.5	3,902.3	3,806.3	・	
	食道	C15 D001	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	4.0	22.3	31.2	62.4	102.0	154.2	169.7	182.5	104.0	・	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	175.8	0.0	0.0	0.0	3.4	1.7	1.6	5.8	5.8	19.0	41.8	60.3	118.5	218.4	341.0	429.6	512.9	607.6	583.9	613.5	・
	結腸 *2	C18 D010	110.8	0.0	0.0	0.0	1.7	1.7	1.6	5.8	5.8	10.1	23.2	30.8	68.3	128.9	183.7	255.6	357.0	391.8	412.7	448.4	・
	直腸 *2	C19-C20 D011-D012	65.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	8.9	18.6	29.5	89.5	157.3	174.0	155.9	215.8	171.3	165.0	・	
	肺	C33-C34 D021-D022	129.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	7.0	24.1	44.6	112.6	284.4	435.8	490.3	648.5	728.3	・	
	皮膚	C43-C44 D030-D049	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.3	4.0	4.2	18.0	31.2	43.6	65.0	84.2	179.4	・	
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	2.4	1.2	3.4	2.1	11.2	3.6	・	
	膀胱	C67 D090	44.2	0.0	0.0	0.0	0.0	0.0	1.6	1.4	1.4	0.0	11.6	9.4	18.1	39.3	78.0	127.4	159.2	252.7	247.5	・	
	全部位	000-C96 D00-D09	691.8	18.2	8.5	15.9	23.4	47.1	102.6	211.3	211.3	306.4	436.7	552.3	643.4	748.5	949.4	1,090.9	1,448.4	1,522.3	1,759.6	1,892.8	・
	食道	C15 D001	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	7.9	11.6	17.2	28.2	22.1	24.6	18.3	・
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	120.8	0.0	0.0	0.0	0.0	1.7	0.0	7.1	7.1	20.6	27.4	47.5	89.9	109.6	173.7	182.8	299.5	328.5	399.4	410.6	・
	結腸 *2	C18 D010	88.1	0.0	0.0	0.0	0.0	1.7	0.0	4.3	4.3	15.4	17.9	27.1	51.2	67.3	108.8	127.6	229.8	249.5	313.2	332.8	・
	直腸 *2	C19-C20 D011-D012	32.6	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.9	5.1	9.5	20.4	38.7	42.2	64.8	55.2	69.7	79.0	86.2	77.9	・
肺	C33-C34 D021-D022	54.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.3	9.5	43.6	59.1	139.1	149.7	161.1	158.4	187.8	・		
皮膚	C43-C44 D030-D049	18.4	0.0	0.0	0.0	1.8	0.0	0.0	5.0	4.3	5.1	4.8	5.4	6.9	12.7	14.9	31.1	36.3	65.1	131.3	・		
乳房	C50 D05	149.1	0.0	0.0	0.0	0.0	3.5	9.9	28.6	28.6	65.7	185.6	259.2	240.8	238.9	283.7	264.4	256.5	210.0	205.9	155.7	・	
子宮	C53-C55 D06	68.6	0.0	0.0	0.0	1.8	13.9	57.9	124.2	142.9	108.3	107.2	109.3	95.0	71.8	64.4	77.1	47.4	47.4	51.0	42.7	・	
子宮頸部	C53 D06	44.5	0.0	0.0	0.0	1.8	13.9	54.6	121.4	130.0	91.6	86.8	56.7	37.0	34.7	23.0	29.6	17.4	14.1	14.1	7.6	・	
膀胱	C67 D090	13.1	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.1	4.2	13.9	17.2	29.6	47.4	37.0	74.8	・		
総数 *3 全部位	000-C96 D00-D09	811.0	16.8	12.5	14.5	18.2	35.1	75.9	128.4	128.4	203.8	288.1	381.5	531.2	817.6	1,224.2	1,622.8	2,206.6	2,422.3	2,585.1	2,464.0	・	
食道	C15 D001	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	13.2	19.4	36.5	58.7	87.3	85.5	85.4	43.9	・	
大腸 (結腸・直腸) *2	C18-C20 D010-D012	147.4	0.0	0.0	0.0	1.7	1.7	0.8	6.5	6.5	19.8	34.7	53.9	104.2	163.3	255.8	303.5	399.6	448.4	470.5	471.2	・	
結腸 *2	C18 D010	99.1	0.0	0.0	0.0	0.9	0.9	1.7	0.8	0.8	12.8	20.6	29.0	59.7	97.7	145.6	190.2	289.5	310.7	351.5	367.3	・	
直腸 *2	C19-C20 D011-D012	48.3	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.4	7.0	14.1	24.9	44.4	65.6	110.2	113.3	110.1	137.8	119.0	103.9	・	
肺	C33-C34 D021-D022	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	7.6	16.8	34.0	77.6	113.2	210.8	284.0	302.6	347.2	349.1	・	
皮膚	C43-C44 D030-D049	17.8	0.0	0.0	0.0	0.9	0.0	0.0	2.5	2.2	4.5	3.5	4.7	5.6	15.3	22.9	37.0	48.6	48.6	72.5	145.6	・	
乳房	C50 D05	77.5	0.0	0.0	0.0	0.0	1.7	5.0	14.4	14.4	32.6	92.3	128.7	120.8	145.6	135.6	137.7	120.7	130.9	110.3	・		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
膀胱	C67 D090	28.2	0.0	0.0	1.0	0.0	0.0	0.8	0.7	0.7	0.0	6.5	6.7	11.1	20.7	45.4	42.9	75.5	95.5	120.1	126.4	・	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

宮城県

2015年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	15,897	18.6	29.7	0.1	3.9	47.7
口腔・咽頭	C00-C14	355	0.6	22.3	0.0	4.5	72.7
食道	C15	492	15.7	33.3	0.0	4.3	46.7
胃	C16	2,608	24.7	36.5	0.0	2.3	36.5
大腸 (結腸・直腸)	C18-C20	2,491	22.5	25.1	0.0	3.7	48.8
結腸	C18	1,656	22.3	27.8	0.0	3.2	46.7
直腸	C19-C20	835	22.8	19.8	0.0	4.6	52.9
肝および肝内胆管	C22	539	2.2	62.2	0.2	3.5	31.9
胆のう・胆管	C23-C24	367	3.3	32.4	0.0	5.4	58.9
膵臓	C25	648	3.4	32.1	0.0	6.6	57.9
喉頭	C32	89	0.0	13.5	0.0	0.0	86.5
肺	C33-C34	1,927	22.4	39.0	0.1	3.9	34.6
皮膚	C43-C44	321	0.0	8.1	0.0	3.7	88.2
乳房	C50	1,547	29.5	12.0	0.0	5.2	53.3
乳房 (女性のみ)	C50	1,535	29.7	12.1	0.0	5.2	53.0
子宮	C53-C55	441	17.9	10.9	0.0	5.4	65.8
子宮頸部	C53	168	24.4	6.5	0.0	5.4	63.7
子宮体部	C54	266	14.3	13.2	0.0	4.9	67.7
卵巣	C56	195	13.8	17.4	0.0	5.6	63.1
前立腺	C61	1,303	33.2	32.2	0.2	1.9	32.5
膀胱	C67	328	3.4	21.0	0.0	5.8	69.8
腎・尿路 (膀胱除く)	C64-C66 C68	462	11.7	40.5	0.6	2.6	44.6
脳・中枢神経系	C70-C72	87	0.0	12.6	0.0	18.4	69.0
甲状腺	C73	352	14.8	47.2	0.3	2.3	35.5
悪性リンパ腫	C81-C85 C96	505	7.3	25.0	0.6	4.2	63.0
多発性骨髄腫	C88-C90	116	2.6	46.6	0.0	3.4	47.4
白血病	C91-C95	197	11.7	27.9	0.5	4.6	55.3

\*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

宮城県 2015年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	17,813	20.4	30.1	0.1	3.5	45.9
食道	C15 D001	525	15.6	36.2	0.0	4.0	44.2
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,267	27.5	28.2	0.0	2.8	41.5
結腸 *2	C18 D010	2,187	28.1	30.4	0.0	2.4	39.1
直腸 *2	C19-C20 D011-D012	1,080	26.2	23.9	0.0	3.5	46.4
肺	C33-C34 D021-D022	1,935	22.3	39.2	0.1	3.9	34.4
皮膚	C43-C44 D030-D049	407	0.0	11.3	0.0	3.2	85.5
乳房	C50 D05	1,761	31.3	12.6	0.0	4.7	51.4
乳房 (女性のみ)	C50 D05	1,749	31.5	12.7	0.0	4.7	51.1
子宮	C53-C55 D06	804	33.5	16.9	0.0	3.0	46.6
子宮頸部	C53 D06	531	43.5	18.6	0.0	1.7	36.2
膀胱	C67 D090	623	5.9	25.2	0.0	3.5	65.3

\*1 DC0を除く総数

\*2 粘膜がんを含む



部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	15,584	48.5	10.4	13.4	17.8	9.9	23.8
口腔・咽頭	C00-C14	355	36.1	18.0	32.7	2.8	10.4	50.7
食道	C15	492	46.7	8.1	23.0	14.4	7.7	31.1
胃	C16	2,608	65.2	9.4	6.6	13.3	5.4	16.1
大腸 (結腸・直腸)	C18-C20	2,491	47.4	18.0	10.7	17.6	6.3	28.7
結腸	C18	1,656	46.6	16.8	12.0	18.1	6.5	28.8
直腸	C19-C20	835	48.9	20.2	8.3	16.8	5.9	28.5
肝および肝内胆管	C22	539	59.0	3.3	9.3	11.5	16.9	12.6
胆のう・胆管	C23-C24	367	13.4	3.5	39.2	21.8	22.1	42.8
膵臓	C25	648	9.4	2.9	30.6	48.9	8.2	33.5
喉頭	C32	89	67.4	4.5	20.2	2.2	5.6	24.7
肺	C33-C34	1,927	36.3	10.1	9.2	38.6	5.9	19.3
皮膚	C43-C44	321	79.1	1.9	8.1	0.9	10.0	10.0
乳房	C50	1,547	59.3	22.6	4.1	5.9	8.1	26.7
乳房 (女性のみ)	C50	1,535	59.3	22.6	4.0	5.9	8.1	26.6
子宮	C53-C55	441	54.4	4.1	23.6	10.2	7.7	27.7
子宮頸部	C53	168	39.9	4.8	36.9	10.7	7.7	41.7
子宮体部	C54	266	64.7	3.8	15.4	10.2	6.0	19.2
卵巣	C56	195	32.8	1.0	34.9	13.8	17.4	35.9
前立腺	C61	1,303	56.0	0.8	15.7	11.4	16.0	16.6
膀胱	C67	328	62.2	2.1	15.2	6.1	14.3	17.4
腎・尿路 (膀胱除く)	C64-C66 C68	462	56.1	1.3	17.1	14.7	10.8	18.4
脳・中枢神経系	C70-C72	87	56.3	0.0	20.7	6.9	16.1	20.7
甲状腺	C73	352	34.1	44.6	5.4	5.1	10.8	50.0
悪性リンパ腫	C81-C85 C96	503	22.5	0.4	19.7	39.8	17.7	20.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 D00、「777」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	17,500	10.4	43.6	9.3	11.9	15.8	9.1	21.2
食道	C15 D001	525	6.3	43.8	7.6	21.5	13.5	7.2	29.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,267	23.7	36.1	13.7	8.2	13.4	4.9	21.9
結腸 *3	C18 D010	2,187	24.2	35.3	12.8	9.1	13.7	5.0	21.8
直腸 *3	C19-C20 D011-D012	1,080	22.5	37.8	15.6	6.4	13.0	4.7	22.0
肺	C33-C34 D021-D022	1,935	0.4	36.1	10.0	9.1	38.4	5.9	19.2
皮膚	C43-C44 D030-D049	407	20.4	62.4	1.5	6.4	0.7	8.6	7.9
乳房 (女性のみ)	C50 D05	1,761	11.8	52.1	19.9	3.6	5.2	7.6	23.5
乳房	C50 D05	1,749	11.8	52.1	19.8	3.5	5.1	7.5	23.4
子宮	C53-C55 D06	804	43.7	29.9	2.2	12.9	5.6	5.7	15.2
子宮頸部	C53 D06	531	66.1	12.6	1.5	11.7	3.4	4.7	13.2
膀胱	C67 D090	623	46.2	32.7	1.1	8.0	3.2	8.7	9.1

\*1 DC0、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

## A. 上皮内がんを除く

宮城県

2015年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	15,584	0.9	45.6	8.3	12.4	17.2	15.7	20.6
口腔・咽頭	C00-C14	355	0.3	33.0	16.6	33.8	2.8	13.5	50.4
食道	C15	492	10.0	34.6	9.3	22.2	14.6	9.3	31.5
胃	C16	2,608	0.0	64.5	9.0	5.5	12.3	8.7	14.5
大腸 (結腸・直腸)	C18-C20	2,491	1.0	40.6	14.9	12.9	16.3	14.3	27.8
結腸	C18	1,656	0.8	39.4	14.2	13.7	17.1	14.8	27.9
直腸	C19-C20	835	1.3	43.0	16.3	11.4	14.6	13.4	27.7
肝および肝内胆管	C22	539	0.0	57.5	3.5	8.9	11.5	18.6	12.4
胆のう・胆管	C23-C24	367	0.0	15.5	3.8	31.9	19.9	28.9	35.7
膵臓	C25	648	0.0	10.2	2.0	29.0	48.1	10.6	31.0
喉頭	C32	89	2.2	61.8	5.6	20.2	1.1	9.0	25.8
肺	C33-C34	1,927	0.0	36.1	8.9	8.9	38.3	7.7	17.9
皮膚	C43-C44	321	1.2	74.5	2.2	8.1	0.9	13.1	10.3
乳房	C50	1,547	2.1	50.0	14.5	4.2	5.9	23.4	18.7
乳房 (女性のみ)	C50	1,535	2.1	49.9	14.5	4.2	5.9	23.5	18.6
子宮	C53-C55	441	1.1	51.5	1.4	18.1	9.3	18.6	19.5
子宮頸部	C53	168	3.0	37.5	1.2	32.7	10.1	15.5	33.9
子宮体部	C54	266	0.0	61.3	1.5	9.0	9.0	19.2	10.5
卵巣	C56	195	0.0	24.6	2.1	18.5	13.3	41.5	20.5
前立腺	C61	1,303	0.0	59.9	0.6	12.0	11.4	16.1	12.6
膀胱	C67	328	7.3	49.4	2.4	16.2	6.4	18.3	18.6
腎・尿路 (膀胱除く)	C64-C66 C68	462	0.9	57.4	1.5	12.1	14.9	13.2	13.6
脳・中枢神経系	C70-C72	87	0.0	55.2	0.0	21.8	5.7	17.2	21.8
甲状腺	C73	352	0.0	49.4	21.3	4.5	4.8	19.9	25.9
悪性リンパ腫	C81-C85 C96	503	0.0	21.7	0.4	19.3	39.8	18.9	19.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

\*1 D00、「777」該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

## B. 上皮内がんを含む

宮城県

2015年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	17,500	7.3	41.6	7.4	11.0	15.3	17.3	18.4
食道	C15 D001	525	14.7	33.1	8.8	20.8	13.7	9.0	29.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,267	11.7	31.9	11.4	9.9	12.4	22.8	21.2
結腸 *3	C18 D010	2,187	12.4	30.9	10.7	10.4	12.9	22.7	21.1
直腸 *3	C19-C20 D011-D012	1,080	10.2	34.1	12.6	8.8	11.3	23.1	21.4
肺	C33-C34 D021-D022	1,935	0.1	36.2	8.9	8.9	38.2	7.7	17.8
皮膚	C43-C44 D030-D049	407	19.7	59.2	1.7	6.4	0.7	12.3	8.1
乳房 (女性のみ)	C50 D05	1,761	7.7	45.2	12.7	3.7	5.2	25.5	16.4
乳房	C50 D05	1,749	7.8	45.1	12.7	3.7	5.1	25.6	16.4
子宮	C53-C55 D06	804	39.9	28.7	0.7	10.0	5.1	15.5	10.7
子宮頸部	C53 D06	531	60.5	12.6	0.4	10.4	3.2	13.0	10.7
膀胱	C67 D090	623	38.2	35.2	1.3	8.5	3.4	13.5	9.8

\*1 DC0、「777:該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	9,948	59.5	12.1	10.1	4.2	14.2	22.2
口腔・咽頭	C00-C14	243	43.6	14.8	21.0	0.0	20.6	35.8
食道	C15	233	78.5	2.1	6.0	0.0	13.3	8.2
胃	C16	2,121	74.5	9.8	6.1	3.1	6.4	15.9
大腸 (結腸・直腸)	C18-C20	2,121	52.5	19.8	10.6	10.5	6.6	30.4
結腸	C18	1,418	51.9	19.0	12.4	10.0	6.6	31.5
直腸	C19-C20	703	53.8	21.2	7.0	11.5	6.5	28.2
肝および肝内胆管	C22	177	59.9	0.0	5.6	0.6	33.9	5.6
胆のう・胆管	C23-C24	161	15.5	3.7	50.9	8.7	21.1	54.7
膵臓	C25	193	16.1	6.7	37.3	8.3	31.6	44.0
喉頭	C32	37	54.1	2.7	24.3	2.7	16.2	27.0
肺	C33-C34	891	61.5	11.2	6.3	1.8	19.2	17.5
皮膚	C43-C44	295	79.3	1.7	7.5	0.0	11.5	9.2
乳房 (女性のみ)	C50	1,181	68.2	18.9	1.4	0.2	11.4	20.2
乳房	C50	1,172	68.2	18.9	1.4	0.2	11.4	20.2
子宮	C53-C55	329	65.7	4.9	14.6	2.4	12.5	19.5
子宮頸部	C53	95	57.9	7.4	14.7	1.1	18.9	22.1
子宮体部	C54	230	69.6	3.9	14.8	3.0	8.7	18.7
卵巣	C56	142	39.4	0.0	35.9	3.5	21.1	35.9
前立腺	C61	467	45.4	0.6	13.7	0.4	39.8	14.3
膀胱	C67	231	62.8	0.4	6.5	2.2	28.1	6.9
腎・尿路 (膀胱除く)	C64-C66 C68	353	61.5	0.3	17.0	5.4	15.9	17.3
脳・中枢神経系	C70-C72	61	57.4	0.0	14.8	6.6	21.3	14.8
甲状腺	C73	324	33.6	47.5	4.6	3.4	10.8	52.2
悪性リンパ腫	C81-C85 C96	77	15.6	0.0	5.2	2.6	76.6	5.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 D00、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

\*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

## B. 上皮内がんを含む

宮城県

2015年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	11,774	14.1	50.7	10.2	8.5	3.5	12.9	18.7
食道	C15 D001	259	10.0	70.7	1.9	5.4	0.0	12.0	7.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	2,892	25.5	38.5	14.5	7.8	7.7	6.0	22.3
結腸 *3	C18 D010	1,944	25.8	37.9	13.9	9.1	7.3	6.1	22.9
直腸 *3	C19-C20 D011-D012	948	24.8	39.9	15.7	5.2	8.5	5.9	20.9
肺	C33-C34 D021-D022	898	0.8	61.0	11.1	6.2	1.8	19.0	17.4
皮膚	C43-C44 D030-D049	374	19.3	62.6	1.3	5.9	0.0	11.0	7.2
乳房 (女性のみ)	C50 D05	1,383	13.9	58.2	16.1	1.2	0.1	10.5	17.3
乳房	C50 D05	1,374	14.0	58.2	16.1	1.2	0.1	10.5	17.2
子宮	C53-C55 D06	669	45.3	32.3	2.4	7.2	1.2	11.7	9.6
子宮頸部	C53 D06	435	69.7	12.6	1.6	3.2	0.2	12.6	4.8
膀胱	C67 D090	511	53.4	28.4	0.2	2.9	1.0	14.1	3.1

\*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

\*2 リンパ節転移+隣接臓器浸潤

\*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2015年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96	15 897	32.1	15.1	14.0	10.1	27.4	10.3	1.9	19.7
口腔・咽頭	C00-C14	355	55.2	0.3	2.0	28.2	20.0	0.0	0.0	23.7
食道	C15	492	5.9	12.2	36.8	35.6	39.0	0.0	0.0	14.6
胃	C16	2,608	20.7	15.4	45.1	0.4	16.1	0.0	0.3	13.5
大腸 (結腸・直腸)	C18-C20	2,491	38.3	37.2	13.8	1.4	26.7	0.0	0.0	11.9
結腸	C18	1,656	38.6	37.9	12.4	0.1	25.3	0.1	0.0	12.9
直腸	C19-C20	835	37.7	35.8	16.4	4.0	29.5	0.0	0.1	9.9
肝および肝内胆管	C22	539	17.8	4.6	3.0	2.8	29.9	0.0	33.6	32.8
胆のう・胆管	C23-C24	367	33.8	3.0	35.7	1.4	25.3	0.0	0.0	27.8
膵臓	C25	648	23.1	0.9	17.0	2.2	48.0	0.0	0.3	31.2
喉頭	C32	89	31.5	0.0	9.0	48.3	23.6	0.0	3.4	10.1
肺	C33-C34	1,927	6.5	31.8	0.1	15.6	33.6	0.1	0.6	28.0
皮膚	C43-C44	321	83.5	0.0	0.0	5.3	8.1	0.0	6.2	10.9
乳房	C50	1,547	77.8	0.3	0.4	26.2	30.0	55.1	0.3	10.5
乳房 (女性のみ)	C50	1,535	77.9	0.3	0.4	26.3	29.9	55.1	0.3	10.6
子宮	C53-C55	441	66.7	4.1	0.2	21.3	42.2	0.0	0.2	12.7
子宮頸部	C53	168	50.6	2.4	0.0	51.2	42.9	0.0	0.0	14.3
子宮体部	C54	266	78.2	5.3	0.4	3.0	42.9	0.0	0.4	9.8
卵巣	C56	195	66.2	1.5	0.0	0.0	55.9	0.0	0.0	23.6
前立腺	C61	1,303	8.7	13.4	0.7	10.1	2.0	45.8	0.2	27.6
膀胱	C67	328	12.8	0.3	61.9	7.9	50.6	0.0	10.1	19.2
腎・尿路 (膀胱除く)	C64-C66 C68	462	39.0	27.5	1.1	3.5	15.8	0.9	3.5	24.2
脳・中枢神経系	C70-C72	87	60.9	0.0	1.1	59.8	56.3	0.0	1.1	28.7
甲状腺	C73	352	83.0	0.0	0.6	5.7	1.4	51.4	0.3	15.9
悪性リンパ腫	C81-C85 C96	505	5.1	0.8	0.4	11.7	64.2	0.4	1.0	27.7
多発性骨髄腫	C88-C90	116	0.0	0.0	0.0	8.6	62.9	0.9	0.0	32.8
白血病	C91-C95	197	0.5	0.0	0.0	3.6	71.1	0.0	2.0	28.4

\*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

## B. 上皮内がんを含む

宮城県

2015年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	17,813	32.2	14.0	18.1	9.3	25.4	9.4	2.0	18.4
食道	C15 D001	525	5.5	11.4	39.6	33.3	36.6	0.0	0.2	14.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,267	29.7	29.3	31.6	1.1	20.4	0.0	0.1	10.3
結腸 *2	C18 D010	2,187	29.7	29.9	30.8	0.1	19.2	0.0	0.0	11.1
直腸 *2	C19-C20 D011-D012	1,080	29.7	28.2	33.3	3.1	22.9	0.0	0.3	8.6
肺	C33-C34 D021-D022	1,935	6.5	32.0	0.1	15.5	33.5	0.1	0.7	27.9
皮膚	C43-C44 D030-D049	407	83.5	0.0	0.0	4.2	6.4	0.0	5.2	11.8
乳房	C50 D05	1,761	79.3	0.2	0.3	25.7	26.5	50.1	0.3	10.2
乳房 (女性のみ)	C50 D05	1,749	79.4	0.2	0.3	25.8	26.4	50.1	0.3	10.2
子宮	C53-C55 D06	804	73.0	4.0	0.5	12.1	23.1	0.0	0.2	13.6
子宮頸部	C53 D06	531	71.2	3.4	0.6	16.8	13.6	0.0	0.2	14.5
膀胱	C67 D090	623	8.0	0.3	75.3	4.2	54.1	0.3	10.4	11.9

\*1 DC0を除く総数

\*2 粘膜炎を含む

重複を含むため合計は100%にならない



表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

宮城県

2015年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	9,462	79.6	20.2	0.2
口腔・咽頭	C00-C14	201	87.6	11.9	0.5
食道	C15	268	81.7	17.9	0.4
胃	C16	2,070	88.3	11.6	0.1
大腸 (結腸・直腸)	C18-C20	2,109	84.4	15.5	0.1
結腸	C18	1,392	85.5	14.4	0.1
直腸	C19-C20	717	82.4	17.6	0.0
肝および肝内胆管	C22	136	76.5	22.8	0.7
胆のう・胆管	C23-C24	233	42.9	57.1	0.0
膵臓	C25	245	49.0	51.0	0.0
喉頭	C32	35	80.0	20.0	0.0
肺	C33-C34	739	93.1	6.8	0.1
皮膚	C43-C44	268	93.3	6.7	0.0
乳房	C50	1,207	70.5	29.4	0.1
乳房 (女性のみ)	C50	1,199	70.5	29.4	0.1
子宮	C53-C55	312	80.4	18.6	1.0
子宮頸部	C53	88	76.1	22.7	1.1
子宮体部	C54	223	82.1	17.0	0.9
卵巣	C56	132	62.9	37.1	0.0
前立腺	C61	293	79.5	20.1	0.3
膀胱	C67	233	43.3	54.5	2.1
腎・尿路 (膀胱除く)	C64-C66 C68	311	89.1	10.9	0.0
脳・中枢神経系	C70-C72	53	52.8	47.2	0.0
甲状腺	C73	293	81.9	17.7	0.3
悪性リンパ腫	C81-C85 C96	32	46.9	50.0	3.1
多発性骨髄腫	C88-C90	0	.	.	.
白血病	C91-C95	1	0.0	100.0	0.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

宮城県

2015年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	11,194	80.1	19.6	0.2
食道	C15 D001	295	83.1	16.6	0.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,846	86.7	13.1	0.2
結腸 *2	C18 D010	1,894	87.5	12.2	0.3
直腸 *2	C19-C20 D011-D012	952	85.2	14.8	0.0
肺	C33-C34 D021-D022	746	93.2	6.7	0.1
皮膚	C43-C44 D030-D049	340	94.4	5.6	0.0
乳房	C50 D05	1,400	68.1	31.9	0.1
乳房（女性のみ）	C50 D05	1,392	68.0	31.9	0.1
子宮	C53-C55 D06	621	80.7	18.8	0.5
子宮頸部	C53 D06	397	79.8	19.9	0.3
膀胱	C67 D090	508	57.7	41.3	1.0

\*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

\*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

## A. 上皮内がんを除く

宮城県

2015年

部位	死亡／罹患比 (MI比)		死亡情報のみ 「がん」が確認された症例 DCI (%)		死亡情報のみの 症例 DC0 (%)		病理学的裏付けの ある症例 MV (%)		組織学的裏付けの ある症例 HV (%)	
	男	女	男	女	男	女	男	女	男	女
ICD-10										
全部位	0.40	0.37	0.39	0.39	6.6	8.3	7.3	5.6	85.8	82.7
C00-C96	0.39	0.35	0.38	0.38	1.3	7.9	3.6	2.7	95.3	92.9
口腔・咽頭	0.45	0.39	0.44	0.44	2.6	9.4	3.7	3.3	95.7	96.5
C15	0.26	0.31	0.28	0.28	4.6	8.4	5.7	4.8	93.7	94.9
C16	0.30	0.34	0.32	0.32	6.3	9.2	7.6	5.4	90.6	92.6
C18-C20	0.30	0.36	0.33	0.33	6.3	10.0	8.1	6.0	85.8	91.7
C18	0.30	0.28	0.30	0.30	6.4	7.1	6.7	4.2	93.5	94.1
C19-C20	0.71	0.80	0.74	0.74	14.0	24.4	17.4	13.3	21.9	38.0
C22	0.86	0.85	0.86	0.86	14.4	18.4	16.4	12.8	57.3	64.2
C23-C24	0.80	0.91	0.85	0.85	11.0	15.3	13.0	9.2	51.7	55.6
C25	0.13	0.09	0.12	0.12	0.0	0.0	0.0	0.0	100.0	98.7
C32	0.69	0.53	0.64	0.64	10.0	13.0	10.9	8.2	79.6	67.0
C33-C34	0.09	0.09	0.09	0.09	2.6	1.8	2.1	1.5	97.4	96.8
C43-C44	0.31	0.15	0.15	0.15	7.7	2.4	2.4	2.1	92.3	92.3
C50	-	0.29	0.29	0.29	-	4.4	4.4	3.5	92.6	-
C53-C55	-	0.29	0.29	0.29	-	1.2	1.2	0.6	96.4	-
C53	-	0.21	0.21	0.21	-	1.5	1.5	1.1	95.9	-
C54	-	0.42	0.42	0.42	-	6.3	6.3	5.3	86.9	-
C56	0.17	-	0.17	0.17	4.0	-	4.0	2.8	88.7	88.1
C61	0.39	0.48	0.41	0.41	9.1	13.5	10.4	8.1	86.6	79.8
C67	0.33	0.39	0.35	0.35	5.9	8.8	6.7	5.5	81.8	77.1
C64-C66 C68	0.52	0.20	0.39	0.39	18.0	17.1	17.6	14.7	68.9	68.9
C70-C72	0.22	0.09	0.12	0.12	2.3	1.9	2.0	1.7	94.3	85.2
C73	0.37	0.43	0.40	0.40	5.3	5.7	5.5	4.4	94.7	91.5
C81-C85 C96	0.59	0.69	0.64	0.64	7.9	20.0	14.3	12.8	93.7	82.5
C88-C90	0.64	0.67	0.65	0.65	6.3	14.1	9.4	7.1	99.2	77.2
C91-C95										

\*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

## B. 上皮内がんを含む

宮城県

2015年

部位	ICD-10	死亡／罹患比 (MI比)		死亡情報のみ 「がん」が確認された症例 DCI (%)		死亡情報のみの 症例 DC0 (%)		病理学的裏付けの ある症例 MV (%)		組織学的裏付けの ある症例 HV (%)						
		男	女	男	女	男	女	男	女	男	女					
全部位	C00-C96 D00-D09	0.37	0.32	0.35	6.0	7.3	6.6	4.4	6.0	5.1	87.6	86.8	87.2	84.1	84.0	84.1
食道	C15 D001	0.43	0.35	0.41	2.5	8.5	3.5	2.2	7.4	3.1	96.7	92.6	95.9	96.7	92.6	95.9
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.22	0.28	0.25	4.7	7.6	5.9	3.2	5.5	4.2	94.7	90.1	92.7	94.6	89.7	92.5
結腸 *2	C18 D010	0.21	0.30	0.25	4.5	8.3	6.2	3.2	6.3	4.6	94.2	88.3	91.5	94.0	88.0	91.3
直腸 *2	C19-C20 D011-D012	0.23	0.23	0.23	5.0	5.6	5.2	3.2	3.6	3.3	95.5	94.9	95.3	95.5	94.4	95.1
肺	C33-C34 D021-D022	0.69	0.52	0.64	9.9	13.0	10.9	7.3	9.9	8.1	79.7	79.8	79.8	67.2	70.0	68.0
皮膚	C43-C44 D030-D049	0.07	0.07	0.07	2.1	1.8	1.9	1.6	0.9	1.2	97.9	96.8	97.3	97.4	96.8	97.1
乳房	C50 D05	0.31	0.13	0.13	7.7	2.1	2.1	7.7	1.8	1.8	92.3	95.9	95.9	92.3	95.5	95.4
子宮	C53-C55 D06	-	0.16	0.16	-	2.4	2.4	-	2.0	2.0	-	95.9	95.9	-	95.1	95.1
子宮頸部	C53 D06	-	0.09	0.09	-	0.4	0.4	-	0.2	0.2	-	98.9	98.9	-	98.3	98.3
膀胱	C67 D090	0.20	0.32	0.23	4.6	8.9	5.7	3.4	7.6	4.4	93.1	82.8	90.6	89.3	78.3	86.7

\*1 総数は男女および性別不詳の合計

\*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別 宮城県 2015年

部位	ICD-10	死亡数										粗死亡率										年齢調整死亡率										累積死亡率(0-74歳)														
		部位割合					粗死亡率					年齢調整死亡率					累積死亡率					世界人口					日本人口					粗死亡率					年齢調整死亡率					累積死亡率				
		男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女					
全部位	C00-C97	3,898	2,680	6,578	100.0	100.0	100.0	349.9	225.8	285.9	111.4	118.8	114.1	11.9	81.9	81.9	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1	11.4	59.1	59.1			
口腔・咽頭	C00-C14	92	45	137	2.4	1.7	2.1	8.3	3.8	6.0	4.1	1.5	2.7	0.4	1.9	1.9	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1	2.9	1.1	1.1			
食道	C15	191	33	224	4.9	1.2	3.4	17.1	2.8	9.7	8.6	0.8	4.4	0.8	3.0	3.0	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6	5.8	0.6	0.6
胃	C16	499	257	756	12.8	9.6	11.5	44.8	21.7	32.9	21.8	7.3	13.8	7.3	9.7	9.7	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1	15.1	5.1	5.1
大腸(結腸・直腸)	C18-C20	435	404	839	11.2	15.1	12.8	39.0	34.0	36.5	18.7	10.9	14.5	10.9	10.0	10.0	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6	12.9	7.6	7.6
結腸	C18	265	316	581	6.8	11.8	8.8	23.8	26.6	25.3	10.8	8.3	9.4	8.3	6.5	6.5	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8	7.4	5.8	5.8			
直腸	C19-C20	170	88	258	4.4	3.3	3.9	15.3	7.4	11.2	7.9	2.6	5.1	2.6	3.5	3.5	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8	5.6	1.8	1.8			
肝および肝内胆管	C22	301	161	462	7.7	6.0	7.0	27.0	13.6	20.1	12.9	4.2	8.1	4.2	5.5	5.5	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7	8.8	2.7	2.7			
胆のう・胆管	C23-C24	185	175	360	4.7	6.5	5.5	16.6	14.7	15.6	6.8	4.3	5.3	4.3	3.5	3.5	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9	4.4	2.9	2.9			
膵臓	C25	305	302	607	7.8	11.3	9.2	27.4	25.4	26.4	13.7	8.9	11.2	8.9	7.6	7.6	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9	9.5	5.9	5.9						
喉頭	C32	10	1	11	0.3	0.0	0.2	0.9	0.1	0.5	0.4	0.0	0.2	0.0	0.1	0.1	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0						
肺	C33-C34	996	343	1,339	25.6	12.8	20.4	89.4	28.9	58.2	41.0	10.1	23.5	10.1	15.9	15.9	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7	27.6	6.7	6.7						
皮膚	C43-C44	14	15	29	0.4	0.6	0.4	1.3	1.3	1.3	0.6	0.4	0.5	0.4	0.4	0.4	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.3						
乳房	C50	4	229	233	0.1	8.5	3.5	0.4	19.3	10.1	0.2	11.3	5.9	11.3	4.4	4.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4	0.1	8.4	8.4						
子宮	C53-C55	-	132	132	-	4.9	2.0	-	11.1	-	-	6.1	-	-	4.6	-	-	4.6	-	-	4.6	-	-	4.6	-	-	4.6	-	-	4.6	-	-	4.6	-	-	4.6	-									
子宮頸部	C53	-	49	49	-	1.8	0.7	-	4.1	-	-	2.8	-	-	2.2	-	-	2.2	-	-	2.2	-	-	2.2	-	-	2.2	-	-	2.2	-	-	2.2	-												
子宮体部	C54	-	56	56	-	2.1	0.9	-	4.7	-	-	2.5	-	-	1.8	-	-	1.8	-	-	1.8	-	-	1.8	-	-	1.8	-	-	1.8	-	-	1.8	-												
卵巣	C56	-	87	87	-	3.2	1.3	-	7.3	-	-	4.5	-	-	3.4	-	-	3.4	-	-	3.4	-	-	3.4	-	-	3.4	-	-	3.4	-	-	3.4	-												
前立腺	C61	225	-	225	5.8	-	3.4	20.2	-	-	7.7	-	-	-	-	-	4.8	-	-	4.8	-	-	4.8	-	-	4.8	-	-	4.8	-	-	4.8	-	-	4.8	-	-									
膀胱	C67	98	50	148	2.5	1.9	2.2	8.8	4.2	6.4	3.6	1.0	2.1	1.0	1.4	1.4	2.3	0.7	0.7	2.3	0.7	0.7	2.3	0.7	0.7	2.3	0.7	0.7	2.3	0.7	0.7	2.3	0.7	0.7	2.3	0.7	0.7									
腎・尿路(膀胱除く)	C64-C66 C68	112	57	169	2.9	2.1	2.6	10.1	4.8	7.3	4.5	1.5	2.8	1.5	1.8	1.8	2.9	1.0	1.0	2.9	1.0	1.0	2.9	1.0	1.0	2.9	1.0	1.0	2.9	1.0	1.0	2.9	1.0	1.0	2.9	1.0	1.0									
脳・中枢神経系	C70-C72	32	8	40	0.8	0.3	0.6	2.9	0.7	1.7	1.8	0.4	1.1	0.4	0.9	0.9	1.4	0.3	0.3	1.4	0.3	0.3	1.4	0.3	0.3	1.4	0.3	0.3	1.4	0.3	0.3	1.4	0.3	0.3	1.4	0.3	0.3									
甲状腺	C73	19	25	44	0.5	0.9	0.7	1.7	2.1	1.9	0.8	0.6	0.7	0.6	0.5	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.4									
悪性リンパ腫	C81-C85 C96	106	105	211	2.7	3.9	3.2	9.5	8.8	9.2	4.5	3.1	3.7	3.1	2.5	2.5	2.9	2.1	2.1	2.9	2.1	2.1	2.9	2.1	2.1	2.9	2.1	2.1	2.9	2.1	2.1	2.9	2.1	2.1	2.9	2.1	2.1									
多発性骨髄腫	C88-C90	37	48	85	0.9	1.8	1.3	3.3	4.0	3.7	1.5	1.5	1.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0												
白血病	C91-C95	81	57	138	2.1	2.1	2.1	7.3	4.8	6.0	3.7	2.0	2.8	2.0	2.0	2.0	2.6	1.5	1.5	2.6	1.5	1.5	2.6	1.5	1.5	2.6	1.5	1.5	2.6	1.5	1.5	2.6	1.5	1.5	2.6	1.5	1.5									

\*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数：部位別、性別

宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-C97	3,898	0	0	1	1	0	5	2	5	7	15	36	64	158	322	553	554	625	724	580	197	43	6	0
	口腔・咽頭	000-C14	92	0	0	0	0	0	0	0	0	0	0	2	3	2	13	13	18	13	16	8	4	0	0	0
	食道	C15	191	0	0	0	0	0	0	0	0	1	0	5	11	11	20	31	40	24	39	12	7	1	0	0
	胃	C16	499	0	0	0	0	0	1	0	0	1	6	11	27	45	79	79	78	74	74	73	19	5	0	0
	大腸(結腸・直腸)	C18-C20	435	0	0	0	0	0	1	0	3	1	3	4	8	21	44	61	54	63	79	65	20	7	1	0
	結腸	C18	265	0	0	0	0	0	1	0	3	0	0	1	3	8	22	36	36	36	53	45	17	4	0	0
	直腸	C19-C20	170	0	0	0	0	0	0	0	0	1	3	3	5	13	22	25	18	27	26	20	3	3	1	0
	肝および肝内胆管	C22	301	0	0	0	0	0	0	0	0	1	2	9	14	14	31	40	41	53	46	51	10	3	0	0
	胆のう・胆管	C23-C24	185	0	0	0	0	0	0	0	0	0	0	1	3	9	9	28	17	27	46	39	12	1	2	0
	膵臓	C25	305	0	0	0	0	0	0	0	0	0	4	4	18	38	55	49	60	35	30	12	0	0	0	0
	喉頭	C32	10	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	1	3	0	0	0	0	0	0
	肺	C33-C34	996	0	0	0	0	0	0	0	1	5	11	16	34	71	144	137	163	183	159	60	11	1	0	0
	皮膚	C43-C44	14	0	0	0	0	0	0	0	0	1	1	0	0	3	1	0	3	0	2	3	0	0	0	0
	乳房	C50	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0
	前立腺	C61	225	0	0	0	0	0	0	0	0	0	0	0	4	6	11	20	38	56	60	20	8	2	0	0
	膀胱	C67	98	0	0	0	0	0	0	0	0	0	0	1	1	4	8	16	15	23	21	8	1	0	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	112	0	0	0	0	0	0	0	0	1	2	1	3	9	14	12	17	32	19	3	0	0	0	0
	脳・中枢神経系	C70-C72	32	0	1	0	0	0	0	1	3	3	2	8	4	4	2	8	4	4	2	3	0	0	0	0
	甲状腺	C73	19	0	0	0	0	0	0	0	0	0	1	0	0	1	4	2	4	2	2	2	1	0	0	0
	悪性リンパ腫	C81-C85 C96	106	0	0	0	0	0	1	1	0	0	0	0	4	5	12	18	17	35	6	4	2	0	0	0
	多発性骨髄腫	C88-C90	37	0	0	0	0	0	0	0	0	0	0	1	1	1	7	7	7	2	14	3	1	0	0	0
	白血病	C91-C95	81	0	0	0	0	0	2	0	0	1	1	0	5	6	12	13	17	12	7	5	0	0	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	000-097	2,680	1	0	1	0	1	4	2	14	27	40	71	109	153	224	314	348	492	470	316	81	12	0
	口腔・咽頭	000-C14	45	0	0	0	0	0	0	0	1	1	1	2	1	2	6	3	6	7	7	7	1	0	0
	食道	C15	33	0	0	0	0	0	0	0	0	0	0	0	1	1	4	3	5	5	7	7	0	0	0
	胃	C16	257	0	0	0	0	0	0	0	3	4	3	2	6	16	20	28	27	40	57	39	12	0	0
	大腸(結腸・直腸)	C18-C20	404	0	0	0	0	1	0	0	2	3	5	9	9	18	29	34	43	76	90	62	18	5	0
	結腸	C18	316	0	0	0	0	1	0	0	1	2	3	9	5	16	18	27	34	53	77	50	15	5	0
	直腸	C19-C20	88	0	0	0	0	0	0	0	1	1	2	0	4	2	11	7	9	23	13	12	3	0	0
	肝および肝内胆管	C22	161	0	0	0	0	0	0	0	0	0	1	1	2	9	8	17	26	47	31	15	3	1	0
	胆のう・胆管	C23-C24	175	0	0	0	0	0	0	0	0	0	0	2	6	3	13	23	17	33	37	33	8	0	0
	膵臓	C25	302	0	0	0	0	0	0	0	0	2	1	4	5	17	28	42	55	67	48	27	4	2	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	343	0	0	0	0	0	0	0	1	2	2	7	11	12	31	44	56	69	61	35	11	1	0
	皮膚	C43-C44	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	1	1	2	5	1	0	0
	乳房	C50	229	0	0	0	0	0	0	0	3	7	9	24	32	25	22	29	23	16	23	12	3	1	0
	子宮	C53-C55	132	0	0	0	0	1	1	1	3	3	8	7	10	17	17	12	12	19	13	6	3	0	0
	子宮頸部	C53	49	0	0	0	0	0	1	1	3	3	5	5	2	5	6	3	4	5	4	1	1	0	0
	子宮体部	C54	56	0	0	0	0	0	0	0	0	0	3	2	6	11	5	6	8	11	3	1	0	0	0
	卵巢	C56	87	0	0	0	0	2	0	0	0	1	8	5	11	8	9	16	8	12	3	4	0	0	0
	膀胱	C67	50	0	0	0	0	0	0	0	0	0	0	1	1	0	1	6	4	8	13	11	5	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	57	0	0	0	0	0	0	0	0	0	0	1	3	1	4	5	6	15	15	6	1	0	0
	脳・中枢神経系	C70-C72	8	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0	0	4	1	0	0	0	0
	甲状腺	C73	25	0	0	0	0	0	0	0	0	0	0	0	0	0	4	5	3	1	6	3	2	1	0
	悪性リンパ腫	C81-C85 C96	105	0	1	0	0	0	0	0	0	1	0	1	2	7	6	16	16	26	17	11	1	0	0
	多発性骨髄腫	C88-C90	48	0	0	0	0	0	0	0	0	0	0	0	3	5	5	4	10	11	6	3	1	0	0
	白血病	C91-C95	57	1	0	0	0	0	0	0	0	1	1	1	1	3	5	9	13	11	3	5	3	0	0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2015年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳			
総数 *2	全部位	6,578	137	224	756	839	581	258	462	360	607	11	1,339	29	233	132	49	56	87	225	148	169	40	44	211	85	138	
	口腔・咽頭	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	食道	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	胃	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	大腸(結腸・直腸)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	結腸	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	直腸	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肝および肝内胆管	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	胆のう・胆管	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	膵臓	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	喉頭	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	皮膚	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	乳房	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮頸部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	子宮体部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	卵巢	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	膀胱	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	腎・尿路(膀胱除く)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	脳・中枢神経系	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	甲状腺	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	悪性リンパ腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	多発性骨髄腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	白血病	1	0	0	0	0	0	2	0	0	0	2	2	1	6	9	17	22	30	23	10	10	3	0	0	0	0	

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計



表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2015年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳
男	全部位	C00-C97	349.9	0.0	2.0	1.9	0.0	8.5	3.4	7.3	8.9	17.5	48.4	89.5	214.8	387.3	664.5	929.6	1,310.5	2,033.8	2,894.6	3,053.3	3,610.4	3,389.8
	口腔・咽頭	C00-C14	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.2	2.7	15.6	15.6	30.2	27.3	44.9	39.9	62.0	0.0	0.0
	食道	C15	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	7.0	15.0	24.1	37.2	67.1	50.3	109.6	59.9	108.5	84.0	0.0
	胃	C16	44.8	0.0	0.0	0.0	0.0	1.7	1.7	0.0	0.0	1.2	8.1	15.4	36.7	54.1	94.9	132.6	163.6	207.9	364.3	294.5	419.8	0.0
	大腸（結腸・直腸）	C18-C20	39.0	0.0	0.0	0.0	0.0	1.7	0.0	4.4	1.3	3.5	5.4	11.2	28.6	52.9	73.3	90.6	132.1	221.9	324.4	310.0	587.7	565.0
	結腸	C18	23.8	0.0	0.0	0.0	0.0	1.7	0.0	4.4	0.0	0.0	1.3	4.2	10.9	26.5	43.3	60.4	75.5	148.9	224.6	263.5	335.9	0.0
	直腸	C19-C20	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.5	4.0	7.0	17.7	26.5	30.0	30.2	56.6	73.0	99.8	46.5	251.9	565.0
	肝および肝内胆管	C22	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	12.6	19.0	37.3	48.1	68.8	111.1	129.2	254.5	155.0	251.9	0.0
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.1	10.8	33.6	28.5	56.6	129.2	194.6	186.0	84.0	1,129.9
	膵臓	C25	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	5.6	24.5	45.7	66.1	82.2	125.8	98.3	149.7	186.0	0.0	0.0
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	3.4	2.1	8.4	0.0	0.0	0.0	0.0
	肺	C33-C34	89.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.8	14.8	22.4	46.2	85.4	173.0	229.9	341.8	514.1	793.5	929.9	923.6	565.0
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	0.0	0.0	3.6	1.2	0.0	6.3	0.0	10.0	46.5	0.0	0.0
	乳房	C50	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	5.6	0.0	0.0	0.0	0.0
	前立腺	C61	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	7.2	13.2	33.6	79.7	157.3	299.4	310.0	671.7	1,129.9
	膀胱	C67	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	4.8	9.6	26.8	31.5	64.6	104.8	124.0	84.0	0.0
	腎・尿路（膀胱除く）	C64-C66 C68	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.4	4.1	10.8	16.8	20.1	35.6	89.9	94.8	46.5	0.0	0.0
	脳・中枢神経系	C70-C72	2.9	0.0	2.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.3	4.2	4.1	2.4	9.6	6.7	8.4	5.6	15.0	0.0	0.0	0.0
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.8	3.4	8.4	5.6	10.0	31.0	84.0	0.0
	悪性リンパ腫	C81-C85 C96	9.5	0.0	0.0	0.0	0.0	1.7	1.7	1.5	0.0	0.0	0.0	0.0	5.4	6.0	14.4	30.2	35.6	98.3	29.9	62.0	167.9	0.0
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	1.2	8.4	11.7	4.2	39.3	15.0	15.5	0.0	0.0
	白血病	C91-C95	7.3	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	1.2	1.3	0.0	6.8	7.2	14.4	21.8	35.6	33.7	34.9	77.5	0.0	0.0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

宮城県

2015年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳		
女	全部位	C00-C97	225.8	2.3	0.0	2.0	0.0	0.0	1.8	6.7	2.9	18.2	32.4	54.8	99.2	144.9	177.8	258.0	466.2	550.3	866.4	1,165.3	1,659.3	1,615.8	1,126.8		
	口腔・咽頭	C00-C14	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.4	2.8	1.3	2.3	6.9	4.5	9.5	12.3	17.4	36.8	19.9	0.0	0.0	
	食道	C15	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	4.6	4.5	7.9	8.8	17.4	36.8	0.0	0.0	0.0	0.0
	胃	C16	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	4.8	4.1	2.8	8.0	18.6	23.0	41.6	42.7	70.4	141.3	204.8	239.4	0.0	0.0	0.0
	大腸（結腸・直腸）	C18-C20	34.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.6	3.6	6.9	12.6	12.0	20.9	33.4	50.5	68.0	133.8	223.1	325.6	359.1	469.5	0.0	0.0
	結腸	C18	26.6	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.3	2.4	4.1	12.6	6.6	18.6	20.7	40.1	53.8	93.3	190.9	262.5	299.2	469.5	0.0	0.0
	直腸	C19-C20	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	2.7	0.0	5.3	2.3	12.7	10.4	14.2	40.5	32.2	63.0	59.8	0.0	0.0	0.0
	肝および肝内胆管	C22	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	2.7	10.5	9.2	25.2	41.1	82.8	76.9	78.8	59.8	93.9	0.0	0.0
	胆のう・胆管	C23-C24	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	8.0	3.5	15.0	34.1	26.9	58.1	91.7	173.3	159.6	0.0	0.0	0.0
	膵臓	C25	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.4	5.6	6.6	19.8	32.2	62.4	87.0	118.0	119.0	141.8	79.8	187.8	0.0	0.0
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0
	肺	C33-C34	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	2.7	9.8	14.6	13.9	35.7	65.3	88.6	121.5	151.2	183.8	219.4	93.9	0.0	0.0
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	4.5	1.6	1.8	5.0	26.3	19.9	0.0	0.0	0.0
	乳房	C50	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	8.4	12.3	33.5	42.5	29.0	25.3	43.1	36.4	28.2	57.0	63.0	59.8	93.9	0.0	0.0
	子宮	C53-C55	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	3.9	3.6	11.0	9.8	13.3	19.8	19.6	17.8	19.0	33.5	32.2	31.5	59.8	0.0	0.0
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	3.9	3.6	6.9	7.0	2.7	5.8	6.9	4.5	6.3	8.8	9.9	5.3	19.9	0.0	0.0
	子宮体部	C54	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	2.8	8.0	12.8	5.8	8.9	12.7	19.4	7.4	5.3	0.0	0.0	0.0
	卵巣	C56	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	1.2	11.0	7.0	14.6	9.3	10.4	23.8	12.7	21.1	7.4	21.0	0.0	0.0	0.0	0.0
	膀胱	C67	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.2	8.9	6.3	14.1	32.2	57.8	99.7	0.0	0.0	
	腎・尿路（膀胱除く）	C64-C66 C68	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.0	1.2	4.6	7.4	9.5	26.4	37.2	31.5	19.9	0.0	0.0	0.0
	脳・中枢神経系	C70-C72	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	7.0	2.5	0.0	0.0	0.0	0.0
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	7.4	4.7	1.8	14.9	15.8	39.9	93.9	0.0	0.0
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	2.7	8.1	6.9	23.8	25.3	45.8	42.1	57.8	19.9	0.0	0.0	0.0
	多発性骨髄腫	C88-C90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	5.8	5.8	5.9	15.8	19.4	14.9	15.8	19.9	0.0	0.0	0.0
	白血病	C91-C95	4.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	1.3	3.5	5.8	13.4	20.6	19.4	7.4	26.3	59.8	0.0	0.0	0.0

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まらめ）： 部位別、性別

宮城県

2015年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数 *2	全部位	C00-C97	285.9	1.1	1.0	1.9	0.0	0.0	0.0	5.1	13.5	24.8	51.5	94.3	179.4	280.7	456.9	683.7	877.1	1,316.2	1,739.3	2,012.1	1,998.7	1,449.3	・	
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.0	3.5	2.0	8.9	11.2	16.5	17.1	24.9	24.8	43.1	16.1	0.0	・	
	食道	C15	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	3.5	8.1	12.4	20.6	33.9	26.1	47.6	31.5	54.9	16.1	0.0	・	
	胃	C16	32.9	0.0	0.0	0.0	0.0	0.9	0.8	0.0	1.9	3.0	6.1	9.1	22.2	36.0	58.2	84.3	94.7	123.4	215.3	227.5	274.0	0.0	・	
	大腸（結腸・直腸）	C18-C20	36.5	0.0	0.0	0.0	0.0	1.7	0.0	2.2	1.9	3.5	6.1	11.9	20.2	36.6	52.9	69.3	95.6	167.8	256.8	321.6	403.0	483.1	・	
	結腸	C18	25.3	0.0	0.0	0.0	0.0	1.7	0.0	2.2	0.6	1.2	2.7	8.4	8.7	22.5	31.8	49.6	63.1	114.7	202.1	262.8	306.3	402.6	・	
	直腸	C19-C20	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	3.4	3.5	11.4	14.2	21.2	19.7	32.5	53.0	54.7	58.8	96.7	80.5	・	
	肝および肝内胆管	C22	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.0	7.0	10.8	23.6	28.2	45.7	71.2	100.7	135.8	98.1	96.7	80.5	・	
	胆のう・胆管	C23-C24	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.0	7.1	24.1	31.5	39.7	85.5	125.9	176.5	145.1	161.0	・	
	膵臓	C25	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.4	5.6	15.5	32.5	48.8	71.7	103.7	110.4	129.2	153.0	64.5	161.0	・	
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	1.6	0.9	3.2	0.0	3.9	0.0	0.0	・	
	肺	C33-C34	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.1	8.8	16.1	30.2	49.0	102.9	142.6	197.4	272.8	364.4	372.6	354.6	161.0	・	
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	2.4	1.2	2.4	3.6	1.1	6.6	31.4	16.1	0.0	・	
	乳房	C50	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.1	6.1	16.8	21.5	14.8	12.9	24.4	20.7	19.5	38.1	47.1	48.4	80.5	・	
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・
	膀胱	C67	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	2.4	5.3	17.3	17.1	33.6	56.3	74.5	96.7	0.0	・	
	腎・尿路（膀胱除く）	C64-C66 C68	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	4.0	5.9	10.6	13.4	20.7	50.9	56.3	35.3	16.1	0.0	・	
	脳・中枢神経系	C70-C72	1.7	0.0	1.0	0.0	0.0	0.0	0.8	0.7	0.0	0.0	1.4	2.8	2.0	1.2	4.7	3.2	3.6	6.5	6.6	0.0	0.0	0.0	・	
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	4.7	5.5	6.3	3.2	13.3	19.6	48.4	80.5	・	
	悪性リンパ腫	C81-C85 C96	9.2	0.0	0.0	1.0	0.0	0.9	0.8	0.7	0.0	0.6	0.0	0.7	4.0	7.1	10.6	26.8	29.7	66.0	38.1	58.8	48.4	0.0	・	
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.7	3.5	7.1	8.7	10.8	27.1	14.9	15.7	16.1	0.0	・	
	白血病	C91-C95	6.0	1.1	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.2	1.4	0.7	4.0	5.3	10.0	17.3	27.0	24.9	16.6	39.2	48.4	0.0	・	

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2015年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	349.9	0.0	2.0	1.9	0.0	8.5	3.4	7.3	8.9	17.5	48.4	89.5	214.8	387.3	664.5	929.6	1,310.5	2,033.8	2,965.1	・
	口腔・咽頭	C00-C14	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.2	2.7	15.6	15.6	30.2	27.3	44.9	43.1	・
	食道	C15	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	7.0	15.0	24.1	37.2	67.1	50.3	109.6	71.8	・
	胃	C16	44.8	0.0	0.0	0.0	0.0	1.7	1.7	0.0	0.0	1.2	8.1	15.4	36.7	54.1	94.9	132.6	163.6	207.9	348.2	・
	大腸（結腸・直腸）	C18-C20	39.0	0.0	0.0	0.0	0.0	1.7	0.0	4.4	1.3	3.5	5.4	11.2	28.6	52.9	73.3	90.6	132.1	221.9	333.8	・
	結腸	C18	23.8	0.0	0.0	0.0	0.0	1.7	0.0	4.4	0.0	0.0	1.3	4.2	10.9	26.5	43.3	60.4	75.5	148.9	236.9	・
	直腸	C19-C20	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.5	4.0	7.0	17.7	26.5	30.0	30.2	56.6	73.0	96.9	・
	肝および肝内胆管	C22	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	12.6	19.0	37.3	48.1	68.8	111.1	129.2	229.7	・
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.1	10.8	33.6	28.5	56.6	129.2	193.8	・
	膵臓	C25	27.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	5.6	24.5	45.7	66.1	82.2	125.8	98.3	150.8	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	3.4	2.1	8.4	0.0	・
	肺	C33-C34	89.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.8	14.8	22.4	46.2	85.4	173.0	229.9	341.8	514.1	829.2	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	0.0	0.0	3.6	1.2	0.0	6.3	0.0	17.9	・
	乳房	C50	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	5.6	0.0	・
	前立腺	C61	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	7.2	13.2	33.6	79.7	157.3	323.1	・
	膀胱	C67	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	4.8	9.6	26.8	31.5	64.6	107.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.4	4.1	10.8	16.8	20.1	35.6	89.9	79.0	・
	脳・中枢神経系	C70-C72	2.9	0.0	2.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.3	4.2	4.1	2.4	9.6	6.7	8.4	5.6	10.8	・
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.2	4.8	3.4	8.4	5.6	17.9	・
	悪性リンパ腫	C81-C85 C96	9.5	0.0	0.0	0.0	0.0	1.7	1.7	1.5	0.0	0.0	0.0	0.0	5.4	6.0	14.4	30.2	35.6	98.3	43.1	・
	多発性骨髄腫	C88-C90	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	1.2	8.4	11.7	4.2	39.3	14.4	・
	白血病	C91-C95	7.3	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	1.2	1.3	0.0	6.8	7.2	14.4	21.8	35.6	33.7	43.1	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2015年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳		
女	全部位	C00-C97	225.8	2.3	0.0	2.0	0.0	1.8	6.7	2.9	18.2	32.4	54.8	99.2	144.9	177.8	258.0	466.2	550.3	866.4	1,342.9	・		
	口腔・咽頭	C00-C14	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.4	2.8	1.3	2.3	6.9	4.5	9.5	12.3	22.9	・		
	食道	C15	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	4.6	4.5	7.9	8.8	21.4	・		
	胃	C16	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	4.8	4.1	2.8	8.0	18.6	23.0	41.6	42.7	70.4	165.0	・	
	大腸（結腸・直腸）	C18-C20	34.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	2.6	3.6	6.9	12.6	12.0	20.9	33.4	50.5	68.0	133.8	267.4	・	
	結腸	C18	26.6	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.3	2.4	4.1	12.6	6.6	18.6	20.7	40.1	53.8	93.3	224.6	・	
	直腸	C19-C20	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	2.7	0.0	5.3	2.3	12.7	10.4	14.2	40.5	42.8	・	
	肝および肝内胆管	C22	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	10.5	9.2	25.2	41.1	82.8	76.4	・		
	胆のう・胆管	C23-C24	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	3.5	15.0	34.1	26.9	58.1	119.2	・		
	膵臓	C25	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.4	5.6	6.6	19.8	32.2	62.4	87.0	118.0	123.7	・	
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	・	
	肺	C33-C34	28.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	2.7	9.8	14.6	13.9	35.7	65.3	88.6	121.5	165.0	・	
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	4.5	1.6	1.8	12.2	・	
	乳房	C50	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	8.4	12.3	33.5	42.5	29.0	25.3	43.1	36.4	28.2	59.6	・	
	子宮	C53-C55	11.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	3.9	3.6	11.0	9.8	13.3	19.8	19.6	17.8	19.0	33.5	33.6	・	
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.4	3.9	3.6	6.9	7.0	2.7	5.8	6.9	4.5	6.3	8.8	9.2	・	
	子宮体部	C54	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	2.8	8.0	12.8	5.8	8.9	12.7	19.4	6.1	・	
	卵巣	C56	7.3	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	1.2	11.0	7.0	14.6	9.3	10.4	23.8	12.7	21.1	10.7	・	
	膀胱	C67	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.2	8.9	6.3	14.1	44.3	・	
	腎・尿路（膀胱除く）	C64-C66 C68	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.0	1.2	4.6	7.4	9.5	26.4	33.6	・	
	脳・中枢神経系	C70-C72	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	7.0	1.5	・
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	7.4	4.7	1.8	18.3	・	
	悪性リンパ腫	C81-C85 C96	8.8	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	2.7	8.1	6.9	23.8	25.3	45.8	44.3	・	
	多発性骨髄腫	C88-C90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	5.8	5.8	5.9	15.8	19.4	15.3	・	
	白血病	C91-C95	4.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	1.3	3.5	5.8	13.4	20.6	19.4	16.8	・	

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2015年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	C00-C97	285.9	1.1	1.0	1.9	0.0	5.2	5.0	5.1	13.5	24.8	51.5	94.3	179.4	280.7	456.9	683.7	877.1	1,316.2	1,827.2	・
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.0	3.5	2.0	8.9	11.2	16.5	17.1	24.9	28.9	・
	食道	C15	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	3.5	8.1	12.4	20.6	33.9	26.1	47.6	36.4	・
	胃	C16	32.9	0.0	0.0	0.0	0.0	0.9	0.8	0.0	1.9	3.0	6.1	9.1	22.2	36.0	58.2	84.3	94.7	123.4	219.7	・
	大腸（結腸・直腸）	C18-C20	36.5	0.0	0.0	0.0	0.0	1.7	0.0	2.2	1.9	3.5	6.1	11.9	20.2	36.6	52.9	69.3	95.6	167.8	287.2	・
	結腸	C18	25.3	0.0	0.0	0.0	0.0	1.7	0.0	2.2	0.6	1.2	2.7	8.4	8.7	22.5	31.8	49.6	63.1	114.7	228.3	・
	直腸	C19-C20	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	3.4	3.5	11.4	14.2	21.2	19.7	32.5	53.0	58.9	・
	肝および肝内胆管	C22	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.0	7.0	10.8	23.6	28.2	45.7	71.2	100.7	122.2	・
	胆のう・胆管	C23-C24	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.0	7.1	24.1	31.5	39.7	85.5	141.5	・
	膵臓	C25	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.4	5.6	15.5	32.5	48.8	71.7	103.7	110.4	131.8	・
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	1.6	0.9	3.2	1.1	・
	肺	C33-C34	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.1	8.8	16.1	30.2	49.0	102.9	142.6	197.4	272.8	363.3	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	2.4	1.2	2.4	3.6	1.1	13.9	・
	乳房	C50	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.1	6.1	16.8	21.5	14.8	12.9	24.4	20.7	19.5	41.8	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	2.4	5.3	17.3	17.1	33.6	63.2	・
	腎・尿路（膀胱除く）	C64-C66 C68	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	4.0	5.9	10.6	13.4	20.7	50.9	47.2	・
	脳・中枢神経系	C70-C72	1.7	0.0	1.0	0.0	0.0	0.0	0.8	0.7	0.0	0.0	1.4	2.8	2.0	1.2	4.7	3.2	3.6	6.5	4.3	・
	甲状腺	C73	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	4.7	5.5	6.3	3.2	18.2	・
	悪性リンパ腫	C81-C85 C96	9.2	0.0	0.0	1.0	0.0	0.9	0.8	0.7	0.0	0.6	0.0	0.7	4.0	7.1	10.6	26.8	29.7	66.0	43.9	・
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	2.7	3.5	7.1	8.7	10.8	27.1	15.0	・
	白血病	C91-C95	6.0	1.1	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.2	1.4	0.7	4.0	5.3	10.0	17.3	27.0	24.9	24.6	・

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

宮城県

2015年

男女計

女

男

部位	10D-10			男			女			男女計			
	ICD-10	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	8 083	63.5	0.8	6 285	70.9	0.7	14 368	66.7	0.6	14 368	66.7	0.6
口腔・咽頭	C00-C14	192	58.8	4.5	109	68.2	5.7	301	62.7	3.6	301	62.7	3.6
食道	C15	348	54.9	4.9	70	52.2	6.5	418	54.8	4.1	418	54.8	4.1
胃	C16	1,610	75.7	1.8	702	73.6	2.0	2,312	75.1	1.4	2,312	75.1	1.4
大腸(結腸・直腸)	C18-C20	1,241	72.2	1.9	1,011	72.8	1.9	2,252	72.4	1.3	2,252	72.4	1.3
結腸	C18	758	71.3	2.5	739	72.1	2.2	1,497	71.5	1.7	1,497	71.5	1.7
直腸	C19-C20	483	73.7	2.7	272	74.7	3.6	755	74.1	2.1	755	74.1	2.1
肝および肝内胆管	C22	331	24.4	5.2	144	26.2	4.6	475	24.0	4.4	475	24.0	4.4
胆のう・胆管	C23-C24	170	0.0	0.0	169	18.8	3.2	339	0.0	0.0	339	0.0	0.0
膵臓	C25	304	9.2	1.8	269	13.7	2.3	573	11.3	1.5	573	11.3	1.5
喉頭	C32	67	83.5	7.1	9	90.1	11.3	76	85.9	6.4	76	85.9	6.4
肺	C33-C34	1,187	33.0	2.2	525	51.8	2.7	1,712	38.9	1.7	1,712	38.9	1.7
皮膚	C43-C44	137	92.3	6.2	158	95.4	4.6	295	95.6	3.8	295	95.6	3.8
乳房	C50	9	77.8	20.3	1,470	92.5	1.0	1,479	92.5	1.0	1,479	92.5	1.0
子宮	C53-C55	-	-	-	413	76.0	2.6	413	76.0	2.6	413	76.0	2.6
子宮頸部	C53	-	-	-	161	72.4	3.7	161	72.4	3.7	161	72.4	3.7
子宮体部	C54	-	-	-	246	80.0	3.3	246	80.0	3.3	246	80.0	3.3
卵巣	C56	-	-	-	190	67.0	3.6	190	67.0	3.6	190	67.0	3.6
前立腺	C61	1,182	94.7	1.8	-	-	-	1,182	94.7	1.8	1,182	94.7	1.8
膀胱	C67	210	73.9	4.7	87	53.0	6.6	297	67.8	3.9	297	67.8	3.9
腎・尿路(膀胱除く)	C64-C66 C68	286	66.8	4.4	118	72.3	4.8	404	68.0	3.6	404	68.0	3.6
脳・中枢神経系	C70-C72	50	29.2	6.7	35	35.8	9.3	85	31.6	5.6	85	31.6	5.6
甲状腺	C73	75	83.1	5.5	248	96.2	1.6	323	93.5	1.8	323	93.5	1.8
悪性リンパ腫	C81-C85 C96	247	72.0	4.9	219	73.5	3.4	466	72.9	3.0	466	72.9	3.0
多発性骨髄腫	C88-C90	56	53.7	9.0	55	59.6	8.7	111	56.1	6.5	111	56.1	6.5
白血病	C91-C95	110	43.4	6.6	74	55.4	6.2	184	48.3	4.8	184	48.3	4.8

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	3,760	90.5	1.2	2,940	95.3	0.8	6,700	92.6	0.7	6,700	92.6	0.7
		687	66.7	2.7	829	83.8	1.7	1,516	76.2	1.5	1,516	76.2	1.5
		1,129	50.6	2.4	776	53.8	2.1	1,905	51.9	1.7	1,905	51.9	1.7
		1,588	15.5	1.4	1,005	20.0	1.5	2,593	17.3	1.1	2,593	17.3	1.1
		751	49.3	2.4	608	42.0	2.3	1,359	46.0	1.7	1,359	46.0	1.7
		8,083	63.5	0.8	6,285	70.9	0.7	14,368	66.7	0.6	14,368	66.7	0.6
領域		1,816	56.7	1.8	1,605	69.4	1.4	3,421	62.7	1.2	3,421	62.7	1.2
口腔・咽頭	C00-C14	56	93.6	5.5	45	92.2	6.8	101	93.0	4.3	101	93.0	4.3
		42	49.5	11.6	12	58.7	20.6	54	51.7	10.0	54	51.7	10.0
		70	41.2	7.0	36	55.0	9.4	106	46.7	5.7	106	46.7	5.7
		8	13.1	12.8	2	0.0	0.0	10	10.6	10.4	10	10.6	10.4
		16	52.2	14.8	14	38.1	13.8	30	44.1	10.6	30	44.1	10.6
		192	58.8	4.5	109	68.2	5.7	301	62.7	3.6	301	62.7	3.6
領域		112	43.8	6.4	48	57.5	9.1	160	48.5	5.2	160	48.5	5.2
食道	C15	160	81.1	8.2	29	90.0	6.9	189	83.3	6.8	189	83.3	6.8
		26	72.4	10.6	4	26.0	22.6	30	66.1	10.1	30	66.1	10.1
		86	34.0	5.7	14	30.4	13.4	100	33.7	5.2	100	33.7	5.2
		52	12.6	5.1	16	19.5	10.4	68	14.3	4.6	68	14.3	4.6
		24	27.4	10.9	7	17.1	16.1	31	26.8	9.3	31	26.8	9.3
		348	54.9	4.9	70	52.2	6.5	418	54.8	4.1	418	54.8	4.1
領域		112	43.5	5.3	18	29.4	11.6	130	41.6	4.8	130	41.6	4.8
胃	C16	1,040	96.8	2.2	435	96.8	1.7	1,475	97.5	1.6	1,475	97.5	1.6
		165	75.3	4.6	69	72.8	6.7	234	74.7	3.8	234	74.7	3.8
		105	41.8	5.6	54	26.0	7.1	159	37.1	4.4	159	37.1	4.4
		230	7.8	2.0	101	7.5	2.8	331	7.8	1.6	331	7.8	1.6
		70	23.3	6.0	43	24.4	7.5	113	23.7	4.7	113	23.7	4.7
		1,610	75.7	1.8	702	73.6	2.0	2,312	75.1	1.4	2,312	75.1	1.4
領域		270	62.2	3.7	123	52.5	5.3	393	59.5	3.0	393	59.5	3.0
大腸(結腸・直腸)	C18-C20	575	94.3	2.3	468	98.2	1.8	1,043	96.0	1.5	1,043	96.0	1.5
		242	75.2	5.1	181	79.8	4.7	423	77.0	3.6	423	77.0	3.6
		122	66.7	5.5	120	62.1	5.5	242	64.4	3.9	242	64.4	3.9
		229	21.4	3.1	178	14.3	3.2	407	18.3	2.2	407	18.3	2.2
		73	59.5	6.7	64	42.4	7.4	137	51.6	5.0	137	51.6	5.0
		1,241	72.2	1.9	1,011	72.8	1.9	2,252	72.4	1.3	2,252	72.4	1.3
領域		364	72.0	4.0	301	72.8	3.6	665	72.2	2.8	665	72.2	2.8

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤



表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	ICD-10	進展度・総合						男女計					
		男			女			男			女		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	355	93.8	3.2	337	97.5	2.2	692	96.2	2.0	262	80.5	4.5
		142	77.0	6.4	120	85.6	5.1	179	64.4	4.7	275	14.2	2.5
		88	67.4	6.7	91	61.5	6.6	89	44.5	6.2	1,497	71.5	1.7
		137	16.3	3.8	138	12.2	3.4	211	75.7	3.4	441	73.8	3.4
		36	49.4	9.4	53	40.8	8.2	272	74.7	3.6	224	69.1	4.7
		758	71.3	2.5	739	72.1	2.2	90	66.2	7.0	59	7.5	3.7
		230	72.9	4.9	211	75.7	4.2	279	36.8	6.3	279	36.8	6.3
直腸	C19-C20	220	93.7	2.9	131	97.3	3.4	351	95.8	2.2	161	71.2	5.9
		100	73.5	7.7	61	67.5	9.1	63	64.0	6.8	279	36.8	6.3
		34	64.7	9.4	29	61.9	9.8	48	62.9	8.2	16	0.0	0.0
		92	28.5	5.2	40	23.4	7.1	755	74.1	2.1	43	10.2	5.0
		37	66.8	9.4	11	49.3	16.4	77	0.0	0.0	60	1.9	2.0
		483	73.7	2.7	272	74.7	3.6	475	24.0	4.4	77	0.0	0.0
		134	71.1	6.3	90	66.2	7.0	59	7.5	3.7	475	24.0	4.4
肝および肝内胆管	C22	198	38.2	7.6	81	36.7	6.7	279	36.8	6.3	279	36.8	6.3
		10	0.0	0.0	6	0.0	0.0	16	0.0	0.0	16	0.0	0.0
		35	9.5	5.4	8	12.9	12.6	43	10.2	5.0	43	10.2	5.0
		45	2.5	2.7	15	0.0	0.0	60	1.9	2.0	60	1.9	2.0
		43	0.0	0.0	34	22.8	7.9	77	0.0	0.0	77	0.0	0.0
		331	24.4	5.2	144	26.2	4.6	475	24.0	4.4	475	24.0	4.4
		45	7.5	4.3	14	7.4	7.4	59	7.5	3.7	59	7.5	3.7
胆のう・胆管	C23-C24	23	35.1	13.2	22	52.4	11.4	45	44.2	8.7	45	44.2	8.7
		8	27.6	17.2	5	0.0	0.0	13	17.1	11.3	13	17.1	11.3
		71	0.0	0.0	60	27.9	6.2	131	0.0	0.0	131	0.0	0.0
		32	0.0	0.0	44	2.4	2.4	76	1.5	1.5	76	1.5	1.5
		36	9.9	5.5	38	3.4	3.5	74	6.8	3.3	74	6.8	3.3
		170	0.0	0.0	169	18.8	3.2	339	0.0	0.0	339	0.0	0.0
		79	0.0	0.0	65	25.8	5.8	144	0.0	0.0	144	0.0	0.0
膵臓	C25	25	44.7	11.8	24	48.7	11.0	49	46.7	8.1	49	46.7	8.1
		7	46.3	21.5	11	46.9	16.2	18	47.1	12.9	18	47.1	12.9
		95	8.1	3.4	76	18.5	5.0	171	12.8	3.0	171	12.8	3.0
		156	0.8	0.9	131	3.2	1.6	287	1.9	0.9	287	1.9	0.9
		21	10.9	7.5	27	4.1	4.1	48	7.1	4.1	48	7.1	4.1
		304	9.2	1.8	269	13.7	2.3	573	11.3	1.5	573	11.3	1.5
		102	11.5	3.7	87	22.3	5.0	189	16.5	3.1	189	16.5	3.1

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、遠隔：遠隔転移、領域：領域リンパ節転移+隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
喉頭	C32	限局	43	91.5	6.2	8	88.4	12.4	51	93.0	5.6		
		リ転	1	100.0	0.0	0	.	.	1	100.0	0.0		
		隣接	17	51.9	16.6	0	.	.	17	51.9	16.6		
		遠隔	2	51.9	39.3	0	.	.	2	51.9	39.3		
		不明	4	51.4	27.8	1	100.0	0.0	5	61.8	25.0		
		合計	67	83.5	7.1	9	90.1	11.3	76	85.9	6.4		
		領域	18	55.9	15.6	0	.	.	18	55.9	15.6		
肺	C33-C34	限局	350	74.2	4.1	227	93.1	3.1	577	82.1	2.8		
		リ転	126	41.3	5.3	40	52.0	9.0	166	43.8	4.6		
		隣接	137	35.7	4.9	25	37.9	10.2	162	35.7	4.6		
		遠隔	498	5.7	2.0	201	11.8	3.1	699	7.6	1.7		
		不明	76	11.3	4.3	32	14.3	7.0	108	12.2	3.7		
		合計	1,187	33.0	2.2	525	51.8	2.7	1,712	38.9	1.7		
		領域	263	38.4	3.7	65	45.6	7.1	328	39.7	3.3		
皮膚	C43-C44	限局	109	95.5	7.1	126	99.2	4.9	235	97.8	4.3		
		リ転	2	0.0	0.0	4	76.0	22.7	6	51.6	21.8		
		隣接	13	64.7	19.4	13	70.7	17.3	26	70.2	13.6		
		遠隔	1	0.0	0.0	2	0.0	0.0	3	0.0	0.0		
		不明	12	88.5	12.5	13	63.7	16.7	25	77.3	11.1		
		合計	137	92.3	6.2	158	95.4	4.6	295	95.6	3.8		
		領域	15	55.0	17.4	17	72.2	14.0	32	67.0	11.6		
乳房	C50	限局	4	60.9	39.5	862	99.8	1.0	866	99.9	1.0		
		リ転	3	100.0	0.0	344	92.8	1.8	347	93.0	1.8		
		隣接	1	100.0	0.0	60	76.9	6.8	61	77.3	6.7		
		遠隔	0	.	.	87	50.1	5.8	87	50.1	5.8		
		不明	1	0.0	0.0	117	70.2	4.8	118	69.6	4.8		
		合計	9	77.8	20.3	1,470	92.5	1.0	1,479	92.5	1.0		
		領域	4	100.0	0.0	404	90.6	1.9	408	90.8	1.8		
子宮	C53-C55	限局	-	-	-	227	93.1	2.4	227	93.1	2.4		
		リ転	-	-	-	16	70.1	11.9	16	70.1	11.9		
		隣接	-	-	-	99	63.2	6.8	99	63.2	6.8		
		遠隔	-	-	-	41	12.7	5.4	41	12.7	5.4		
		不明	-	-	-	30	67.8	9.8	30	67.8	9.8		
		合計	-	-	-	413	76.0	2.6	413	76.0	2.6		
		領域	-	-	-	115	64.8	5.8	115	64.8	5.8		

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
子宮頸部	C53	限局	-	-	64	89.7	4.2	64	89.7	4.2	64	89.7	4.2
		リ転	-	-	7	86.8	13.7	7	86.8	13.7	7	86.8	13.7
		隣接	-	-	61	64.9	6.4	61	64.9	6.4	61	64.9	6.4
		遠隔	-	-	18	17.0	9.5	18	17.0	9.5	18	17.0	9.5
		不明	-	-	11	84.0	12.1	11	84.0	12.1	11	84.0	12.1
		合計	-	-	161	72.4	3.7	161	72.4	3.7	161	72.4	3.7
		領域	-	-	68	67.4	6.0	68	67.4	6.0	68	67.4	6.0
子宮体部	C54	限局	-	-	162	94.4	2.7	162	94.4	2.7	162	94.4	2.7
		リ転	-	-	9	56.0	16.9	9	56.0	16.9	9	56.0	16.9
		隣接	-	-	37	65.1	12.0	37	65.1	12.0	37	65.1	12.0
		遠隔	-	-	23	8.9	6.0	23	8.9	6.0	23	8.9	6.0
		不明	-	-	15	68.5	13.9	15	68.5	13.9	15	68.5	13.9
		合計	-	-	246	80.0	3.3	246	80.0	3.3	246	80.0	3.3
		領域	-	-	46	64.2	9.8	46	64.2	9.8	46	64.2	9.8
卵巣	C56	限局	-	-	61	87.9	4.5	61	87.9	4.5	61	87.9	4.5
		リ転	-	-	2	52.2	38.2	2	52.2	38.2	2	52.2	38.2
		隣接	-	-	68	67.5	5.9	68	67.5	5.9	68	67.5	5.9
		遠隔	-	-	27	22.0	8.8	27	22.0	8.8	27	22.0	8.8
		不明	-	-	32	59.6	9.3	32	59.6	9.3	32	59.6	9.3
		合計	-	-	190	67.0	3.6	190	67.0	3.6	190	67.0	3.6
		領域	-	-	70	67.1	5.8	70	67.1	5.8	70	67.1	5.8
前立腺	C61	限局	675	99.5	1.9	-	-	675	99.5	1.9	-	-	1.9
		リ転	10	75.1	17.1	-	-	10	75.1	17.1	-	-	17.1
		隣接	182	93.3	5.5	-	-	182	93.3	5.5	-	-	5.5
		遠隔	134	52.8	5.4	-	-	134	52.8	5.4	-	-	5.4
		不明	181	85.7	4.9	-	-	181	85.7	4.9	-	-	4.9
		合計	1,182	94.7	1.8	-	-	1,182	94.7	1.8	-	-	1.8
		領域	192	93.6	5.4	-	-	192	93.6	5.4	-	-	5.4
膀胱	C67	限局	140	89.1	5.5	47	78.3	8.8	187	87.3	4.6	4.6	
		リ転	5	67.8	29.8	1	0.0	0.0	6	65.6	30.5	30.5	
		隣接	28	27.6	10.7	19	23.8	10.9	47	26.4	7.8	7.8	
		遠隔	9	0.0	0.0	10	10.8	10.7	19	6.3	6.2	6.2	
		不明	28	50.9	13.1	10	23.3	15.8	38	44.6	10.7	10.7	
		合計	210	73.9	4.7	87	53.0	6.6	297	67.8	3.9	3.9	
		領域	33	35.0	10.7	20	23.8	11.0	53	31.0	7.9	7.9	

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
腎・尿路(膀胱除く)	C64-C66 C68	限局	161	85.7	6.2	58	94.4	4.4	219	88.0	5.3		
		リ転	3	33.9	28.0	3	34.8	30.1	6	35.1	20.6		
		隣接	46	67.0	8.9	28	67.4	10.5	74	67.2	6.8		
		遠隔	49	9.0	4.4	17	26.4	11.9	66	13.5	4.6		
		不明	27	56.3	10.9	12	27.6	14.0	39	47.5	9.0		
		合計	286	66.8	4.4	118	72.3	4.8	404	68.0	3.6		
領域		49	65.1	8.6	31	64.7	10.1	80	65.0	6.5			
脳・中枢神経系	C70-C72	限局	30	41.6	9.3	18	46.0	12.3	48	43.2	7.4		
		リ転	0	.	.	0	.	.	0	.	.		
		隣接	10	10.5	10.0	8	26.0	16.0	18	17.5	9.3		
		遠隔	2	51.0	36.1	3	33.6	27.5	5	40.5	22.2		
		不明	8	0.0	0.0	6	25.7	21.2	14	11.2	9.8		
		合計	50	29.2	6.7	35	35.8	9.3	85	31.6	5.6		
領域		10	10.5	10.0	8	26.0	16.0	18	17.5	9.3			
甲状腺	C73	限局	20	82.7	11.4	85	98.2	1.7	105	96.4	2.7		
		リ転	28	100.0	0.0	123	99.3	1.2	151	99.8	1.0		
		隣接	8	39.2	18.2	11	67.4	15.8	19	56.2	12.4		
		遠隔	7	46.2	20.6	9	81.4	15.9	16	67.6	13.7		
		不明	12	72.2	15.7	20	77.0	10.2	32	76.9	8.7		
		合計	75	83.1	5.5	248	96.2	1.6	323	93.5	1.8		
領域		36	88.8	6.1	134	97.1	1.8	170	96.0	2.0			
悪性リンパ腫	C81-C85 C96	限局	52	88.6	6.4	47	93.3	4.8	99	92.1	4.1		
		リ転	2	100.0	0.0	0	.	.	2	100.0	0.0		
		隣接	54	79.8	9.0	39	88.7	6.3	93	83.5	6.6		
		遠隔	91	55.9	13.3	96	62.0	5.4	187	60.7	6.1		
		不明	46	60.6	8.4	37	54.3	9.3	83	58.9	6.2		
		合計	247	72.0	4.9	219	73.5	3.4	466	72.9	3.0		
領域		56	80.6	9.0	39	88.7	6.3	95	83.9	6.5			
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-		
		リ転	-	-	-	-	-	-	-	-	-		
		隣接	-	-	-	-	-	-	-	-	-		
		遠隔	-	-	-	-	-	-	-	-	-		
		不明	-	-	-	-	-	-	-	-	-		
		合計	-	-	-	-	-	-	-	-	-		
領域		-	-	-	-	-	-	-	-				

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2015年

部位	進展度・総合	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
白血病	ICD-10 C91-C95	-	-	-	-	-	-	-	-	-
	限局	-	-	-	-	-	-	-	-	-
	リ転	-	-	-	-	-	-	-	-	-
	隣接	-	-	-	-	-	-	-	-	-
	遠隔	-	-	-	-	-	-	-	-	-
	不明	-	-	-	-	-	-	-	-	-
	合計	-	-	-	-	-	-	-	-	-
	領域	-	-	-	-	-	-	-	-	-

\*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤