

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(%)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)					
	I0D-10		男		女		男		女		男		女		男		女			
	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1		
全部位	10,089	7,625	17,714	100.0	100.0	100.0	100.0	100.0	885.8	640.2	760.3	462.9	347.4	396.1	328.0	260.8	288.9	38.8	28.2	33.2
口腔・咽頭	237	116	353	2.3	1.5	2.0	2.0	2.0	20.8	9.7	15.2	12.1	5.1	8.5	8.8	3.9	6.3	1.1	0.4	0.7
食道	451	81	532	4.5	1.1	3.0	3.0	39.6	6.8	22.8	20.0	20.0	2.9	10.9	13.9	1.9	7.5	1.7	0.2	1.0
胃	1,871	846	2,717	18.5	11.1	15.3	16.4	164.3	71.0	116.6	83.1	83.1	29.5	54.4	57.6	20.7	38.1	7.0	2.3	4.6
大腸(結腸・直腸)	1,639	1,267	2,906	16.2	16.6	16.4	143.9	106.4	143.9	124.7	78.5	78.5	46.5	61.7	56.1	33.3	44.2	7.0	3.7	5.3
結腸	1,037	926	1,963	10.3	12.1	11.1	91.0	77.7	91.0	84.2	47.4	47.4	31.8	39.1	33.2	22.5	27.6	4.0	2.5	3.2
直腸	602	341	943	6.0	4.5	5.3	52.9	28.6	52.9	40.5	31.1	31.1	14.7	22.6	22.8	10.8	16.6	2.9	1.2	2.1
肝および肝内胆管	433	235	668	4.3	3.1	3.8	38.0	19.7	38.0	28.7	19.4	19.4	6.8	12.8	13.5	4.7	8.9	1.7	0.5	1.1
胆のう・胆管	204	213	417	2.0	2.8	2.4	17.9	17.9	17.9	17.9	8.3	8.3	5.7	6.9	5.7	3.8	4.7	0.6	0.4	0.5
膵臓	389	359	748	3.9	4.7	4.2	34.2	30.1	34.2	32.1	17.3	17.3	10.6	13.8	12.0	7.2	9.6	1.4	0.7	1.1
喉頭	76	6	82	0.8	0.1	0.5	6.7	0.5	6.7	3.5	3.6	3.6	0.3	1.9	2.6	0.2	1.3	0.3	0.0	0.2
肺	1,494	719	2,213	14.8	9.4	12.5	131.2	60.4	131.2	95.0	63.5	63.5	27.2	43.5	43.7	19.4	30.4	5.3	2.4	3.8
皮膚	231	206	437	2.3	2.7	2.5	20.3	17.3	20.3	18.8	9.6	9.6	6.4	7.8	6.7	4.8	5.6	0.6	0.4	0.5
乳房	18	1,655	1,673	0.2	21.7	9.4	1.6	139.0	1.6	71.8	0.8	0.8	100.4	51.1	0.5	77.1	39.0	0.1	8.5	4.3
子宮	-	444	444	-	5.8	2.5	-	37.3	-	37.3	-	-	29.1	-	-	22.6	-	-	2.4	-
子宮頸部	-	149	149	-	2.0	0.8	-	12.5	-	12.5	-	-	10.5	-	-	8.1	-	-	0.8	-
子宮体部	-	289	289	-	3.8	1.6	-	24.3	-	24.3	-	-	18.4	-	-	14.3	-	-	1.6	-
卵巣	-	254	254	-	3.3	1.4	-	21.3	-	21.3	-	-	16.7	-	-	13.5	-	-	1.3	-
前立腺	1,441	-	1,441	14.3	-	8.1	126.5	-	126.5	-	61.8	-	61.8	-	42.2	-	-	5.4	-	-
膀胱	290	115	405	2.9	1.5	2.3	25.5	9.7	25.5	17.4	11.9	11.9	3.5	7.3	8.0	2.4	5.0	0.8	0.2	0.5
腎・尿路(膀胱除く)	339	174	513	3.4	2.3	2.9	29.8	14.6	29.8	22.0	17.2	17.2	6.3	11.6	12.5	4.4	8.3	1.4	0.5	0.9
脳・中枢神経系	55	53	108	0.5	0.7	0.6	4.8	4.5	4.8	4.6	3.8	3.8	3.3	3.5	3.3	3.0	3.1	0.3	0.3	0.3
甲状腺	83	236	319	0.8	3.1	1.8	7.3	19.8	7.3	13.7	5.3	5.3	16.5	10.9	4.2	13.1	8.6	0.4	1.3	0.9
悪性リンパ腫	298	266	564	3.0	3.5	3.2	26.2	22.3	26.2	24.2	15.0	15.0	12.2	13.4	11.4	9.4	10.3	1.2	1.1	1.1
多発性骨髄腫	64	54	118	0.6	0.7	0.7	5.6	4.5	5.6	5.1	2.7	2.7	1.8	2.2	1.8	1.3	1.5	0.2	0.2	0.2
白血病	115	85	200	1.1	1.1	1.1	10.1	7.1	10.1	8.6	7.6	7.6	5.0	6.3	6.9	4.9	5.9	0.6	0.4	0.5

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

B. 上皮内がんを含む

宮城県

2016年

部位	罹患数										部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)							
	男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
ICD-10	11,039	8,782	19,821	100.0	100.0	100.0	4.4	4.4	1.0	2.9	2.9	43.0	43.0	7.4	7.4	737.4	737.4	850.7	510.1	427.9	362.0	324.2	336.9	43.0	34.4	43.0	34.4	38.4	38.4	
全部位	490	88	578	4.4	1.0	2.9	4.4	1.0	2.9	2.9	43.0	43.0	7.4	7.4	737.4	737.4	850.7	510.1	427.9	362.0	324.2	336.9	43.0	34.4	43.0	34.4	38.4	38.4		
C00-C96 D00-D09	2,122	1,549	3,671	19.2	17.6	18.5	19.2	17.6	18.5	18.5	186.3	130.1	157.6	103.5	59.3	80.4	74.4	103.5	103.5	59.3	74.4	42.5	57.9	9.3	4.8	9.3	4.8	7.0	7.0	
C15 D001	1,370	1,123	2,493	12.4	12.8	12.6	12.4	12.8	12.6	12.6	120.3	94.3	107.0	64.5	40.7	52.0	45.7	64.5	64.5	40.7	45.7	29.0	37.0	5.6	3.3	5.6	3.3	4.4	4.4	
C18-C20 D010-D012	752	426	1,178	6.8	4.9	5.9	6.8	4.9	5.9	5.9	66.0	35.8	50.6	39.1	18.6	28.5	28.7	39.1	39.1	18.6	28.5	13.5	20.9	3.7	1.6	3.7	1.6	2.6	2.6	
C18 D010	1,498	721	2,219	13.6	8.2	11.2	13.6	8.2	11.2	11.2	131.5	60.5	95.2	63.7	27.3	43.6	43.8	63.7	63.7	27.3	43.6	19.4	30.5	5.3	2.4	5.3	2.4	3.8	3.8	
C33-C34 D021-D022	279	258	537	2.5	2.9	2.7	2.5	2.9	2.7	2.7	24.5	21.7	23.0	11.6	8.1	9.6	8.0	11.6	11.6	8.1	9.6	5.9	6.8	0.7	0.5	0.7	0.5	0.6	0.6	
C43-C44 D030-D049	18	1,915	1,933	0.2	21.8	9.8	0.2	21.8	9.8	9.8	1.6	160.8	83.0	0.8	118.3	60.0	0.5	0.8	0.8	118.3	60.0	0.5	91.1	46.0	0.1	10.0	0.1	10.0	5.1	5.1
C50 D05	-	869	869	-	9.9	4.4	-	9.9	4.4	4.4	-	73.0	-	-	70.8	-	-	-	-	70.8	-	-	56.8	-	-	-	5.2	-	-	-
C53-C55 D06	-	574	574	-	6.5	2.9	-	6.5	2.9	2.9	-	48.2	-	-	52.1	-	-	-	-	52.1	-	-	42.4	-	-	-	3.6	-	-	-
C53 D06	567	178	745	5.1	2.0	3.8	5.1	2.0	3.8	3.8	49.8	14.9	32.0	24.8	6.5	14.9	32.0	24.8	6.5	14.9	17.2	4.6	10.5	2.0	0.5	2.0	0.5	1.2	1.2	
C67 D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,089	7	3	5	16	11	15	25	64	111	172	295	593	1,109	1,795	1,570	1,744	1,364	844	287	56	3	0
	口腔・咽頭	C00-C14	237	0	0	0	0	0	1	0	3	3	12	12	18	29	54	35	35	25	7	3	0	0	0
	食道	C15	451	0	0	0	0	0	0	0	0	3	4	9	24	54	92	74	94	56	35	5	1	0	0
	胃	C16	1,871	0	0	0	0	0	0	1	2	10	27	50	101	203	372	287	366	251	144	51	6	0	0
	大腸（結腸・直腸）	C18-C20	1,639	0	0	0	0	1	0	4	15	30	39	56	121	203	295	276	242	192	126	34	5	0	0
	結腸	C18	1,087	0	0	0	0	1	0	3	7	16	17	26	67	115	180	169	163	148	96	26	3	0	0
	直腸	C19-C20	602	0	0	0	0	0	0	1	8	14	22	30	54	88	115	107	79	44	30	8	2	0	0
	肝および肝内胆管	C22	433	0	0	0	0	0	0	2	2	2	5	8	36	47	69	73	65	71	41	10	2	0	0
	胆のう・胆管	C23-C24	204	0	0	0	0	0	0	0	0	0	1	6	7	21	33	25	33	36	30	10	2	0	0
	膵臓	C25	389	0	0	0	0	0	0	0	1	2	10	13	18	41	69	60	61	64	33	13	4	0	0
	喉頭	C32	76	0	0	0	0	0	0	0	0	1	1	0	7	11	16	16	15	5	3	1	0	0	0
	肺	C33-C34	1,494	0	0	0	0	0	0	0	5	7	14	34	73	127	281	241	251	227	161	60	13	0	0
	皮膚	C43-C44	231	0	0	0	1	0	2	0	3	3	6	4	7	18	22	23	40	43	34	17	8	0	0
	乳房	C50	18	0	0	0	0	0	0	0	0	0	0	0	1	2	1	3	8	3	0	0	0	0	0
	前立腺	C61	1,441	0	0	0	0	0	0	0	0	0	2	20	59	188	276	271	301	195	108	30	9	2	0
	膀胱	C67	290	0	0	0	0	0	0	0	0	3	3	5	15	22	45	33	60	52	35	15	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	339	0	0	0	1	0	2	0	1	7	10	24	31	46	52	39	58	41	19	6	2	0	0
	脳・中枢神経系	C70-C72	55	1	1	0	2	0	1	2	4	4	1	5	5	6	7	7	4	3	2	0	0	0	0
	甲状腺	C73	83	0	0	1	0	0	2	1	3	5	5	12	7	14	12	4	8	6	2	1	0	0	0
	悪性リンパ腫	C81-C85 C96	298	0	1	2	3	3	1	2	2	7	9	11	19	44	38	38	39	41	28	8	2	0	0
	多発性骨髄腫	C88-C90	64	0	0	0	0	0	0	0	0	0	1	0	6	5	9	9	15	8	8	3	0	0	0
	白血病	C91-C95	115	5	1	1	3	2	2	4	4	4	8	9	3	9	13	16	10	10	8	2	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県 2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	7,625	5	6	5	10	25	32	92	168	307	370	416	479	666	940	809	918	974	800	457	130	16	0
	口腔・咽頭	C00-C14	116	0	0	0	0	1	1	2	4	4	4	8	4	10	12	11	11	18	13	10	2	1	0
	食道	C15	81	0	0	0	0	0	0	0	0	1	1	3	5	3	11	9	16	21	7	3	1	0	0
	胃	C16	846	0	0	0	0	1	0	6	6	14	15	11	35	70	116	93	132	152	111	69	15	0	0
	大腸(結腸・直腸)	C18-C20	1,267	0	0	0	0	1	2	3	11	23	35	38	55	112	170	133	187	200	184	91	21	1	0
	結腸	C18	926	0	0	0	0	1	1	1	3	16	22	23	36	71	121	96	138	150	157	74	15	1	0
	直腸	C19-C20	341	0	0	0	0	0	1	2	8	7	13	15	19	41	49	37	49	50	27	17	6	0	0
	肝および肝内胆管	C22	235	0	0	0	0	0	0	0	2	1	3	3	6	12	24	28	28	51	38	33	5	1	0
	胆のう・胆管	C23-C24	213	0	0	0	0	0	0	0	0	2	0	3	5	8	23	16	40	41	34	32	9	0	0
	膵臓	C25	359	0	0	0	0	0	1	0	2	3	5	3	7	24	39	33	55	75	63	36	11	2	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	2	0	0	0	0	0	0
	肺	C33-C34	719	0	1	0	0	0	0	3	4	11	9	25	42	54	96	118	118	91	88	40	18	1	0
	皮膚	C43-C44	206	0	0	1	0	0	0	3	1	4	3	7	7	4	17	11	23	28	44	30	15	4	0
	乳房	C50	1,655	0	0	0	0	0	2	24	65	134	189	161	162	187	216	174	137	100	61	32	8	3	0
	子宮	C53-C55	444	0	0	0	0	0	5	16	29	35	38	56	60	46	44	31	32	20	22	8	2	0	0
	子宮頸部	C53	149	0	0	0	0	0	2	11	20	16	12	12	15	14	9	8	12	6	8	2	2	0	0
	子宮体部	C54	289	0	0	0	0	0	3	5	8	19	26	44	45	32	35	22	20	13	13	4	0	0	0
	卵巢	C56	254	0	1	0	0	7	8	8	8	25	20	35	22	17	27	20	17	14	11	9	4	1	0
	膀胱	C67	115	0	0	0	0	0	0	1	2	0	1	2	4	11	4	11	16	23	19	13	8	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	174	0	0	0	0	1	1	0	0	3	2	7	11	8	21	20	32	30	24	10	4	0	0
	脳・中枢神経系	C70-C72	53	0	1	0	2	5	1	1	1	3	2	4	3	3	5	5	3	6	6	2	0	0	0
	甲状腺	C73	236	0	0	0	3	1	2	16	20	26	23	18	19	31	26	15	13	16	5	1	1	0	0
	悪性リンパ腫	C81-C85 C96	266	0	0	1	2	1	2	5	5	3	14	14	10	28	37	38	27	41	28	6	3	1	0
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	1	0	1	0	3	6	5	9	4	11	11	3	0	0	0
	白血病	C91-C95	85	3	3	2	1	4	0	1	1	3	0	6	4	12	14	2	8	10	5	5	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	I0D-I0	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	C00-C96	17,714	12	9	10	26	36	47	117	232	418	542	711	1,072	1,775	2,735	2,379	2,662	2,338	1,644	744	186	19	0
	口腔・咽頭	C00-C14	353	0	0	0	0	1	2	2	7	7	16	20	22	39	66	46	46	43	20	13	2	1	0
	食道	C15	532	0	0	0	0	0	0	0	0	4	5	12	29	57	103	83	110	77	42	8	2	0	0
	胃	C16	2,717	0	0	0	0	1	0	7	8	24	42	61	136	273	488	380	498	403	255	120	21	0	0
	大腸(結腸・直腸)	C18-C20	2,906	0	0	0	0	2	2	7	26	53	74	94	176	315	465	409	429	392	310	125	26	1	0
	結腸	C18	1,963	0	0	0	0	2	1	4	10	32	39	49	103	186	301	265	301	298	253	100	18	1	0
	直腸	C19-C20	943	0	0	0	0	0	1	3	16	21	35	45	73	129	164	144	128	94	57	25	8	0	0
	肝および肝内胆管	C22	688	0	0	0	0	0	0	2	4	3	8	11	42	59	93	101	93	122	79	43	7	1	0
	胆のう・胆管	C23-C24	417	0	0	0	0	0	0	0	0	2	1	9	12	29	56	41	73	77	64	42	11	0	0
	膵臓	C25	748	0	0	0	0	0	1	0	3	5	15	16	25	65	108	93	116	139	96	49	15	2	0
	喉頭	C32	82	0	0	0	0	0	0	0	0	2	1	0	8	11	17	17	17	5	3	1	0	0	0
	肺	C33-C34	2,213	0	1	0	0	0	0	3	9	18	23	59	115	181	377	359	369	318	249	100	31	1	0
	皮膚	C43-C44	437	0	0	1	1	1	5	1	6	7	9	11	14	22	39	34	63	71	78	47	23	4	0
	乳房	C50	1,673	0	0	0	0	0	2	24	65	134	189	161	163	189	217	177	145	103	61	32	8	3	0
	子宮	C53-C55	444	0	0	0	0	0	5	16	29	35	38	56	60	46	44	31	32	20	22	8	2	0	0
	子宮頸部	C53	149	0	0	0	0	0	2	11	20	16	12	12	15	14	9	8	12	6	8	2	2	0	0
	子宮体部	C54	289	0	0	0	0	0	3	5	8	19	26	44	45	32	35	22	20	13	13	4	0	0	0
	卵巢	C56	254	0	1	0	0	7	8	8	8	25	20	35	22	17	27	20	17	14	11	9	4	1	0
	前立腺	C61	1,441	0	0	0	0	0	0	0	0	0	2	20	59	168	276	271	301	195	108	30	9	2	0
	膀胱	C67	405	0	0	0	0	0	0	1	2	3	4	7	19	33	49	44	76	75	54	28	9	1	0
	腎・尿路(膀胱除く)	C64-C66 C68	513	0	0	0	1	1	3	0	1	10	12	31	42	54	73	59	90	71	43	16	6	0	0
	脳・中枢神経系	C70-C72	108	1	2	0	4	5	2	3	5	7	3	9	8	9	12	12	7	9	8	2	0	0	0
	甲状腺	C73	319	0	0	1	3	1	4	17	23	31	28	30	26	45	38	19	21	22	7	2	1	0	0
	悪性リンパ腫	C81-C85 C96	564	0	1	3	5	4	3	7	7	10	23	25	29	72	75	76	66	82	56	14	5	1	0
	多発性骨髄腫	C88-C90	118	0	0	0	0	0	0	0	1	0	2	0	9	11	14	18	19	19	19	6	0	0	0
	白血病	C91-C95	200	8	4	3	4	6	2	5	5	7	8	15	7	21	27	18	18	20	13	7	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

B. 上皮内がんを含む

宮城県

2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	11,039	7	3	5	16	12	17	26	72	127	192	354	651	1,249	1,965	1,723	1,897	1,469	897	298	56	3	0
	食道	C15 D001	490	0	0	0	0	0	0	0	0	4	4	10	24	60	99	81	102	63	37	5	1	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	2,122	0	0	0	0	1	0	4	19	40	51	94	152	287	390	351	325	227	142	34	5	0	0
	結腸*2	C18 D010	1,370	0	0	0	0	1	0	3	10	23	25	52	87	169	248	218	223	174	108	26	3	0	0
	直腸*2	C19-C20 D011-D012	752	0	0	0	0	0	0	1	9	17	26	42	65	118	142	133	102	53	34	8	2	0	0
	肺	C33-C34 D021-D022	1,498	0	0	0	0	0	0	0	5	7	14	34	73	127	281	242	252	228	162	60	13	0	0
	皮膚	C43-C44 D030-D049	279	0	0	0	1	1	2	0	4	4	6	4	8	21	25	28	51	57	40	19	8	0	0
	乳房	C50 D05	18	0	0	0	0	0	0	0	0	0	0	0	1	2	1	3	8	3	0	0	0	0	0
	膀胱	C67 D090	567	0	0	0	0	0	2	0	3	6	6	15	30	56	95	83	97	91	58	23	1	1	0
女	全部位	C00-C96 D00-D09	8,782	5	6	5	11	32	70	195	289	424	466	483	561	754	1,042	912	1,004	1,061	844	472	130	16	0
	食道	C15 D001	88	0	0	0	0	0	0	0	0	1	1	3	5	5	13	9	18	21	8	3	1	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	1,549	0	0	0	0	1	2	4	15	30	45	51	82	142	205	176	231	247	200	96	21	1	0
	結腸*2	C18 D010	1,123	0	0	0	0	1	1	2	6	20	31	31	54	95	144	122	170	184	168	78	15	1	0
	直腸*2	C19-C20 D011-D012	426	0	0	0	0	0	1	2	9	10	14	20	28	47	61	54	61	63	32	18	6	0	0
	肺	C33-C34 D021-D022	721	0	1	0	0	0	0	3	4	11	10	25	42	54	96	118	118	92	88	40	18	1	0
	皮膚	C43-C44 D030-D049	258	0	0	1	0	1	4	1	4	4	3	8	10	6	20	16	32	36	55	38	15	4	0
	乳房	C50 D05	1,915	0	0	0	0	0	2	30	78	159	233	192	187	214	250	203	151	109	63	33	8	3	0
	子宮	C53-C55 D06	869	0	0	0	1	7	42	110	127	116	78	69	76	58	53	38	39	23	22	8	2	0	0
	子宮頸部	C53 D06	574	0	0	0	1	7	39	105	118	97	52	25	31	26	18	15	19	9	8	2	2	0	0
	膀胱	C67 D090	178	0	0	0	0	0	0	3	3	2	2	6	11	19	9	21	21	33	26	14	8	0	0
総数*3	全部位	C00-C96 D00-D09	19,821	12	9	10	27	44	87	221	361	551	658	637	1,212	2,003	3,007	2,635	2,901	2,530	1,741	770	186	19	0
	食道	C15 D001	578	0	0	0	0	0	0	0	0	5	5	13	29	65	112	90	120	84	45	8	2	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	3,671	0	0	0	0	2	2	8	34	70	96	145	234	429	595	527	556	474	342	130	26	1	0
	結腸*2	C18 D010	2,493	0	0	0	0	2	1	5	16	43	56	83	141	264	392	340	393	358	276	104	18	1	0
	直腸*2	C19-C20 D011-D012	1,178	0	0	0	0	0	1	3	18	27	40	62	93	165	203	187	163	116	66	26	8	0	0
	肺	C33-C34 D021-D022	2,219	0	1	0	0	0	0	3	9	18	24	59	115	181	377	360	370	320	250	100	31	1	0
	皮膚	C43-C44 D030-D049	537	0	0	1	1	2	6	1	8	8	9	12	18	27	45	44	83	93	95	57	23	4	0
	乳房	C50 D05	1,933	0	0	0	0	0	2	30	78	159	233	192	188	216	251	206	159	112	63	33	8	3	0
	子宮	C53-C55 D06	869	0	0	0	1	7	42	110	127	116	78	69	76	58	53	38	39	23	22	8	2	0	0
	子宮頸部	C53 D06	574	0	0	0	1	7	39	105	118	97	52	25	31	26	18	15	19	9	8	2	2	0	0
	膀胱	C67 D090	745	0	0	0	0	0	2	3	6	8	8	21	41	75	104	104	118	124	84	37	9	1	0

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C96	885.8	15.2	6.1	9.6	27.1	17.2	23.8	36.8	83.1	127.6	215.0	415.5	790.7	1,336.1	1,951.1	2,706.9	3,488.0	3,589.5	2,813.3	•	•	•	•
	口腔・咽頭	000-C14	20.8	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.4	15.0	16.9	24.0	34.9	58.7	60.3	70.0	65.8	23.3	•	•	•	•
	食道	C15	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.0	12.7	32.0	65.1	100.0	127.6	188.0	147.4	116.7	•	•	•	•
	胃	C16	164.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	11.5	33.8	70.4	134.7	244.6	404.3	494.8	732.0	660.5	480.0	•	•	•	•
	大腸（結腸・直腸）	C18-C20	143.9	0.0	0.0	0.0	0.0	1.6	0.0	5.9	19.5	34.5	48.8	78.9	161.3	244.6	320.7	475.9	484.0	505.3	420.0	•	•	•	•
	結腸	C18	91.0	0.0	0.0	0.0	0.0	1.6	0.0	4.4	9.1	18.4	21.3	36.6	89.3	138.6	195.7	291.4	326.0	389.5	320.0	•	•	•	•
	直腸	C19-C20	52.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	10.4	16.1	27.5	42.3	72.0	106.0	125.0	184.5	158.0	115.8	100.0	•	•	•	•
	肝および肝内胆管	C22	38.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	2.3	6.3	11.3	48.0	56.6	75.0	125.9	130.0	186.8	136.7	•	•	•	•
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.5	9.3	25.3	35.9	43.1	66.0	94.7	100.0	•	•	•	•
	膵臓	C25	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	12.5	18.3	24.0	49.4	75.0	103.4	122.0	168.4	110.0	•	•	•	•
	喉頭	C32	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	0.0	9.3	13.3	17.4	27.6	30.0	13.2	10.0	•	•	•	•
	肺	C33-C34	131.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	8.0	17.5	47.9	97.3	153.0	305.4	415.5	502.0	597.4	536.7	•	•	•	•
	皮膚	C43-C44	20.3	0.0	0.0	0.0	1.7	0.0	3.2	0.0	3.9	3.4	7.5	5.6	9.3	21.7	23.9	39.7	80.0	113.2	113.3	•	•	•	•
	乳房	C50	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	1.1	5.2	16.0	7.9	0.0	•	•	•	•
	前立腺	C61	126.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	28.2	78.7	202.4	300.0	467.2	602.0	513.2	360.0	•	•	•	•
	膀胱	C67	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.8	7.0	20.0	26.5	48.9	56.9	120.0	136.8	116.7	•	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	29.8	0.0	0.0	0.0	1.7	0.0	3.2	0.0	1.3	8.0	12.5	33.8	41.3	55.4	56.5	67.2	116.0	107.9	63.3	•	•	•	•
	脳・中枢神経系	C70-C72	4.8	2.2	2.0	0.0	3.4	0.0	1.6	2.9	5.2	4.6	1.3	7.0	6.7	7.2	7.6	12.1	8.0	7.9	6.7	•	•	•	•
	甲状腺	C73	7.3	0.0	0.0	1.9	0.0	0.0	3.2	1.5	3.9	5.7	6.3	16.9	9.3	16.9	13.0	6.9	16.0	15.8	6.7	•	•	•	•
	悪性リンパ腫	C81-C85 C96	26.2	0.0	2.0	3.8	5.1	4.7	1.6	2.9	2.6	8.0	11.3	15.5	25.3	53.0	41.3	65.5	78.0	107.9	93.3	•	•	•	•
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	8.0	6.0	9.8	15.5	30.0	21.1	26.7	•	•	•	•
	白血病	C91-C95	10.1	10.9	2.0	1.9	5.1	3.1	3.2	5.9	5.2	4.6	10.0	12.7	4.0	10.8	14.1	27.6	20.0	26.3	26.7	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	000-C96	640.2	11.6	12.8	10.2	18.2	42.4	53.3	137.3	224.0	369.9	480.5	594.3	638.7	792.9	989.5	1,264.1	1,457.1	1,679.3	1,176.5	•	•	•	•
	口腔・咽頭	000-C14	9.7	0.0	0.0	0.0	0.0	1.7	1.7	3.0	5.3	4.8	5.2	11.4	5.3	11.9	12.6	17.2	17.5	31.0	19.1	•	•	•	•
	食道	C15	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	6.7	3.6	11.6	14.1	25.4	36.2	10.3	•	•	•	•
	胃	C16	71.0	0.0	0.0	0.0	0.0	1.7	0.0	9.0	8.0	16.9	19.5	15.7	46.7	83.3	122.1	145.3	209.5	262.1	163.2	•	•	•	•
	大腸（結腸・直腸）	C18-C20	106.4	0.0	0.0	0.0	0.0	1.7	3.3	4.5	14.7	27.7	45.5	54.3	73.3	133.3	178.9	207.8	296.8	344.8	270.6	•	•	•	•
	結腸	C18	77.7	0.0	0.0	0.0	0.0	1.7	1.7	1.5	4.0	19.3	28.6	32.9	48.0	84.5	127.4	150.0	219.0	258.6	230.9	•	•	•	•
	直腸	C19-C20	28.6	0.0	0.0	0.0	0.0	0.0	1.7	3.0	10.7	8.4	16.9	21.4	25.3	48.8	51.6	57.8	77.8	86.2	39.7	•	•	•	•
	肝および肝内胆管	C22	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	3.9	4.3	8.0	14.3	25.3	43.8	44.4	87.9	55.9	•	•	•	•
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	4.3	6.7	9.5	24.2	25.0	63.5	70.7	50.0	•	•	•	•
	膵臓	C25	30.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.7	3.6	6.5	4.3	9.3	28.6	41.1	51.6	87.3	129.3	92.6	•	•	•	•
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.3	0.0	1.1	1.6	3.2	0.0	0.0	•	•	•	•
	肺	C33-C34	60.4	0.0	2.1	0.0	0.0	0.0	0.0	4.5	5.3	13.3	11.7	35.7	56.0	64.3	101.1	184.4	187.3	156.9	129.4	•	•	•	•
	皮膚	C43-C44	17.3	0.0	0.0	2.0	0.0	1.7	5.0	1.5	4.0	4.8	3.9	10.0	9.3	4.8	17.9	17.2	36.5	48.3	64.7	•	•	•	•
	乳房	C50	139.0	0.0	0.0	0.0	0.0	0.0	3.3	35.8	86.7	161.4	245.5	230.0	216.0	222.6	227.4	271.9	217.5	172.4	89.7	•	•	•	•
	子宮	C53-C55	37.3	0.0	0.0	0.0	0.0	0.0	8.3	23.9	38.7	42.2	49.4	80.0	80.0	54.8	46.3	48.4	50.8	34.5	32.4	•	•	•	•
	子宮頸部	C53	12.5	0.0	0.0	0.0	0.0	0.0	3.3	16.4	26.7	19.3	15.6	17.1	20.0	16.7	9.5	12.5	19.0	10.3	11.8	•	•	•	•
	子宮体部	C54	24.3	0.0	0.0	0.0	0.0	0.0	5.0	7.5	10.7	22.9	33.8	62.9	60.0	38.1	36.8	34.4	31.7	22.4	19.1	•	•	•	•
	卵巣	C56	21.3	0.0	2.1	0.0	0.0	11.9	13.3	11.9	10.7	30.1	26.0	50.0	29.3	20.2	28.4	31.3	27.0	24.1	16.2	•	•	•	•
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	0.0	1.3	2.9	5.3	13.1	4.2	17.2	25.4	39.7	27.9	•	•	•	•
	腎・尿管（膀胱除く）	C64-C66 C68	14.6	0.0	0.0	0.0	0.0	1.7	1.7	0.0	0.0	3.6	2.6	10.0	14.7	9.5	22.1	31.3	50.8	51.7	35.3	•	•	•	•
	脳・中枢神経系	C70-C72	4.5	0.0	2.1	0.0	3.6	8.5	1.7	1.5	1.3	3.6	2.6	5.7	4.0	3.6	5.3	7.8	4.8	10.3	8.8	•	•	•	•
	甲状腺	C73	19.8	0.0	0.0	0.0	5.5	1.7	3.3	23.9	26.7	31.3	29.9	25.7	25.3	36.9	27.4	23.4	20.6	27.6	7.4	•	•	•	•
	悪性リンパ腫	C81-C85 C96	22.3	0.0	0.0	2.0	3.6	1.7	3.3	7.5	6.7	3.6	18.2	20.0	13.3	33.3	38.9	59.4	42.9	70.7	41.2	•	•	•	•
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.3	0.0	1.3	4.0	7.1	5.3	14.1	6.3	19.0	16.2	•	•	•	•
	白血病	C91-C95	7.1	7.0	6.4	4.1	1.8	6.8	0.0	1.5	1.3	3.6	0.0	8.6	5.3	14.3	14.7	3.1	12.7	17.2	7.4	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	C00-C96	760.3	13.5	9.4	9.9	22.8	29.3	38.2	86.7	152.6	245.9	345.2	504.3	714.7	1,062.9	1,462.6	1,950.0	2,355.8	2,435.4	1,677.6				
	口腔・咽頭	C00-C14	15.2	0.0	0.0	0.0	0.0	0.8	1.6	1.5	4.6	4.1	10.2	14.2	14.7	23.4	35.3	37.7	40.7	44.8	20.4				
	食道	C15	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.2	8.5	19.3	34.1	55.1	68.0	97.3	80.2	42.9				
	胃	C16	116.6	0.0	0.0	0.0	0.0	0.8	0.0	5.2	5.3	14.1	26.8	43.3	90.7	163.5	261.0	311.5	440.7	419.8	260.2				
	大腸（結腸・直腸）	C18-C20	124.7	0.0	0.0	0.0	0.0	1.6	1.6	5.2	17.1	31.2	47.1	66.7	117.3	188.6	248.7	335.2	379.6	408.3	316.3				
	結腸	C18	84.2	0.0	0.0	0.0	0.0	1.6	0.8	3.0	6.6	18.8	24.8	34.8	68.7	111.4	161.0	217.2	266.4	310.4	258.2				
	直腸	C19-C20	40.5	0.0	0.0	0.0	0.0	0.0	0.8	2.2	10.5	12.4	22.3	31.9	48.7	77.2	87.7	118.0	113.3	97.9	58.2				
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	1.8	5.1	7.8	28.0	35.3	49.7	82.8	82.3	127.1	80.6				
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	6.4	8.0	17.4	29.9	33.6	64.6	80.2	65.3				
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.0	2.9	9.6	11.3	16.7	38.9	57.8	76.2	102.7	144.8	98.0				
	喉頭	C32	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.0	5.3	6.6	9.1	13.9	15.0	5.2	3.1				
	肺	C33-C34	95.0	0.0	1.0	0.0	0.0	0.0	0.0	2.2	5.9	10.6	14.6	41.8	76.7	108.4	201.6	294.3	326.5	331.3	254.1				
	皮膚	C43-C44	18.8	0.0	0.0	1.0	0.9	0.8	4.1	0.7	3.9	4.1	5.7	7.8	9.3	13.2	20.9	27.9	55.8	74.0	79.6				
	乳房	C50	71.8	0.0	0.0	0.0	0.0	0.0	1.6	17.8	42.8	78.8	120.4	114.2	108.7	113.2	116.0	145.1	128.3	107.3	62.2				
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	膀胱	C67	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.8	2.5	5.0	12.7	19.8	26.2	36.1	67.3	78.1	55.1				
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	0.0	0.0	0.0	0.9	0.8	2.4	0.0	0.7	5.9	7.6	22.0	28.0	32.3	39.0	48.4	79.6	74.0	43.9				
	脳・中枢神経系	C70-C72	4.6	1.1	2.1	0.0	3.5	4.1	1.6	2.2	3.3	4.1	1.9	6.4	5.3	5.4	6.4	9.8	6.2	9.4	8.2				
	甲状腺	C73	13.7	0.0	0.0	1.0	2.6	0.8	3.3	12.6	15.1	18.2	17.8	21.3	17.3	26.9	20.3	15.6	18.6	22.9	7.1				
	悪性リンパ腫	C81-C85 C96	24.2	0.0	1.0	3.0	4.4	3.3	2.4	5.2	4.6	5.9	14.6	17.7	19.3	43.1	40.1	62.3	58.4	85.4	57.1				
	多発性骨髄腫	C88-C90	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.3	0.0	6.0	6.6	7.5	14.8	16.8	19.8	19.4				
	白血病	C91-C95	8.6	9.0	4.2	3.0	3.5	4.9	1.6	3.7	3.3	4.1	5.1	10.6	4.7	12.6	14.4	14.8	15.9	20.8	13.3				

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上をまるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-C96 D00-D09	969.2	15.2	6.1	9.6	27.1	18.8	27.0	38.2	93.5	146.0	240.0	498.6	868.0	1,504.8	2,135.9	2,970.7	3,794.0	3,865.8	2,990.0	
	食道	C15 D001	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	5.0	14.1	32.0	72.3	107.6	139.7	204.0	165.8	123.3	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	186.3	0.0	0.0	0.0	0.0	1.6	0.0	5.9	24.7	46.0	63.8	132.4	202.7	345.8	423.9	605.2	650.0	597.4	473.3	
	結腸 *2	C18 D010	120.3	0.0	0.0	0.0	0.0	1.6	0.0	4.4	13.0	26.4	31.3	73.2	116.0	203.6	269.6	375.9	446.0	457.9	360.0	
	直腸 *2	C19-C20 D011-D012	66.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	11.7	19.5	32.5	59.2	86.7	142.2	154.3	229.3	204.0	139.5	113.3	
	肺	C33-C34 D021-D022	131.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	8.0	17.5	47.9	97.3	153.0	305.4	417.2	504.0	600.0	540.0	
	皮膚	C43-C44 D030-D049	24.5	0.0	0.0	0.0	1.7	1.6	3.2	0.0	5.2	4.6	7.5	5.6	10.7	25.3	27.2	48.3	102.0	150.0	133.3	
	乳房	C50 D05	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	1.1	5.2	16.0	7.9	0.0	
	膀胱	C67 D090	49.8	0.0	0.0	0.0	0.0	0.0	3.2	0.0	3.9	6.9	7.5	21.1	40.0	67.5	103.3	143.1	194.0	239.5	193.3	
	女	全部位	000-C96 D00-D09	737.4	11.6	12.8	10.2	20.0	54.2	116.7	291.0	385.3	510.8	605.2	690.0	748.0	897.6	1,096.8	1,425.0	1,593.7	1,829.3	1,241.2
		食道	C15 D001	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	6.7	6.0	13.7	14.1	28.6	36.2	11.8
		大腸 (結腸・直腸) *2	C18-C20 D010-D012	130.1	0.0	0.0	0.0	0.0	1.7	3.3	6.0	20.0	36.1	58.4	72.9	109.3	169.0	215.8	275.0	366.7	425.9	294.1
		結腸 *2	C18 D010	94.3	0.0	0.0	0.0	0.0	1.7	1.7	3.0	8.0	24.1	40.3	44.3	72.0	113.1	151.6	190.6	269.8	317.2	247.1
		直腸 *2	C19-C20 D011-D012	35.8	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.0	12.0	18.2	28.6	37.3	56.0	64.2	84.4	96.8	108.6	47.1
		肺	C33-C34 D021-D022	60.5	0.0	2.1	0.0	0.0	0.0	0.0	0.0	4.5	5.3	13.3	35.7	56.0	64.3	101.1	184.4	187.3	158.6	129.4
		皮膚	C43-C44 D030-D049	21.7	0.0	0.0	2.0	0.0	1.7	6.7	1.5	5.3	4.8	3.9	11.4	13.3	7.1	21.1	25.0	50.8	62.1	80.9
		乳房	C50 D05	160.8	0.0	0.0	0.0	0.0	0.0	0.0	3.3	44.8	104.0	191.6	302.6	274.3	249.3	254.8	263.2	317.2	239.7	187.9	92.6	.	.	.
子宮		C53-C55 D06	73.0	0.0	0.0	0.0	1.8	11.9	70.0	164.2	169.3	139.8	101.3	98.6	101.3	69.0	55.8	59.4	61.9	39.7	32.4	
子宮頸部		C53 D06	48.2	0.0	0.0	0.0	1.8	11.9	65.0	156.7	157.3	116.9	67.5	35.7	41.3	31.0	18.9	23.4	30.2	15.5	11.8	
膀胱		C67 D090	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.0	2.4	2.6	8.6	14.7	22.6	9.5	32.8	33.3	56.9	38.2	.	.	.	
総数 *3 全部位		000-C96 D00-D09	850.7	13.5	9.4	9.9	23.7	35.8	70.7	163.7	237.5	324.1	419.1	593.6	808.0	1,199.4	1,608.0	2,159.8	2,567.3	2,635.4	1,776.5	
食道		C15 D001	24.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.2	9.2	19.3	38.9	59.9	73.8	106.2	87.5	45.9	
大腸 (結腸・直腸) *2		C18-C20 D010-D012	157.6	0.0	0.0	0.0	0.0	1.6	1.6	5.9	22.4	41.2	61.1	102.8	156.0	256.9	318.2	432.0	492.0	493.8	349.0	
結腸 *2		C18 D010	107.0	0.0	0.0	0.0	0.0	1.6	0.8	3.7	10.5	25.3	35.7	58.9	94.0	158.1	209.6	278.7	347.8	372.9	281.6	
直腸 *2		C19-C20 D011-D012	50.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.2	11.8	15.9	25.5	44.0	62.0	98.8	108.6	153.3	144.2	120.8	67.3	.	.	.	
肺		C33-C34 D021-D022	95.2	0.0	1.0	0.0	0.0	0.0	0.0	0.0	2.2	5.9	10.6	15.3	41.8	76.7	108.4	201.6	295.1	327.4	333.3	255.1	.	.	.	
皮膚	C43-C44 D030-D049	23.0	0.0	0.0	1.0	0.9	1.6	4.9	0.7	5.3	4.7	5.7	8.5	12.0	16.2	24.1	36.1	73.5	96.9	96.9		
乳房	C50 D05	83.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	22.2	51.3	93.5	148.4	136.2	125.3	129.3	134.2	168.9	140.7	116.7	64.3	.	.	.		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	32.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.2	3.9	4.7	5.1	14.9	27.3	44.9	55.6	85.2	104.4	129.2	85.7	.	.	.		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C96	885.8	15.2	6.1	9.6	27.1	17.2	23.8	36.8	83.1	127.6	215.0	415.5	790.7	1,336.1	1,951.1	2,706.9	3,488.0	3,589.5	3,966.7	・
	口腔・咽頭	000-C14	20.8	0.0	0.0	0.0	0.0	0.0	1.6	0.0	3.9	3.4	15.0	16.9	24.0	34.9	58.7	60.3	70.0	65.8	33.3	・
	食道	C15	39.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.0	12.7	32.0	65.1	100.0	127.6	188.0	147.4	136.7	・
	胃	C16	164.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	11.5	33.8	70.4	134.7	244.6	404.3	494.8	732.0	660.5	670.0	・
	大腸（結腸・直腸）	C18-C20	143.9	0.0	0.0	0.0	0.0	1.6	0.0	5.9	19.5	34.5	48.8	78.9	161.3	244.6	320.7	475.9	484.0	505.3	550.0	・
	結腸	C18	91.0	0.0	0.0	0.0	0.0	1.6	0.0	4.4	9.1	18.4	21.3	36.6	89.3	138.6	195.7	291.4	326.0	389.5	416.7	・
	直腸	C19-C20	52.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	10.4	16.1	27.5	42.3	72.0	106.0	125.0	184.5	158.0	115.8	133.3	・
	肝および肝内胆管	C22	38.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	2.3	6.3	11.3	48.0	56.6	75.0	125.9	130.0	186.8	176.7	・
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8.5	9.3	25.3	35.9	43.1	66.0	94.7	140.0	・
	膵臓	C25	34.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.3	12.5	18.3	24.0	49.4	75.0	103.4	122.0	168.4	166.7	・
	喉頭	C32	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	0.0	9.3	13.3	17.4	27.6	30.0	13.2	13.3	・
	肺	C33-C34	131.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	8.0	17.5	47.9	97.3	153.0	305.4	415.5	502.0	597.4	780.0	・
	皮膚	C43-C44	20.3	0.0	0.0	0.0	1.7	0.0	3.2	0.0	3.9	3.4	7.5	5.6	9.3	21.7	23.9	39.7	80.0	113.2	196.7	・
	乳房	C50	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	1.1	5.2	16.0	7.9	0.0	・
	前立腺	C61	126.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	28.2	78.7	202.4	300.0	467.2	602.0	513.2	496.7	・
	膀胱	C67	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.8	7.0	20.0	26.5	48.9	56.9	120.0	136.8	173.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	29.8	0.0	0.0	0.0	1.7	0.0	3.2	0.0	1.3	8.0	12.5	33.8	41.3	55.4	56.5	67.2	116.0	107.9	90.0	・
	脳・中枢神経系	C70-C72	4.8	2.2	2.0	0.0	3.4	0.0	1.6	2.9	5.2	4.6	1.3	7.0	6.7	7.2	7.6	12.1	8.0	7.9	6.7	・
	甲状腺	C73	7.3	0.0	0.0	1.9	0.0	0.0	3.2	1.5	3.9	5.7	6.3	16.9	9.3	16.9	13.0	6.9	16.0	15.8	10.0	・
	悪性リンパ腫	C81-C85 C96	26.2	0.0	2.0	3.8	5.1	4.7	1.6	2.9	2.6	8.0	11.3	15.5	25.3	53.0	41.3	65.5	78.0	107.9	126.7	・
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	8.0	6.0	9.8	15.5	30.0	21.1	36.7	・
	白血病	C91-C95	10.1	10.9	2.0	1.9	5.1	3.1	3.2	5.9	5.2	4.6	10.0	12.7	4.0	10.8	14.1	27.6	20.0	26.3	36.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	000-C96	640.2	11.6	12.8	10.2	18.2	42.4	53.3	137.3	224.0	369.9	480.5	504.3	638.7	792.9	989.5	1,264.1	1,457.1	1,679.3	2,063.2	・
	口腔・咽頭	000-C14	9.7	0.0	0.0	0.0	0.0	1.7	1.7	3.0	5.3	4.8	5.2	11.4	5.3	11.9	12.6	17.2	17.5	31.0	38.2	・
	食道	C15	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	6.7	3.6	11.6	14.1	25.4	36.2	16.2	・
	胃	C16	71.0	0.0	0.0	0.0	0.0	1.7	0.0	9.0	8.0	16.9	19.5	15.7	46.7	83.3	122.1	145.3	209.5	262.1	286.8	・
	大腸（結腸・直腸）	C18-C20	106.4	0.0	0.0	0.0	0.0	1.7	3.3	4.5	14.7	27.7	45.5	54.3	73.3	133.3	178.9	207.8	296.8	344.8	436.8	・
	結腸	C18	77.7	0.0	0.0	0.0	0.0	1.7	1.7	1.5	4.0	19.3	28.6	32.9	48.0	84.5	127.4	150.0	219.0	258.6	363.2	・
	直腸	C19-C20	28.6	0.0	0.0	0.0	0.0	0.0	1.7	3.0	10.7	8.4	16.9	21.4	25.3	48.8	51.6	57.8	77.8	86.2	73.5	・
	肝および肝内胆管	C22	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	3.9	4.3	8.0	14.3	25.3	43.8	44.4	87.9	113.2	・
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	4.3	6.7	9.5	24.2	25.0	63.5	70.7	110.3	・
	膵臓	C25	30.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.7	3.6	6.5	4.3	9.3	28.6	41.1	51.6	87.3	129.3	164.7	・
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.3	0.0	1.1	1.6	3.2	0.0	0.0	・
	肺	C33-C34	60.4	0.0	2.1	0.0	0.0	0.0	0.0	4.5	5.3	13.3	11.7	35.7	56.0	64.3	101.1	184.4	187.3	156.9	216.2	・
	皮膚	C43-C44	17.3	0.0	0.0	2.0	0.0	1.7	5.0	1.5	4.0	4.8	3.9	10.0	9.3	4.8	17.9	17.2	36.5	48.3	136.8	・
	乳房	C50	139.0	0.0	0.0	0.0	0.0	0.0	3.3	35.8	86.7	161.4	245.5	230.0	216.0	222.6	227.4	271.9	217.5	172.4	152.9	・
	子宮	C53-C55	37.3	0.0	0.0	0.0	0.0	0.0	8.3	23.9	38.7	42.2	49.4	80.0	80.0	54.8	46.3	48.4	50.8	34.5	47.1	・
	子宮頸部	C53	12.5	0.0	0.0	0.0	0.0	0.0	3.3	16.4	26.7	19.3	15.6	17.1	20.0	16.7	9.5	12.5	19.0	10.3	17.6	・
	子宮体部	C54	24.3	0.0	0.0	0.0	0.0	0.0	5.0	7.5	10.7	22.9	33.8	62.9	60.0	38.1	36.8	34.4	31.7	22.4	25.0	・
	卵巣	C56	21.3	0.0	2.1	0.0	0.0	11.9	13.3	11.9	10.7	30.1	26.0	50.0	29.3	20.2	28.4	31.3	27.0	24.1	36.8	・
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	0.0	1.3	2.9	5.3	13.1	4.2	17.2	25.4	39.7	58.8	・
	腎・尿管（膀胱除く）	C64-C66 C68	14.6	0.0	0.0	0.0	0.0	1.7	1.7	0.0	0.0	3.6	2.6	10.0	14.7	9.5	22.1	31.3	50.8	51.7	55.9	・
	脳・中枢神経系	C70-C72	4.5	0.0	2.1	0.0	3.6	8.5	1.7	1.5	1.3	3.6	2.6	5.7	4.0	3.6	5.3	7.8	4.8	10.3	11.8	・
	甲状腺	C73	19.8	0.0	0.0	0.0	5.5	1.7	3.3	23.9	26.7	31.3	29.9	25.7	25.3	36.9	27.4	23.4	20.6	27.6	10.3	・
	悪性リンパ腫	C81-C85 C96	22.3	0.0	0.0	2.0	3.6	1.7	3.3	7.5	6.7	3.6	18.2	20.0	13.3	33.3	38.9	59.4	42.9	70.7	55.9	・
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.3	0.0	4.0	7.1	5.3	14.1	6.3	19.0	20.6	・
	白血病	C91-C95	7.1	7.0	6.4	4.1	1.8	6.8	0.0	1.5	1.3	3.6	0.0	8.6	5.3	14.3	14.7	3.1	12.7	17.2	16.2	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	760.3	13.5	9.4	9.9	22.8	29.3	38.2	86.7	152.6	245.9	345.2	504.3	714.7	1,062.9	1,462.6	1,950.0	2,355.8	2,435.4	2,645.9	-
	口腔・咽頭	C00-C14	15.2	0.0	0.0	0.0	0.8	0.8	1.6	1.5	4.6	4.1	10.2	14.2	14.7	23.4	35.3	37.7	40.7	44.8	36.7	-
	食道	C15	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.2	8.5	19.3	34.1	55.1	68.0	97.3	80.2	53.1	-
	胃	C16	116.6	0.0	0.0	0.0	0.8	0.8	0.0	5.2	5.3	14.1	26.8	43.3	90.7	163.5	261.0	311.5	440.7	419.8	404.1	-
	大腸（結腸・直腸）	C18-C20	124.7	0.0	0.0	0.0	1.6	1.6	1.6	5.2	17.1	31.2	47.1	66.7	117.3	188.6	248.7	335.2	379.6	408.3	471.4	-
	結腸	C18	84.2	0.0	0.0	0.0	0.0	1.6	0.8	3.0	6.6	18.8	24.8	34.8	68.7	111.4	161.0	217.2	266.4	310.4	379.6	-
	直腸	C19-C20	40.5	0.0	0.0	0.0	0.0	0.0	0.8	2.2	10.5	12.4	22.3	31.9	48.7	77.2	87.7	118.0	113.3	97.9	91.8	-
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	1.8	5.1	7.8	28.0	35.3	49.7	82.8	82.3	127.1	132.7	-
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	6.4	8.0	17.4	29.9	33.6	64.6	80.2	119.4	-
	膵臓	C25	32.1	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.0	2.9	9.6	11.3	16.7	38.9	57.8	76.2	102.7	144.8	165.3	-
	喉頭	C32	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	0.0	5.3	6.6	9.1	13.9	15.0	5.2	4.1	-
	肺	C33-C34	95.0	0.0	1.0	0.0	0.0	0.0	0.0	2.2	5.9	10.6	14.6	41.8	76.7	108.4	201.6	294.3	326.5	331.3	388.8	-
	皮膚	C43-C44	18.8	0.0	0.0	1.0	0.9	0.8	4.1	0.7	3.9	4.1	5.7	7.8	9.3	13.2	20.9	27.9	55.8	74.0	155.1	-
	乳房	C50	71.8	0.0	0.0	0.0	0.0	0.0	1.6	17.8	42.8	78.8	120.4	114.2	108.7	113.2	116.0	145.1	128.3	107.3	106.1	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.8	2.5	5.0	12.7	19.8	26.2	36.1	67.3	78.1	93.9	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.0	0.0	0.0	0.0	0.9	0.8	2.4	0.0	0.7	5.9	7.6	22.0	28.0	32.3	39.0	48.4	79.6	74.0	66.3	-
	脳・中枢神経系	C70-C72	4.6	1.1	2.1	0.0	3.5	4.1	1.6	2.2	3.3	4.1	1.9	6.4	5.3	5.4	6.4	9.8	6.2	9.4	10.2	-
	甲状腺	C73	13.7	0.0	0.0	1.0	2.6	0.8	3.3	12.6	15.1	18.2	17.8	21.3	17.3	26.9	20.3	15.6	18.6	22.9	10.2	-
	悪性リンパ腫	C81-C85 C96	24.2	0.0	1.0	3.0	4.4	3.3	2.4	5.2	4.6	5.9	14.6	17.7	19.3	43.1	40.1	62.3	58.4	85.4	77.6	-
	多発性骨髄腫	C88-C90	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.3	0.0	6.0	6.6	7.5	14.8	16.8	19.8	25.5	-
	白血病	C91-C95	8.6	9.0	4.2	3.0	3.5	4.9	1.6	3.7	3.3	4.1	5.1	10.6	4.7	12.6	14.4	14.8	15.9	20.8	22.4	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対, 85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C96 D00-D09	969.2	15.2	6.1	9.6	27.1	18.8	27.0	38.2	93.5	146.0	240.0	498.6	868.0	1,504.8	2,135.9	2,970.7	3,794.0	3,865.8	4,180.0	・	
	食道	C15 D001	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	5.0	14.1	32.0	72.3	107.6	139.7	204.0	165.8	143.3	・	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	186.3	0.0	0.0	0.0	0.0	1.6	0.0	0.0	5.9	24.7	46.0	63.8	132.4	345.8	423.9	605.2	650.0	597.4	603.3	・	
	結腸 *2	C18 D010	120.3	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.4	13.0	26.4	31.3	73.2	203.6	269.6	375.9	446.0	457.9	456.7	・	
	直腸 *2	C19-C20 D011-D012	66.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	11.7	19.5	19.5	32.5	86.7	142.2	154.3	229.3	204.0	139.5	146.7	・	
	肺	C33-C34 D021-D022	131.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	8.0	17.5	97.3	153.0	305.4	417.2	504.0	600.0	783.3	・	
	皮膚	C43-C44 D030-D049	24.5	0.0	0.0	0.0	1.7	1.6	3.2	0.0	0.0	5.2	4.6	7.5	5.6	10.7	25.3	27.2	48.3	102.0	150.0	223.3	・
	乳房	C50 D05	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.4	1.1	5.2	16.0	7.9	0.0	・	
	膀胱	C67 D090	49.8	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	3.9	6.9	7.5	21.1	67.5	103.3	143.1	194.0	239.5	276.7	・	
	全部位	000-C96 D00-D09	737.4	11.6	12.8	10.2	20.0	54.2	116.7	291.0	385.3	510.8	605.2	690.0	748.0	897.6	1,096.8	1,425.0	1,593.7	1,829.3	2,150.0	・	
	食道	C15 D001	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	6.7	6.0	13.7	14.1	28.6	36.2	17.6	・	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	130.1	0.0	0.0	0.0	0.0	1.7	3.3	6.0	20.0	36.1	58.4	72.9	109.3	169.0	215.8	275.0	366.7	425.9	467.6	・	
	結腸 *2	C18 D010	94.3	0.0	0.0	0.0	0.0	1.7	1.7	3.0	8.0	24.1	40.3	44.3	72.0	113.1	151.6	190.6	269.8	317.2	385.3	・	
	直腸 *2	C19-C20 D011-D012	35.8	0.0	0.0	0.0	0.0	0.0	1.7	3.0	12.0	12.0	18.2	28.6	37.3	56.0	64.2	84.4	96.8	108.6	82.4	・	
	肺	C33-C34 D021-D022	60.5	0.0	2.1	0.0	0.0	0.0	0.0	4.5	5.3	13.3	13.0	35.7	56.0	64.3	101.1	184.4	187.3	158.6	216.2	・	
	皮膚	C43-C44 D030-D049	21.7	0.0	0.0	2.0	0.0	1.7	6.7	1.5	5.3	4.8	3.9	11.4	13.3	7.1	21.1	25.0	50.8	62.1	164.7	・	
	乳房	C50 D05	160.8	0.0	0.0	0.0	0.0	0.0	3.3	44.8	104.0	191.6	302.6	274.3	249.3	254.8	263.2	317.2	239.7	187.9	157.4	・	
子宮	C53-C55 D06	73.0	0.0	0.0	0.0	1.8	11.9	70.0	164.2	169.3	139.8	101.3	98.6	101.3	69.0	55.8	59.4	61.9	39.7	47.1	・		
子宮頸部	C53 D06	48.2	0.0	0.0	0.0	1.8	11.9	65.0	156.7	157.3	116.9	67.5	35.7	41.3	31.0	18.9	23.4	30.2	15.5	17.6	・		
膀胱	C67 D090	14.9	0.0	0.0	0.0	0.0	0.0	0.0	4.5	4.0	2.4	2.6	8.6	14.7	22.6	9.5	32.8	33.3	56.9	70.6	・		
総数 *3 全部位	000-C96 D00-D09	850.7	13.5	9.4	9.9	23.7	35.8	70.7	163.7	237.5	324.1	419.1	593.6	808.0	1,199.4	1,608.0	2,159.8	2,567.3	2,635.4	2,771.4	・		
食道	C15 D001	24.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	3.2	9.2	19.3	38.9	59.9	73.8	106.2	87.5	56.1	・		
大腸 (結腸・直腸) *2	C18-C20 D010-D012	157.6	0.0	0.0	0.0	0.0	1.6	1.6	5.9	22.4	41.2	61.1	102.8	156.0	256.9	318.2	432.0	492.0	493.8	509.2	・		
結腸 *2	C18 D010	107.0	0.0	0.0	0.0	0.0	1.6	0.8	3.7	10.5	25.3	35.7	58.9	94.0	158.1	209.6	278.7	347.8	372.9	407.1	・		
直腸 *2	C19-C20 D011-D012	50.6	0.0	0.0	0.0	0.0	0.0	0.8	2.2	11.8	15.9	15.9	25.5	44.0	98.8	108.6	153.3	144.2	120.8	102.0	・		
肺	C33-C34 D021-D022	95.2	0.0	1.0	0.0	0.0	0.0	0.0	2.2	5.9	10.6	10.6	15.3	41.8	76.7	108.4	201.6	295.1	327.4	333.3	389.8	・	
皮膚	C43-C44 D030-D049	23.0	0.0	0.0	1.0	0.9	1.6	4.9	0.7	5.3	4.7	4.7	5.7	8.5	12.0	16.2	24.1	36.1	73.5	96.9	182.7	・	
乳房	C50 D05	83.0	0.0	0.0	0.0	0.0	0.0	1.6	22.2	51.3	93.5	148.4	136.2	125.3	129.3	134.2	168.9	140.7	116.7	109.2	・		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
膀胱	C67 D090	32.0	0.0	0.0	0.0	0.0	0.0	1.6	2.2	3.9	4.7	5.1	14.9	27.3	44.9	55.6	85.2	104.4	129.2	133.7	・		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

宮城県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	17,350	18.7	31.2	0.1	46.5	3.6
口腔・咽頭	C00-C14	348	1.4	23.9	0.0	73.0	1.7
食道	C15	531	14.1	37.5	0.0	46.1	2.3
胃	C16	2,682	24.4	38.7	0.0	34.3	2.5
大腸 (結腸・直腸)	C18-C20	2,870	23.4	24.3	0.0	49.1	3.1
結腸	C18	1,934	23.2	26.5	0.1	47.6	2.6
直腸	C19-C20	936	23.9	19.8	0.0	52.2	4.1
肝および肝内胆管	C22	640	3.9	60.8	0.0	31.3	4.1
胆のう・胆管	C23-C24	409	2.4	40.8	0.0	55.5	1.2
膵臓	C25	719	3.1	38.7	0.1	56.3	1.8
喉頭	C32	80	0.0	20.0	0.0	77.5	2.5
肺	C33-C34	2,137	24.1	39.7	0.1	32.8	3.3
皮膚	C43-C44	436	0.0	11.2	0.0	87.2	1.6
乳房	C50	1,650	29.6	11.2	0.0	54.0	5.2
乳房 (女性のみ)	C50	1,632	30.0	11.3	0.0	53.6	5.1
子宮	C53-C55	438	14.8	14.2	0.0	66.9	4.1
子宮頸部	C53	148	23.0	12.8	0.0	61.5	2.7
子宮体部	C54	286	10.8	14.7	0.0	70.6	3.8
卵巣	C56	242	10.3	33.9	0.0	50.0	5.8
前立腺	C61	1,416	33.1	31.8	0.2	26.9	8.1
膀胱	C67	388	1.8	25.0	0.0	69.6	3.6
腎・尿路 (膀胱除く)	C64-C66 C68	507	12.2	44.4	0.0	38.9	4.5
脳・中枢神経系	C70-C72	105	1.9	8.6	0.0	82.9	6.7
甲状腺	C73	315	19.4	44.4	0.3	31.4	4.4
悪性リンパ腫	C81-C85 C96	555	5.4	27.6	0.4	64.5	2.2
多発性骨髄腫	C88-C90	114	3.5	46.5	0.0	43.9	6.1
白血病	C91-C95	194	6.2	32.5	0.0	58.8	2.6

*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

宮城県 2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	19,457	20.5	31.2	0.1	44.9	3.4
食道	C15 D001	577	15.1	38.8	0.0	44.0	2.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,635	27.6	26.7	0.0	42.8	2.9
結腸 *2	C18 D010	2,464	27.4	28.4	0.0	41.6	2.6
直腸 *2	C19-C20 D011-D012	1,171	28.3	23.1	0.0	45.1	3.5
肺	C33-C34 D021-D022	2,143	24.1	39.8	0.1	32.7	3.3
皮膚	C43-C44 D030-D049	536	0.0	10.8	0.0	87.7	1.5
乳房	C50 D05	1,910	32.1	12.1	0.0	51.3	4.6
乳房 (女性のみ)	C50 D05	1,892	32.4	12.2	0.0	50.9	4.5
子宮	C53-C55 D06	863	33.4	20.5	0.0	44.0	2.1
子宮頸部	C53 D06	573	44.9	23.4	0.0	31.1	0.7
膀胱	C67 D090	728	5.1	27.5	0.0	64.1	3.3

*1 DC0を除く総数

*2 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,046	49.7	10.6	12.5	17.5	9.6	23.2
口腔・咽頭	C00-C14	348	36.2	17.2	35.9	4.6	6.0	53.2
食道	C15	531	46.0	10.0	23.0	15.8	5.3	33.0
胃	C16	2,682	65.6	10.3	5.0	13.3	5.9	15.2
大腸 (結腸・直腸)	C18-C20	2,870	48.9	19.0	8.1	16.8	7.2	27.1
結腸	C18	1,934	49.2	17.6	8.9	17.4	6.9	26.5
直腸	C19-C20	936	48.4	21.9	6.5	15.5	7.7	28.4
肝および肝内胆管	C22	640	59.8	4.1	9.4	11.4	15.3	13.4
胆のう・胆管	C23-C24	409	21.3	3.7	36.9	24.7	13.4	40.6
膵臓	C25	719	11.7	3.1	31.4	43.5	10.3	34.5
喉頭	C32	80	70.0	6.3	13.8	0.0	10.0	20.0
肺	C33-C34	2,137	33.3	10.2	8.0	38.0	10.6	18.1
皮膚	C43-C44	436	87.2	1.1	5.0	0.2	6.4	6.2
乳房	C50	1,650	61.9	21.9	2.9	5.9	7.4	24.8
乳房 (女性のみ)	C50	1,632	61.9	21.9	2.9	5.9	7.4	24.8
子宮	C53-C55	438	58.7	4.6	19.6	9.6	7.3	24.2
子宮頸部	C53	148	45.9	4.1	33.1	10.1	6.1	37.2
子宮体部	C54	286	66.1	4.9	12.9	9.1	7.0	17.8
卵巣	C56	242	38.0	1.2	35.5	12.4	12.8	36.8
前立腺	C61	1,416	57.8	1.1	15.6	11.1	14.4	16.7
膀胱	C67	388	67.8	1.3	10.1	6.4	12.6	11.3
腎・尿路 (膀胱除く)	C64-C66 C68	507	52.1	2.2	21.3	14.6	9.9	23.5
脳・中枢神経系	C70-C72	105	60.0	0.0	14.3	5.7	20.0	14.3
甲状腺	C73	315	35.2	44.4	6.3	5.4	8.6	50.8
悪性リンパ腫	C81-C85 C96	554	31.4	1.4	17.5	38.6	11.0	19.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、「777 : 該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,153	10.5	44.6	9.5	11.2	15.6	8.7	20.6
食道	C15 D001	577	7.8	42.3	9.2	21.1	14.6	5.0	30.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,635	21.0	38.6	15.0	6.4	13.3	5.7	21.4
結腸 *3	C18 D010	2,464	21.5	38.6	13.8	7.0	13.7	5.4	20.8
直腸 *3	C19-C20 D011-D012	1,171	20.1	38.7	17.5	5.2	12.4	6.1	22.7
肺	C33-C34 D021-D022	2,143	0.3	33.2	10.1	7.9	37.9	10.5	18.1
皮膚	C43-C44 D030-D049	536	18.1	70.9	0.9	4.1	0.2	5.8	5.0
乳房 (女性のみ)	C50 D05	1,910	13.4	53.5	19.0	2.5	5.1	6.6	21.5
乳房	C50 D05	1,892	13.5	53.4	18.9	2.5	5.1	6.6	21.4
子宮	C53-C55 D06	863	48.8	29.9	2.3	10.0	4.9	4.2	12.3
子宮頸部	C53 D06	573	73.5	12.0	1.0	8.6	2.6	2.3	9.6
膀胱	C67 D090	728	46.4	36.4	0.7	5.4	3.4	7.7	6.0

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

宮城県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,046	1.3	48.7	8.5	11.8	17.1	12.6	20.3
口腔・咽頭	C00-C14	348	0.3	31.9	16.1	37.9	4.6	9.2	54.0
食道	C15	531	6.8	39.5	8.9	23.4	16.0	5.5	32.2
胃	C16	2,682	0.0	66.9	7.9	4.8	12.2	8.2	12.7
大腸 (結腸・直腸)	C18-C20	2,870	2.0	43.0	16.8	9.9	16.2	12.2	26.7
結腸	C18	1,934	1.9	42.3	16.2	10.8	16.6	12.3	26.9
直腸	C19-C20	936	2.1	44.2	17.9	8.2	15.3	12.2	26.2
肝および肝内胆管	C22	640	0.0	59.4	3.9	9.4	11.4	15.9	13.3
胆のう・胆管	C23-C24	409	0.0	22.7	3.7	32.5	23.5	17.6	36.2
膵臓	C25	719	0.0	13.1	1.9	29.6	42.8	12.5	31.6
喉頭	C32	80	1.3	66.3	7.5	12.5	0.0	12.5	20.0
肺	C33-C34	2,137	0.0	34.1	9.1	7.7	37.8	11.3	16.8
皮膚	C43-C44	436	2.8	78.0	0.5	4.6	0.2	14.0	5.0
乳房	C50	1,650	3.2	65.2	15.0	2.8	6.0	7.8	17.8
乳房 (女性のみ)	C50	1,632	3.2	65.3	15.0	2.8	6.0	7.8	17.7
子宮	C53-C55	438	2.3	58.9	2.7	16.7	8.0	11.4	19.4
子宮頸部	C53	148	6.8	41.2	1.4	33.8	10.1	6.8	35.1
子宮体部	C54	286	0.0	68.9	3.5	8.0	6.6	12.9	11.5
卵巣	C56	242	0.0	28.1	0.8	21.9	12.8	36.4	22.7
前立腺	C61	1,416	0.0	61.3	1.1	11.4	11.0	15.2	12.5
膀胱	C67	388	10.3	58.2	2.1	10.1	6.2	13.1	12.1
腎・尿路 (膀胱除く)	C64-C66 C68	507	0.0	53.6	2.4	14.2	15.2	14.6	16.6
脳・中枢神経系	C70-C72	105	0.0	59.0	0.0	14.3	5.7	21.0	14.3
甲状腺	C73	315	0.3	47.6	21.3	3.8	6.0	21.0	25.1
悪性リンパ腫	C81-C85 C96	554	0.0	29.8	1.6	17.9	38.4	12.3	19.5
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 D00、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

宮城県

2016年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,153	8.0	44.8	7.6	10.5	15.3	13.9	18.1
食道	C15 D001	577	12.8	36.7	8.1	21.5	14.7	6.1	29.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,635	10.2	35.4	13.3	7.8	12.8	20.5	21.1
結腸 *3	C18 D010	2,464	10.7	34.6	12.8	8.4	13.0	20.5	21.2
直腸 *3	C19-C20 D011-D012	1,171	9.3	37.0	14.3	6.6	12.2	20.6	20.9
肺	C33-C34 D021-D022	2,143	0.1	34.1	9.1	7.7	37.7	11.2	16.8
皮膚	C43-C44 D030-D049	536	18.3	64.6	0.4	3.7	0.2	12.9	4.1
乳房 (女性のみ)	C50 D05	1,910	14.3	57.7	13.0	2.4	5.2	7.4	15.4
乳房	C50 D05	1,892	14.4	57.8	12.9	2.4	5.2	7.3	15.3
子宮	C53-C55 D06	863	48.4	30.1	1.4	8.5	4.1	7.5	9.8
子宮頸部	C53 D06	573	72.9	11.0	0.3	8.7	2.6	4.4	9.1
膀胱	C67 D090	728	33.2	43.7	1.1	5.5	3.4	13.0	6.6

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	10,530	60.0	12.0	9.0	3.3	15.7	21.1
口腔・咽頭	C00-C14	217	43.8	14.7	20.3	0.0	21.2	35.0
食道	C15	259	76.1	4.6	5.8	0.0	13.5	10.4
胃	C16	2,123	73.4	10.6	4.2	2.3	9.5	14.8
大腸 (結腸・直腸)	C18-C20	2,352	54.8	21.2	7.2	8.3	8.5	28.4
結腸	C18	1,597	54.4	20.0	8.5	9.3	7.9	28.5
直腸	C19-C20	755	55.8	23.8	4.4	6.4	9.7	28.2
肝および肝内胆管	C22	183	50.3	2.2	3.8	0.5	43.2	6.0
胆のう・胆管	C23-C24	170	20.6	1.8	50.0	6.5	21.2	51.8
膵臓	C25	205	20.0	5.4	30.7	3.4	40.5	36.1
喉頭	C32	44	54.5	9.1	15.9	0.0	20.5	25.0
肺	C33-C34	965	58.3	9.2	3.8	1.7	26.9	13.1
皮膚	C43-C44	395	86.8	1.3	3.8	0.0	8.1	5.1
乳房 (女性のみ)	C50	1,227	71.5	17.3	0.9	0.4	9.9	18.2
乳房	C50	1,214	71.6	17.2	0.9	0.4	9.9	18.1
子宮	C53-C55	345	67.0	5.2	13.0	3.5	11.3	18.3
子宮頸部	C53	92	63.0	6.5	14.1	1.1	15.2	20.7
子宮体部	C54	250	69.2	4.8	12.8	4.4	8.8	17.6
卵巣	C56	192	45.3	1.6	34.9	2.6	15.6	36.5
前立腺	C61	461	46.0	0.7	15.6	0.4	37.3	16.3
膀胱	C67	283	60.4	0.7	4.2	2.1	32.5	4.9
腎・尿路 (膀胱除く)	C64-C66 C68	356	61.0	0.3	19.9	3.7	15.2	20.2
脳・中枢神経系	C70-C72	67	53.7	0.0	13.4	1.5	31.3	13.4
甲状腺	C73	277	33.9	48.0	6.1	2.2	9.7	54.2
悪性リンパ腫	C81-C85 C96	71	33.8	2.8	2.8	5.6	54.9	5.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	12,515	14.8	51.0	10.1	7.6	2.8	13.6	17.7
食道	C15 D001	296	11.5	66.6	4.1	5.1	0.0	12.8	9.1
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,113	24.4	41.4	16.0	5.4	6.3	6.5	21.5
結腸 *3	C18 D010	2,126	24.8	40.8	15.0	6.4	7.0	6.0	21.4
直腸 *3	C19-C20 D011-D012	987	23.4	42.7	18.2	3.3	4.9	7.5	21.6
肺	C33-C34 D021-D022	970	0.5	58.0	9.2	3.8	1.6	26.8	13.0
皮膚	C43-C44 D030-D049	475	15.8	72.2	1.1	3.2	0.0	7.8	4.2
乳房 (女性のみ)	C50 D05	1,480	16.6	59.3	14.3	0.7	0.3	8.7	15.1
乳房	C50 D05	1,467	16.8	59.2	14.2	0.7	0.3	8.7	15.0
子宮	C53-C55 D06	722	48.2	32.0	2.5	6.2	1.7	9.4	8.7
子宮頸部	C53 D06	469	74.2	12.4	1.3	2.8	0.2	9.2	4.1
膀胱	C67 D090	607	52.1	28.2	0.3	2.0	1.0	16.5	2.3

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2016年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96	17,350	29.8	15.0	11.8	9.3	27.8	10.5	2.7	23.2
口腔・咽頭	C00-C14	348	50.0	0.3	2.9	28.2	26.1	0.0	0.3	23.6
食道	C15	531	4.3	13.0	34.1	28.2	33.3	0.0	0.2	20.5
胃	C16	2,682	18.9	15.6	41.2	0.4	14.8	0.0	0.8	19.1
大腸(結腸・直腸)	C18-C20	2,870	31.1	35.4	14.8	1.6	25.9	0.1	0.4	17.1
結腸	C18	1,934	33.4	34.2	13.1	0.1	24.0	0.0	0.4	18.3
直腸	C19-C20	936	26.5	37.8	18.5	4.7	29.7	0.2	0.3	14.9
肝および肝内胆管	C22	640	14.2	3.0	1.1	1.9	38.1	0.3	37.5	34.2
胆のう・胆管	C23-C24	409	31.1	4.4	2.4	1.2	27.4	0.0	2.4	46.2
膵臓	C25	719	19.1	1.1	0.6	2.6	42.0	0.1	0.6	48.5
喉頭	C32	80	42.5	1.3	2.5	42.5	15.0	0.0	6.3	15.0
肺	C33-C34	2,137	5.4	27.9	0.0	12.5	34.1	0.1	0.4	34.0
皮膚	C43-C44	436	85.3	0.0	0.2	3.0	4.4	0.0	4.1	11.0
乳房(女性のみ)	C50	1,650	80.6	0.1	0.1	28.8	34.1	56.8	0.1	9.3
子宮	C50	1,632	80.7	0.1	0.1	29.0	34.1	56.7	0.1	9.3
子宮頸部	C53-C55	438	68.7	5.3	0.0	17.8	38.1	3.9	0.0	12.8
子宮体部	C53	148	52.7	3.4	0.0	50.0	35.8	0.0	0.0	13.5
卵巣	C54	286	78.0	6.3	0.0	1.4	39.9	5.9	0.0	11.2
前立腺	C56	242	70.2	7.4	0.0	1.2	52.9	1.2	1.2	16.5
膀胱	C61	1,416	6.9	13.7	1.0	12.4	2.8	48.7	0.6	24.1
腎・尿路(膀胱除く)	C67	388	14.2	4.1	64.2	7.2	60.1	2.1	9.8	17.5
脳・中枢神経系	C64-C66 C68	507	29.0	34.5	0.6	2.8	18.5	0.0	2.8	25.2
甲状腺	C70-C72	105	43.8	0.0	1.9	50.5	47.6	0.0	1.9	34.3
悪性リンパ腫	C73	315	79.4	1.0	0.0	8.3	1.6	49.8	1.0	17.8
多発性骨髄腫	C81-C85 C96	555	5.2	1.1	0.5	7.2	66.1	0.5	6.3	27.0
白血病	C88-C90	114	1.8	0.9	0.9	5.3	53.5	0.9	13.2	36.8
	C91-C95	194	0.0	0.0	0.0	3.1	70.6	1.0	5.7	27.8

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

宮城県

2016年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96 D00-D09	19,457	30.5	14.0	16.0	8.7	26.1	9.6	2.5	21.4
食道	C15 D001	577	4.0	12.1	37.1	26.5	31.0	0.0	0.5	20.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,635	24.9	28.9	31.4	1.2	20.5	0.1	0.4	13.7
結腸 *2	C18 D010	2,464	26.5	28.0	30.4	0.0	19.0	0.0	0.4	14.4
直腸 *2	C19-C20 D011-D012	1,171	21.5	30.8	33.6	3.8	23.7	0.2	0.3	12.2
肺	C33-C34 D021-D022	2,143	5.5	28.0	0.0	12.5	34.0	0.1	0.4	33.9
皮膚	C43-C44 D030-D049	536	83.4	0.0	0.2	2.4	5.4	0.0	3.5	11.6
乳房	C50 D05	1,910	82.5	0.1	0.1	28.0	29.6	50.7	0.2	8.5
乳房 (女性のみ)	C50 D05	1,892	82.6	0.1	0.1	28.1	29.5	50.5	0.2	8.5
子宮	C53-C55 D06	863	74.0	3.9	0.6	9.0	19.4	2.2	0.0	15.1
子宮頸部	C53 D06	573	72.6	2.8	0.9	12.9	9.2	0.3	0.0	16.4
膀胱	C67 D090	728	8.7	3.3	76.8	3.8	62.9	1.5	8.7	10.9

*1 DC0を除く総数

*2 粘膜炎を含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

宮城県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	9 583	90.3	7.9	1.8
口腔・咽頭	C00-C14	185	95.7	3.8	0.5
食道	C15	270	96.7	3.3	0.0
胃	C16	1,962	95.6	4.0	0.5
大腸 (結腸・直腸)	C18-C20	2,233	91.7	7.8	0.4
結腸	C18	1,497	91.5	8.1	0.3
直腸	C19-C20	736	92.1	7.2	0.7
肝および肝内胆管	C22	116	86.2	13.8	0.0
胆のう・胆管	C23-C24	143	79.7	20.3	0.0
膵臓	C25	149	83.2	16.8	0.0
喉頭	C32	35	91.4	8.6	0.0
肺	C33-C34	713	95.5	3.6	0.8
皮膚	C43-C44	372	96.0	3.0	1.1
乳房	C50	1,331	85.8	5.6	8.6
乳房 (女性のみ)	C50	1,318	85.8	5.5	8.6
子宮	C53-C55	323	88.9	9.9	1.2
子宮頸部	C53	82	80.5	18.3	1.2
子宮体部	C54	241	91.7	7.1	1.2
卵巣	C56	185	78.4	20.0	1.6
前立腺	C61	306	83.7	15.4	1.0
膀胱	C67	295	63.4	35.9	0.7
腎・尿路 (膀胱除く)	C64-C66 C68	322	94.4	4.7	0.9
脳・中枢神経系	C70-C72	48	56.3	43.8	0.0
甲状腺	C73	252	96.0	4.0	0.0
悪性リンパ腫	C81-C85 C96	38	65.8	18.4	15.8
多発性骨髄腫	C88-C90	2	100.0	0.0	0.0
白血病	C91-C95	0	.	.	.

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

宮城県

2016年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	11,527	91.0	7.2	1.7
食道	C15 D001	304	96.4	3.3	0.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,993	93.2	6.1	0.7
結腸 *2	C18 D010	2,026	93.0	6.4	0.6
直腸 *2	C19-C20 D011-D012	967	93.5	5.7	0.8
肺	C33-C34 D021-D022	718	95.5	3.6	0.8
皮膚	C43-C44 D030-D049	447	96.4	2.7	0.9
乳房	C50 D05	1,577	86.9	5.7	7.4
乳房（女性のみ）	C50 D05	1,564	86.9	5.7	7.4
子宮	C53-C55 D06	673	88.1	9.5	2.4
子宮頸部	C53 D06	432	86.1	10.9	3.0
膀胱	C67 D090	620	80.5	19.2	0.3

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

宮城県

2016年

部位	死亡／罹患比 (MI比)		死亡情報のみ「がん」が確認された症例 DC1 (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HW (%)	
	男	女	男	女	男	女	男	女	男	女
ICD-10										
全部位	0.39	0.36	0.38	2.8	3.7	3.2	2.1	85.6	82.3	82.2
C00-C96	0.43	0.37	0.41	1.7	1.7	1.7	0.9	95.2	94.5	92.4
口腔・咽頭	0.37	0.51	0.39	1.3	2.5	1.5	0.2	97.4	97.6	97.4
C15	0.30	0.32	0.31	1.8	2.1	1.9	1.4	96.5	96.3	96.3
C16	0.28	0.34	0.31	1.3	2.8	2.0	1.8	94.9	94.4	92.0
C18-C20	0.28	0.37	0.32	1.5	3.3	2.4	1.5	93.8	93.2	90.5
C18	0.29	0.26	0.28	1.0	1.2	1.1	0.6	96.8	96.7	95.2
C19-C20	0.61	0.69	0.64	6.2	8.9	7.2	4.2	28.4	26.8	26.0
C22	0.82	0.89	0.86	2.0	8.9	5.5	3.8	79.4	67.6	57.1
C23-C24	0.88	0.85	0.86	5.4	8.4	6.8	5.0	63.8	49.6	45.6
C25	0.29	0.17	0.28	2.6	0.0	2.4	2.4	92.1	92.1	92.7
C32	0.61	0.50	0.57	5.2	4.9	5.1	3.1	77.6	66.4	66.8
C33-C34	0.07	0.04	0.06	0.4	0.0	0.2	0.4	98.3	97.8	97.5
C43-C44	0.11	0.16	0.16	0.0	1.6	1.6	1.4	94.4	94.4	95.6
C50	-	0.25	0.25	-	1.8	1.8	1.4	-	-	92.8
C53-C55	-	0.26	0.26	-	1.3	1.3	0.7	-	-	91.3
C53	-	0.17	0.17	-	1.4	1.4	1.0	-	-	94.8
C54	-	0.40	0.40	-	5.9	5.9	4.7	-	-	81.9
C56	0.17	-	0.17	2.1	-	2.1	1.7	85.3	84.8	84.8
C61	0.40	0.50	0.43	3.1	9.6	4.9	4.2	92.8	84.8	82.0
C67	0.31	0.35	0.32	1.5	2.3	1.8	1.2	79.9	76.4	72.3
C64-C66 C68	0.44	0.38	0.41	5.5	7.5	6.5	2.8	67.3	67.3	64.8
C70-C72	0.13	0.08	0.10	2.4	1.3	1.6	1.3	97.6	86.7	90.3
C73	0.37	0.31	0.34	4.4	3.8	4.1	1.9	92.3	88.6	88.5
C81-C85 C96	0.69	0.70	0.69	9.4	11.1	10.2	3.7	82.8	68.8	66.9
C88-C90	0.70	0.41	0.58	4.3	7.1	5.5	3.0	98.3	77.4	75.0
C91-C95										

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

宮城県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみ 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HW (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.36	0.31	0.34	2.6	3.2	2.9	1.6	2.1	1.8	87.3	87.0	87.2	83.8	84.3	84.0
食道	C15 D001	0.34	0.47	0.36	1.2	2.3	1.4	0.2	0.0	0.2	97.8	96.6	97.6	97.8	96.6	97.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.22	0.28	0.25	1.0	2.3	1.6	0.6	1.5	1.0	96.1	91.2	94.0	95.7	90.9	93.7
結腸 *2	C18 D010	0.21	0.31	0.26	1.2	2.8	1.9	0.6	1.9	1.2	95.3	89.9	92.9	94.8	89.7	92.5
直腸 *2	C19-C20 D011-D012	0.23	0.21	0.22	0.8	0.9	0.8	0.7	0.5	0.6	97.5	94.6	96.4	97.3	94.1	96.2
肺	C33-C34 D021-D022	0.61	0.50	0.57	5.1	4.9	5.0	3.6	3.1	3.4	77.7	77.3	77.6	66.5	67.8	66.9
皮膚	C43-C44 D030-D049	0.06	0.03	0.05	0.4	0.0	0.2	0.4	0.0	0.2	98.6	97.7	98.1	98.2	97.7	98.0
乳房	C50 D05	0.11	0.14	0.14	0.0	1.4	1.3	0.0	1.2	1.2	94.4	96.8	96.7	94.4	96.2	96.2
子宮	C53-C55 D06	-	0.13	0.13	-	0.9	0.9	-	0.7	0.7	-	96.9	96.9	-	95.7	95.7
子宮頸部	C53 D06	-	0.07	0.07	-	0.3	0.3	-	0.2	0.2	-	98.4	98.4	-	96.9	96.9
膀胱	C67 D090	0.21	0.33	0.23	1.6	6.2	2.7	1.6	4.5	2.3	96.3	87.6	94.2	91.9	82.0	89.5

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別 宮城県 2016年

部位	ICD-10	死亡数											粗死亡率											年齢調整死亡率											累積死亡率(0-74歳)														
		部位割合						日本人口					世界人口					部位割合						日本人口					世界人口					部位割合						日本人口					世界人口				
		男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1						
全部位	C00-C97	3,930	2,733	6,663	100.0	100.0	100.0	100.0	347.5	231.2	288.1	157.2	82.9	115.3	106.4	58.6	79.6	10.9	5.9	8.3	3.3	2.9	3.3	4.7	1.2	2.9	3.3	0.8	2.0	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2								
口腔・咽頭	C00-C14	103	43	146	2.6	1.6	2.2	9.1	3.6	6.3	4.7	1.2	2.9	3.3	0.8	2.0	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2	0.4	0.1	0.2									
食道	C15	166	41	207	4.2	1.5	3.1	14.7	3.5	8.9	6.7	1.3	3.7	4.5	0.9	2.5	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3	0.5	0.1	0.3									
胃	C16	569	267	836	14.5	9.8	12.5	50.3	22.6	36.1	22.9	7.3	14.3	15.7	5.2	9.9	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0	1.6	0.5	1.0									
大腸(結腸・直腸)	C18-C20	467	434	901	11.9	15.9	13.5	41.3	36.7	39.0	19.4	11.7	15.2	13.4	7.9	10.5	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1	1.5	0.8	1.1									
結腸	C18	292	345	637	7.4	12.6	9.6	25.8	29.2	27.5	11.6	9.2	10.3	8.0	6.3	7.0	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7	0.8	0.6	0.7									
直腸	C19-C20	175	89	264	4.5	3.3	4.0	15.5	7.5	11.4	7.8	2.4	4.9	5.4	1.6	3.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4	0.6	0.2	0.4									
肝および肝内胆管	C22	263	162	425	6.7	5.9	6.4	23.3	13.7	18.4	11.2	3.6	7.2	7.5	2.4	4.8	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5	0.8	0.2	0.5									
胆のう・胆管	C23-C24	167	190	357	4.2	7.0	5.4	14.8	16.1	15.4	5.9	4.1	4.9	3.8	2.8	3.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3								
膵臓	C25	341	304	645	8.7	11.1	9.7	30.2	25.7	27.9	14.6	8.0	11.1	10.0	5.4	7.6	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8	1.1	0.6	0.8									
喉頭	C32	22	1	23	0.6	0.0	0.3	1.9	0.1	1.0	0.8	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0									
肺	C33-C34	908	361	1,269	23.1	13.2	19.0	80.3	30.5	54.9	35.1	9.3	20.7	23.2	6.3	13.8	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5	2.5	0.6	1.5									
皮膚	C43-C44	16	9	25	0.4	0.3	0.4	1.4	0.8	1.1	0.5	0.2	0.3	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
乳房	C50	2	272	274	0.1	10.0	4.1	0.2	23.0	11.8	0.0	13.6	7.0	0.0	10.3	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0								
子宮	C53-C55	-	112	112	-	4.1	1.7	-	9.5	-	-	5.5	-	-	4.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
子宮頸部	C53	-	39	39	-	1.4	0.6	-	3.3	-	-	2.5	-	-	2.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
子宮体部	C54	-	48	48	-	1.8	0.7	-	4.1	-	-	2.0	-	-	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
卵巣	C56	-	101	101	-	3.7	1.5	-	8.5	-	-	3.9	-	-	2.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
前立腺	C61	242	-	242	6.2	-	3.6	21.4	-	-	7.5	-	-	4.7	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
膀胱	C67	117	58	175	3.0	2.1	2.6	10.3	4.9	7.6	4.3	1.1	2.5	2.9	0.7	1.7	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1									
腎・尿路(膀胱除く)	C64-C66 C68	104	61	165	2.6	2.2	2.5	9.2	5.2	7.1	4.3	1.3	2.7	3.0	0.8	1.8	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.2									
脳・中枢神経系	C70-C72	24	20	44	0.6	0.7	0.7	2.1	1.7	1.9	1.2	1.2	1.2	0.8	1.2	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1									
甲状腺	C73	11	20	31	0.3	0.7	0.5	1.0	1.7	1.3	0.4	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0									
悪性リンパ腫	C81-C85 C96	109	82	191	2.8	3.0	2.9	9.6	6.9	8.3	4.3	2.6	3.4	2.9	1.8	2.3	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2									
多発性骨髄腫	C88-C90	44	38	82	1.1	1.4	1.2	3.9	3.2	3.5	1.6	1.1	1.3	1.0	0.7	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1									
白血病	C91-C95	81	35	116	2.1	1.3	1.7	7.2	3.0	5.0	4.0	1.5	2.6	2.8	1.3	2.0	0.3	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1									

*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数：部位別、性別

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C97	3,930	0	0	0	1	2	6	4	5	26	37	66	139	314	514	496	670	740	590	265	49	6	0
	口腔・咽頭	000-C14	103	0	0	0	0	1	0	0	0	0	2	2	5	16	20	13	21	11	7	4	1	0	0
	食道	C15	166	0	0	0	0	0	0	0	0	0	0	0	10	17	26	23	28	37	22	2	1	0	0
	胃	C16	569	0	0	0	0	0	1	0	0	6	4	10	14	59	85	67	99	102	63	47	12	0	0
	大腸(結腸・直腸)	C18-C20	467	0	0	0	0	0	0	0	3	1	10	12	22	33	69	64	73	70	72	36	2	0	0
	結腸	C18	292	0	0	0	0	0	0	0	2	1	4	7	11	18	45	33	47	43	53	27	1	0	0
	直腸	C19-C20	175	0	0	0	0	0	0	0	1	0	6	5	11	15	24	31	26	27	19	9	1	0	0
	肝および肝内胆管	C22	263	0	0	0	0	0	0	1	0	3	3	3	12	27	32	38	59	51	26	8	0	0	0
	胆のう・胆管	C23-C24	167	0	0	0	0	0	0	0	0	0	3	2	3	5	12	19	26	40	40	13	4	0	0
	膵臓	C25	341	0	0	0	0	0	0	0	0	1	3	8	19	41	47	49	62	57	35	16	3	0	0
	喉頭	C32	22	0	0	0	0	0	0	0	0	0	0	0	1	0	3	6	3	4	3	2	0	0	0
	肺	C33-C34	908	0	0	0	0	0	0	0	0	3	5	13	21	55	127	133	164	179	138	59	10	1	0
	皮膚	C43-C44	16	0	0	0	0	0	0	0	0	1	0	0	0	1	3	0	1	2	4	2	1	1	0
	乳房	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
	前立腺	C61	242	0	0	0	0	0	0	0	0	0	0	0	1	5	12	18	39	62	71	24	7	3	0
	膀胱	C67	117	0	0	0	0	0	0	0	0	1	0	3	5	8	10	9	15	21	25	18	1	1	0
	腎・尿路(膀胱除く)	C64-C66 C68	104	0	0	0	0	0	0	0	0	0	1	3	6	12	11	16	9	23	13	7	3	0	0
	脳・中枢神経系	C70-C72	24	0	0	0	0	0	0	0	0	1	0	0	4	3	4	4	3	3	3	1	1	0	0
	甲状腺	C73	11	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	2	1	0	1	0	0
	悪性リンパ腫	C81-C85 C96	109	0	0	0	0	0	0	0	0	3	2	0	6	10	10	11	12	26	24	4	1	0	0
	多発性骨髄腫	C88-C90	44	0	0	0	0	0	0	0	0	0	0	1	1	1	5	3	14	9	8	2	0	0	0
	白血病	C91-C95	81	0	0	0	0	0	0	1	1	2	3	6	2	8	12	10	17	9	4	5	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	000-097	2,733	2	2	2	2	0	1	3	9	11	27	35	77	104	150	233	239	333	493	526	370	103	13	0
	口腔・咽頭	000-C14	43	0	0	0	0	0	0	1	1	0	0	1	1	1	4	1	1	9	9	7	6	1	1	0
	食道	C15	41	0	0	0	0	0	0	0	0	0	0	2	1	2	5	6	6	5	10	5	3	2	0	0
	胃	C16	267	0	0	0	0	1	0	2	2	0	4	3	5	6	17	13	19	35	39	58	50	14	1	0
	大腸(結腸・直腸)	C18-C20	434	0	0	0	0	0	0	1	1	1	2	4	7	14	17	38	34	56	88	85	68	18	1	0
	結腸	C18	345	0	0	0	0	0	0	1	1	1	2	4	5	12	13	32	23	42	67	70	58	14	1	0
	直腸	C19-C20	89	0	0	0	0	0	0	0	0	0	0	2	2	4	6	11	14	21	15	10	4	0	0	0
	肝および肝内胆管	C22	162	0	0	0	0	0	0	0	0	0	0	1	0	3	5	11	13	15	43	41	24	5	1	0
	胆のう・胆管	C23-C24	190	0	0	0	0	0	0	0	0	0	0	1	1	7	16	15	20	37	43	44	6	0	0	0
	膵臓	C25	304	0	0	0	0	0	0	0	0	0	3	0	10	15	27	32	43	57	68	34	13	2	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	肺	C33-C34	361	0	0	0	0	0	0	0	0	0	1	0	6	18	32	36	48	66	80	52	16	0	0	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	1	1	0
	乳房	C50	272	0	0	0	0	0	2	3	3	3	9	11	31	33	29	27	21	28	27	19	20	6	3	0
	子宮	C53-C55	112	0	0	0	0	0	1	0	1	6	7	10	12	8	18	18	7	11	11	13	6	1	0	0
	子宮頸部	C53	39	0	0	0	0	0	1	0	1	5	5	5	4	3	3	3	1	5	2	3	1	0	0	0
	子宮体部	C54	48	0	0	0	0	0	0	0	0	1	1	1	3	4	3	13	4	4	7	6	1	1	0	0
	卵巢	C56	101	0	0	0	0	0	0	0	0	3	2	2	5	6	9	9	12	11	13	14	10	4	1	0
	膀胱	C67	58	0	0	0	0	0	0	0	1	0	1	0	0	0	1	1	1	8	10	19	12	5	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	61	0	0	0	0	0	0	0	0	0	0	0	0	2	2	7	6	13	19	7	5	0	0	0
	脳・中枢神経系	C70-C72	20	1	2	0	0	0	0	1	0	0	0	0	1	0	3	2	2	2	4	2	0	0	0	0
	甲状腺	C73	20	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	4	4	3	4	2	0	0	0
	悪性リンパ腫	C81-C85 C96	82	0	0	0	0	0	0	0	1	0	0	2	4	6	9	9	11	11	15	14	7	1	1	0
	多発性骨髄腫	C88-C90	38	0	0	0	0	0	0	0	0	0	0	1	2	3	3	3	1	3	17	7	1	0	0	0
	白血病	C91-C95	35	1	0	1	0	0	0	0	1	3	0	0	1	0	0	3	5	3	9	2	4	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	000-097	6,663	2	2	2	1	3	9	13	16	53	72	143	243	464	747	735	1,003	1,233	1,116	635	152	19	0
	口腔・咽頭	000-C14	146	0	0	0	0	1	0	1	0	0	0	3	6	17	24	14	30	20	14	10	2	1	0
	食道	C15	207	0	0	0	0	0	0	0	0	0	0	2	11	19	31	29	33	47	27	5	3	0	0
	胃	C16	836	0	0	0	0	1	1	2	0	10	7	15	20	76	98	86	134	141	121	97	26	1	0
	大腸(結腸・直腸)	C18-C20	901	0	0	0	0	0	0	1	4	3	14	19	36	50	107	98	129	158	157	104	20	1	0
	結腸	C18	637	0	0	0	0	0	0	1	3	3	8	12	23	31	77	56	89	110	123	85	15	1	0
	直腸	C19-C20	264	0	0	0	0	0	0	0	1	0	6	7	13	19	30	42	40	48	34	19	5	0	0
	肝および肝内胆管	C22	425	0	0	0	0	0	0	1	0	3	4	3	15	32	43	51	74	94	67	32	5	1	0
	胆のう・胆管	C23-C24	367	0	0	0	0	0	0	0	0	0	3	3	4	12	28	34	46	77	83	57	10	0	0
	膵臓	C25	645	0	0	0	0	0	0	0	0	1	6	8	29	56	74	81	105	114	103	50	16	2	0
	喉頭	C32	23	0	0	0	0	0	0	0	0	0	0	0	1	0	3	6	3	5	3	2	0	0	0
	肺	C33-C34	1,269	0	0	0	0	0	0	0	0	4	5	19	27	73	159	169	212	245	218	111	26	1	0
	皮膚	C43-C44	25	0	0	0	0	0	0	0	0	1	0	0	0	1	3	1	2	3	5	5	2	2	0
	乳房	C50	274	0	0	0	0	0	2	3	3	9	11	31	33	29	27	21	28	27	20	21	6	3	0
	子宮	C53-C55	112	0	0	0	0	0	1	0	1	6	7	10	12	8	18	7	11	11	13	6	1	0	0
	子宮頸部	C53	39	0	0	0	0	0	1	0	1	5	5	5	4	3	3	1	5	2	3	1	0	0	0
	子宮体部	C54	48	0	0	0	0	0	0	0	0	1	1	3	4	3	13	4	4	7	6	1	1	0	0
	卵巣	C56	101	0	0	0	0	0	0	0	3	2	2	5	6	9	9	12	11	13	14	10	4	1	0
	前立腺	C61	242	0	0	0	0	0	0	0	0	0	0	0	1	5	12	18	39	62	71	24	7	3	0
	膀胱	C67	175	0	0	0	0	0	0	0	1	1	1	3	5	8	11	10	23	31	44	30	6	1	0
	腎・尿路(膀胱除く)	C64-C66 068	165	0	0	0	0	0	0	0	0	0	1	3	6	14	13	23	15	36	32	14	8	0	0
	脳・中枢神経系	C70-C72	44	1	2	0	0	0	0	1	0	1	0	1	4	6	6	6	6	5	7	3	1	0	0
	甲状腺	C73	31	0	0	0	0	0	0	0	0	0	0	0	0	1	3	5	9	5	5	2	1	0	0
	悪性リンパ腫	C81-C85 096	191	0	0	0	0	0	0	0	1	3	2	2	10	16	19	22	23	41	38	11	2	1	0
	多発性骨髄腫	C88-C90	82	0	0	0	0	0	0	0	0	0	0	2	3	4	8	4	17	26	15	3	0	0	0
	白血病	C91-C95	116	1	0	1	0	0	0	1	2	5	3	7	2	8	15	15	20	18	6	9	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まゝ）： 部位別、性別

宮城県

2016年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	347.5	0.0	0.0	0.0	1.7	3.2	9.7	6.0	6.6	30.2	46.3	93.0	187.8	382.9	564.8	855.2	1,340.0	1,947.4	1,966.7	•	•	•	•
	口腔・咽頭	C00-C14	9.1	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	2.5	2.8	6.8	19.5	22.0	22.4	42.0	28.9	23.3	•	•	•	•
	食道	C15	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	20.7	28.6	39.7	56.0	97.4	73.3	•	•	•	•
	胃	C16	50.3	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	7.0	5.0	14.1	18.9	72.0	93.4	115.5	198.0	268.4	210.0	•	•	•	•
	大腸（結腸・直腸）	C18-C20	41.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	1.2	12.5	16.9	29.7	40.2	75.8	110.3	146.0	184.2	240.0	•	•	•	•
	結腸	C18	25.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.2	5.0	9.9	14.9	22.0	49.5	56.9	94.0	113.2	176.7	•	•	•	•
	直腸	C19-C20	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	7.5	7.0	14.9	18.3	26.4	53.4	52.0	71.1	63.3	•	•	•	•
	肝および肝内胆管	C22	23.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.5	3.8	4.2	16.2	32.9	35.2	65.5	118.0	134.2	86.7	•	•	•	•
	胆のう・胆管	C23-C24	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.8	4.1	6.1	13.2	32.8	52.0	105.3	133.3	•	•	•	•
	膵臓	C25	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.8	11.3	25.7	50.0	51.6	84.5	124.0	150.0	116.7	•	•	•	•
	喉頭	C32	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.3	10.3	6.0	10.5	10.0	•	•	•	•
	肺	C33-C34	80.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	6.3	18.3	28.4	67.1	139.6	229.3	328.0	471.1	460.0	•	•	•	•
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	1.2	3.3	0.0	2.0	5.3	13.3	•	•	•	•
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	•	•	•	•
	前立腺	C61	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.1	13.2	31.0	78.0	163.2	236.7	•	•	•	•
	膀胱	C67	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	6.8	9.8	11.0	15.5	30.0	55.3	83.3	•	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	8.1	14.6	12.1	27.6	18.0	60.5	43.3	•	•	•	•
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	5.4	3.7	4.4	6.9	6.0	7.9	3.3	•	•	•	•
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	10.0	5.3	3.3	•	•	•	•
	悪性リンパ腫	C81-C85 C96	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	2.5	0.0	8.1	12.2	11.0	19.0	24.0	68.4	80.0	•	•	•	•
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.2	5.5	5.2	28.0	23.7	26.7	•	•	•	•
	白血病	C91-C95	7.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	2.3	3.8	8.5	2.7	9.8	13.2	17.2	34.0	23.7	13.3	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2016年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	231.2	4.7	4.3	4.1	0.0	1.8	5.2	13.6	14.9	32.9	46.1	111.6	140.5	180.7	245.3	373.4	528.6	850.0	773.5	•	•	•	
	口腔・咽頭	C00-C14	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.3	1.4	1.4	1.2	4.2	1.6	14.3	15.5	10.3	•	•	•
	食道	C15	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	1.4	2.4	5.3	9.4	7.9	17.2	7.4	•	•	•
	胃	C16	22.6	0.0	0.0	0.0	0.0	1.8	0.0	0.0	3.0	0.0	4.9	3.9	7.2	8.1	20.5	13.7	29.7	55.6	67.2	85.3	•	•	•
	大腸（結腸・直腸）	C18-C20	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	5.3	10.1	18.9	20.5	40.0	53.1	88.9	151.7	125.0	•	•	•
	結腸	C18	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	5.3	7.2	16.2	15.7	33.7	35.9	66.7	115.5	102.9	•	•	•
	直腸	C19-C20	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.7	4.8	6.3	17.2	22.2	36.2	22.1	•	•	•
	肝および肝内胆管	C22	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	6.0	11.6	20.3	23.8	74.1	60.3	•	•	•
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	8.4	16.8	23.4	31.7	63.8	63.2	•	•	•
	膵臓	C25	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	13.5	18.1	28.4	50.0	68.3	98.3	100.0	•	•	•
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	•	•	•
	肺	C33-C34	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	8.7	8.1	21.7	33.7	56.3	76.2	113.8	117.6	•	•	•
	皮膚	C43-C44	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.7	1.5	•	•	•
	乳房	C50	23.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.5	4.1	11.0	14.5	44.9	44.6	34.9	28.4	32.8	44.4	46.6	27.9	•	•	•
	子宮	C53-C55	9.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.4	7.3	9.2	14.5	16.2	9.6	18.9	10.9	17.5	19.0	19.1	•	•	•
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.4	6.1	6.6	7.2	5.4	3.6	3.2	1.6	7.9	3.4	4.4	•	•	•
	子宮体部	C54	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	5.4	3.6	13.7	6.3	6.3	12.1	8.8	•	•	•
	卵巣	C56	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	2.4	2.6	7.2	8.1	10.8	9.5	18.8	17.5	22.4	20.6	•	•	•
	膀胱	C67	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	0.0	0.0	1.1	1.6	12.7	17.2	27.9	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	10.9	9.5	22.4	27.9	•	•	•
	脳・中枢神経系	C70-C72	1.7	2.3	4.3	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.4	0.0	3.6	2.1	3.1	3.2	6.9	2.9	•	•	•
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.1	6.3	6.3	5.2	5.9	•	•	•	•
	悪性リンパ腫	C81-C85 C96	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	2.9	5.4	7.2	9.5	17.2	17.5	25.9	20.6	•	•	•
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	3.6	3.2	1.6	4.8	29.3	10.3	•	•	•
	白血病	C91-C95	3.0	2.3	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.4	3.7	0.0	1.4	0.0	0.0	3.2	7.8	4.8	15.5	2.9	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まらめ）： 部位別、性別

宮城県

2016年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	288.1	2.3	2.1	2.0	0.9	2.5	7.5	9.8	10.7	31.5	46.2	102.1	164.2	281.2	401.6	602.5	887.6	1,284.4	1,138.8
	口腔・咽頭	C00-C14	6.3	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.0	1.9	2.1	4.1	10.3	12.9	11.5	26.5	20.8	14.3
	食道	C15	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	7.4	11.5	16.7	23.8	29.2	49.0	27.6
	胃	C16	36.1	0.0	0.0	0.0	0.0	0.8	0.8	1.5	0.0	6.0	4.5	10.7	13.5	46.1	52.7	70.5	118.6	146.9	123.5
	大腸（結腸・直腸）	C18-C20	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.7	1.8	9.0	13.6	24.3	30.3	57.5	80.3	114.2	164.6	160.2
	結腸	C18	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	1.8	5.1	8.6	15.5	18.8	41.4	45.9	78.8	114.6	125.5
	直腸	C19-C20	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	3.8	5.0	8.8	11.5	16.1	34.4	35.4	50.0	34.7
	肝および肝内胆管	C22	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.8	2.6	2.1	10.1	19.4	23.1	41.8	65.5	97.9	68.4
	胆のう・胆管	C23-C24	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.1	2.7	7.3	15.1	27.9	40.7	80.2	84.7
	膵臓	C25	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.8	5.7	19.6	33.9	39.8	66.4	92.9	118.8	105.1
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.9	2.7	5.2	3.1
	肺	C33-C34	54.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.2	13.6	18.2	44.2	85.5	138.5	187.6	255.2	222.4
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.6	1.6	0.8	1.8	3.1	5.1
	乳房	C50	11.8	0.0	0.0	0.0	0.0	0.0	1.7	2.3	2.0	5.4	7.1	22.1	22.3	17.6	14.5	17.2	24.8	28.1	20.4
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.6	2.1	3.4	4.8	5.9	8.2	20.4	32.3	44.9
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	4.1	8.5	7.0	18.9	13.3	37.5	32.7
	脳・中枢神経系	C70-C72	1.9	1.1	2.1	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.7	2.7	3.6	3.2	4.9	4.4	7.3	3.1
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	4.1	8.0	5.2	5.1
	悪性リンパ腫	C81-C85 C96	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	1.3	1.4	6.8	9.7	10.2	18.0	20.4	42.7	38.8
	多発性骨髄腫	C88-C90	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	2.4	4.3	3.3	15.0	27.1	15.3
	白血病	C91-C95	5.0	1.1	0.0	1.0	0.0	0.0	0.0	0.8	1.3	3.0	1.9	5.0	1.4	4.8	8.1	12.3	17.7	18.8	6.1

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2016年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	347.5	0.0	0.0	0.0	1.7	3.2	9.7	6.0	6.6	30.2	46.3	93.0	187.8	382.9	564.8	855.2	1,340.0	1,947.4	3,033.3	・
	口腔・咽頭	C00-C14	9.1	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	2.5	2.8	6.8	19.5	22.0	22.4	42.0	28.9	40.0	・
	食道	C15	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5	20.7	28.6	39.7	56.0	97.4	83.3	・
	胃	C16	50.3	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	7.0	5.0	14.1	18.9	72.0	93.4	115.5	198.0	268.4	406.7	・
	大腸（結腸・直腸）	C18-C20	41.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	1.2	12.5	16.9	29.7	40.2	75.8	110.3	146.0	184.2	366.7	・
	結腸	C18	25.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.2	5.0	9.9	14.9	22.0	49.5	56.9	94.0	113.2	270.0	・
	直腸	C19-C20	15.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	7.5	7.0	14.9	18.3	26.4	53.4	52.0	71.1	96.7	・
	肝および肝内胆管	C22	23.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.5	3.8	4.2	16.2	32.9	35.2	65.5	118.0	134.2	113.3	・
	胆のう・胆管	C23-C24	14.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	2.8	4.1	6.1	13.2	32.8	52.0	105.3	190.0	・
	膵臓	C25	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.8	11.3	25.7	50.0	51.6	84.5	124.0	150.0	180.0	・
	喉頭	C32	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.3	10.3	6.0	10.5	16.7	・
	肺	C33-C34	80.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	6.3	18.3	28.4	67.1	139.6	229.3	328.0	471.1	693.3	・
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	1.2	3.3	0.0	2.0	5.3	26.7	・
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	・
	前立腺	C61	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.1	13.2	31.0	78.0	163.2	350.0	・
	膀胱	C67	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	6.8	9.8	11.0	15.5	30.0	55.3	150.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	8.1	14.6	12.1	27.6	18.0	60.5	76.7	・
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	5.4	3.7	4.4	6.9	6.0	7.9	6.7	・
	甲状腺	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.7	10.0	5.3	6.7	・
	悪性リンパ腫	C81-C85 C96	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	2.5	0.0	8.1	12.2	11.0	19.0	24.0	68.4	96.7	・
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.2	5.5	5.2	28.0	23.7	33.3	・
	白血病	C91-C95	7.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	2.3	3.8	8.5	2.7	9.8	13.2	17.2	34.0	23.7	33.3	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	231.2	4.7	4.3	4.1	0.0	1.8	5.2	13.6	14.9	32.9	46.1	111.6	140.5	180.7	245.3	373.4	528.6	850.0	1,488.2	・	
	口腔・咽頭	C00-C14	3.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.3	1.4	1.2	4.2	1.6	14.3	15.5	22.1	・	
	食道	C15	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.4	5.3	9.4	7.9	17.2	14.7	・	
	胃	C16	22.6	0.0	0.0	0.0	0.0	1.8	0.0	0.0	3.0	0.0	4.9	3.9	7.2	8.1	20.5	13.7	29.7	55.6	67.2	180.9	・
	大腸（結腸・直腸）	C18-C20	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	5.3	10.1	18.9	20.5	40.0	53.1	88.9	151.7	252.9	・
	結腸	C18	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	5.3	7.2	16.2	15.7	33.7	35.9	66.7	115.5	210.3	・
	直腸	C19-C20	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.7	4.8	6.3	17.2	22.2	36.2	42.6	・
	肝および肝内胆管	C22	13.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	6.0	11.6	20.3	23.8	74.1	104.4	・
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	8.4	16.8	23.4	31.7	63.8	136.8	・
	膵臓	C25	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	13.5	18.1	28.4	50.0	68.3	98.3	172.1	・
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	・
	肺	C33-C34	30.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	8.7	8.1	21.7	33.7	56.3	76.2	113.8	217.6	・
	皮膚	C43-C44	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.7	8.8	・
	乳房	C50	23.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.5	4.1	11.0	14.5	44.9	44.6	34.9	28.4	32.8	44.4	46.6	70.6	・
	子宮	C53-C55	9.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.4	7.3	9.2	14.5	16.2	9.6	18.9	10.9	17.5	19.0	29.4	・
	子宮頸部	C53	3.3	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.4	6.1	6.6	7.2	5.4	3.6	3.2	1.6	7.9	3.4	5.9	・
	子宮体部	C54	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	4.3	5.4	3.6	13.7	6.3	6.3	12.1	11.8	・
	卵巣	C56	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	2.4	2.6	7.2	8.1	10.8	9.5	18.8	17.5	22.4	42.6	・
	膀胱	C67	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	0.0	0.0	1.1	1.6	12.7	17.2	52.9	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	10.9	9.5	22.4	45.6	・
	脳・中枢神経系	C70-C72	1.7	2.3	4.3	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	1.4	0.0	3.6	2.1	3.1	3.2	6.9	2.9	・
	甲状腺	C73	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.1	6.3	6.3	5.2	8.8	・
	悪性リンパ腫	C81-C85 C96	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	2.9	5.4	7.2	9.5	17.2	17.5	25.9	33.8	・
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	3.6	3.2	1.6	4.8	29.3	11.8	・
	白血病	C91-C95	3.0	2.3	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.4	3.7	0.0	1.4	0.0	0.0	3.2	7.8	4.8	15.5	11.8	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2016年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	C00-C97	288.1	2.3	2.1	2.0	0.9	2.5	7.5	9.8	10.7	31.5	46.2	102.1	164.2	281.2	401.6	602.5	887.6	1,284.4	1,961.2	・
	口腔・咽頭	C00-C14	6.3	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	1.9	4.1	10.3	12.9	11.5	26.5	20.8	27.6	・
	食道	C15	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	11.5	16.7	23.8	29.2	49.0	35.7	・
	胃	C16	36.1	0.0	0.0	0.0	0.0	0.8	0.8	1.5	0.0	6.0	4.5	10.7	13.5	46.1	52.7	70.5	118.6	146.9	250.0	・
	大腸（結腸・直腸）	C18-C20	39.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.7	1.8	9.0	13.6	24.3	30.3	57.5	80.3	114.2	164.6	287.8	・
	結腸	C18	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	1.8	5.1	8.6	15.5	18.8	41.4	45.9	78.8	114.6	228.6	・
	直腸	C19-C20	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	3.8	5.0	8.8	11.5	16.1	34.4	35.4	50.0	59.2	・
	肝および肝内胆管	C22	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.8	2.6	2.1	10.1	19.4	23.1	41.8	65.5	97.9	107.1	・
	胆のう・胆管	C23-C24	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.1	2.7	7.3	15.1	27.9	40.7	80.2	153.1	・
	膵臓	C25	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.8	5.7	19.6	33.9	39.8	66.4	92.9	118.8	174.5	・
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.6	4.9	2.7	5.2	5.1	・
	肺	C33-C34	54.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.2	13.6	18.2	44.2	85.5	138.5	187.6	255.2	363.3	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.6	1.6	0.8	1.8	3.1	14.3	・
	乳房	C50	11.8	0.0	0.0	0.0	0.0	0.0	1.7	2.3	2.0	5.4	7.1	22.1	22.3	17.6	14.5	17.2	24.8	28.1	51.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.6	2.1	3.4	4.8	5.9	8.2	20.4	32.3	82.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	4.1	8.5	7.0	18.9	13.3	37.5	55.1	・
	脳・中枢神経系	C70-C72	1.9	1.1	2.1	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.7	2.7	3.6	3.2	4.9	4.4	7.3	4.1	・
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	4.1	8.0	5.2	8.2	・
	悪性リンパ腫	C81-C85 C96	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	1.3	1.4	6.8	9.7	10.2	18.0	20.4	42.7	53.1	・
	多発性骨髄腫	C88-C90	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.0	2.4	4.3	3.3	15.0	27.1	18.4	・
	白血病	C91-C95	5.0	1.1	0.0	1.0	0.0	0.0	0.0	0.8	1.3	3.0	1.9	5.0	1.4	4.8	8.1	12.3	17.7	18.8	18.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

宮城県

2016年

男 女 男女計

部位	男			女			男女計		
	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
10D-10									
全部位	8,706	0.0	0.0	6,894	0.0	0.0	15,600	0.0	0.0
C00-C96									
口腔・咽頭	183	0.0	0.0	100	0.0	0.0	283	0.0	0.0
C00-C14									
食道	366	0.0	0.0	76	0.0	0.0	442	0.0	0.0
C15									
胃	1,602	0.0	0.0	775	0.0	0.0	2,377	0.0	0.0
C16									
大腸(結腸・直腸)	1,465	0.0	0.0	1,160	0.0	0.0	2,625	0.0	0.0
C18-C20									
結腸	925	0.0	0.0	844	0.0	0.0	1,769	0.0	0.0
C18									
直腸	540	0.0	0.0	316	0.0	0.0	856	0.0	0.0
C19-C20									
肝および肝内胆管	382	0.0	0.0	205	0.0	0.0	587	0.0	0.0
C22									
胆のう・胆管	181	0.0	0.0	194	0.0	0.0	375	0.0	0.0
C23-C24									
膵臓	320	0.0	0.0	318	0.0	0.0	638	0.0	0.0
C25									
喉頭	66	0.0	0.0	5	0.0	0.0	71	0.0	0.0
C32									
肺	1,258	0.0	0.0	632	0.0	0.0	1,890	0.0	0.0
C33-C34									
皮膚	200	0.0	0.0	184	0.0	0.0	384	0.0	0.0
C43-C44									
乳房	15	0.0	0.0	1,559	0.0	0.0	1,574	0.0	0.0
C50									
子宮	-	-	-	406	0.0	0.0	406	0.0	0.0
C53-C55									
子宮頸部	-	-	-	137	0.0	0.0	137	0.0	0.0
C53									
子宮体部	-	-	-	265	0.0	0.0	265	0.0	0.0
C54									
卵巢	-	-	-	184	0.0	0.0	184	0.0	0.0
C56									
前立腺	1,274	0.0	0.0	-	-	-	1,274	0.0	0.0
C61									
膀胱	252	0.0	0.0	103	0.0	0.0	355	0.0	0.0
C67									
腎・尿路(膀胱除く)	284	0.0	0.0	152	0.0	0.0	436	0.0	0.0
C64-C66 C68									
脳・中枢神経系	48	0.0	0.0	49	0.0	0.0	97	0.0	0.0
C70-C72									
甲状腺	74	0.0	0.0	225	0.0	0.0	299	0.0	0.0
C73									
悪性リンパ腫	260	0.0	0.0	241	0.0	0.0	501	0.0	0.0
C81-C85 C96									
多発性骨髄腫	57	0.0	0.0	48	0.0	0.0	105	0.0	0.0
C88-C90									
白血病	103	0.0	0.0	72	0.0	0.0	175	0.0	0.0
C91-C95									

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	4,172	0.0	0.0	3,288	0.0	0.0	7,460	0.0	0.0	7,460	0.0	0.0
		775	0.0	0.0	904	0.0	0.0	1,679	0.0	0.0	1,679	0.0	0.0
		1,181	0.0	0.0	783	0.0	0.0	1,964	0.0	0.0	1,964	0.0	0.0
		1,665	0.0	0.0	1,101	0.0	0.0	2,766	0.0	0.0	2,766	0.0	0.0
		748	0.0	0.0	698	0.0	0.0	1,446	0.0	0.0	1,446	0.0	0.0
		8,706	0.0	0.0	6,894	0.0	0.0	15,600	0.0	0.0	15,600	0.0	0.0
		1,956	0.0	0.0	1,687	0.0	0.0	3,643	0.0	0.0	3,643	0.0	0.0
口腔・咽頭	C00-C14	53	0.0	0.0	41	0.0	0.0	94	0.0	0.0	94	0.0	0.0
		33	0.0	0.0	17	0.0	0.0	50	0.0	0.0	50	0.0	0.0
		75	0.0	0.0	32	0.0	0.0	107	0.0	0.0	107	0.0	0.0
		13	0.0	0.0	2	0.0	0.0	15	0.0	0.0	15	0.0	0.0
		9	0.0	0.0	8	0.0	0.0	17	0.0	0.0	17	0.0	0.0
		183	0.0	0.0	100	0.0	0.0	283	0.0	0.0	283	0.0	0.0
		108	0.0	0.0	49	0.0	0.0	157	0.0	0.0	157	0.0	0.0
食道	C15	153	0.0	0.0	35	0.0	0.0	188	0.0	0.0	188	0.0	0.0
		40	0.0	0.0	6	0.0	0.0	46	0.0	0.0	46	0.0	0.0
		93	0.0	0.0	17	0.0	0.0	110	0.0	0.0	110	0.0	0.0
		64	0.0	0.0	13	0.0	0.0	77	0.0	0.0	77	0.0	0.0
		16	0.0	0.0	5	0.0	0.0	21	0.0	0.0	21	0.0	0.0
		366	0.0	0.0	76	0.0	0.0	442	0.0	0.0	442	0.0	0.0
		133	0.0	0.0	23	0.0	0.0	156	0.0	0.0	156	0.0	0.0
胃	C16	1,041	0.0	0.0	483	0.0	0.0	1,524	0.0	0.0	1,524	0.0	0.0
		173	0.0	0.0	78	0.0	0.0	251	0.0	0.0	251	0.0	0.0
		95	0.0	0.0	36	0.0	0.0	131	0.0	0.0	131	0.0	0.0
		216	0.0	0.0	117	0.0	0.0	333	0.0	0.0	333	0.0	0.0
		77	0.0	0.0	61	0.0	0.0	138	0.0	0.0	138	0.0	0.0
		1,602	0.0	0.0	775	0.0	0.0	2,377	0.0	0.0	2,377	0.0	0.0
		268	0.0	0.0	114	0.0	0.0	382	0.0	0.0	382	0.0	0.0
大腸(結腸・直腸)	C18-C20	749	0.0	0.0	514	0.0	0.0	1,263	0.0	0.0	1,263	0.0	0.0
		274	0.0	0.0	234	0.0	0.0	508	0.0	0.0	508	0.0	0.0
		113	0.0	0.0	104	0.0	0.0	217	0.0	0.0	217	0.0	0.0
		246	0.0	0.0	208	0.0	0.0	454	0.0	0.0	454	0.0	0.0
		83	0.0	0.0	100	0.0	0.0	183	0.0	0.0	183	0.0	0.0
		1,465	0.0	0.0	1,160	0.0	0.0	2,625	0.0	0.0	2,625	0.0	0.0
		387	0.0	0.0	338	0.0	0.0	725	0.0	0.0	725	0.0	0.0

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	474	0.0	0.0	380	0.0	0.0	854	0.0	0.0	854	0.0	0.0
		161	0.0	0.0	154	0.0	0.0	315	0.0	0.0	315	0.0	0.0
		80	0.0	0.0	81	0.0	0.0	161	0.0	0.0	161	0.0	0.0
		155	0.0	0.0	163	0.0	0.0	318	0.0	0.0	318	0.0	0.0
		55	0.0	0.0	66	0.0	0.0	121	0.0	0.0	121	0.0	0.0
		925	0.0	0.0	844	0.0	0.0	1,769	0.0	0.0	1,769	0.0	0.0
		241	0.0	0.0	235	0.0	0.0	476	0.0	0.0	476	0.0	0.0
直腸	C19-C20	275	0.0	0.0	134	0.0	0.0	409	0.0	0.0	409	0.0	0.0
		113	0.0	0.0	80	0.0	0.0	193	0.0	0.0	193	0.0	0.0
		33	0.0	0.0	23	0.0	0.0	56	0.0	0.0	56	0.0	0.0
		91	0.0	0.0	45	0.0	0.0	136	0.0	0.0	136	0.0	0.0
		28	0.0	0.0	34	0.0	0.0	62	0.0	0.0	62	0.0	0.0
		540	0.0	0.0	316	0.0	0.0	856	0.0	0.0	856	0.0	0.0
		146	0.0	0.0	103	0.0	0.0	249	0.0	0.0	249	0.0	0.0
肝および肝内胆管	C22	239	0.0	0.0	98	0.0	0.0	337	0.0	0.0	337	0.0	0.0
		12	0.0	0.0	13	0.0	0.0	25	0.0	0.0	25	0.0	0.0
		44	0.0	0.0	15	0.0	0.0	59	0.0	0.0	59	0.0	0.0
		46	0.0	0.0	25	0.0	0.0	71	0.0	0.0	71	0.0	0.0
		41	0.0	0.0	54	0.0	0.0	95	0.0	0.0	95	0.0	0.0
		382	0.0	0.0	205	0.0	0.0	587	0.0	0.0	587	0.0	0.0
		56	0.0	0.0	28	0.0	0.0	84	0.0	0.0	84	0.0	0.0
胆のう・胆管	C23-C24	40	0.0	0.0	35	0.0	0.0	75	0.0	0.0	75	0.0	0.0
		3	0.0	0.0	11	0.0	0.0	14	0.0	0.0	14	0.0	0.0
		83	0.0	0.0	59	0.0	0.0	142	0.0	0.0	142	0.0	0.0
		41	0.0	0.0	51	0.0	0.0	92	0.0	0.0	92	0.0	0.0
		14	0.0	0.0	38	0.0	0.0	52	0.0	0.0	52	0.0	0.0
		181	0.0	0.0	194	0.0	0.0	375	0.0	0.0	375	0.0	0.0
		86	0.0	0.0	70	0.0	0.0	156	0.0	0.0	156	0.0	0.0
膵臓	C25	30	0.0	0.0	38	0.0	0.0	68	0.0	0.0	68	0.0	0.0
		11	0.0	0.0	9	0.0	0.0	20	0.0	0.0	20	0.0	0.0
		108	0.0	0.0	89	0.0	0.0	197	0.0	0.0	197	0.0	0.0
		147	0.0	0.0	138	0.0	0.0	285	0.0	0.0	285	0.0	0.0
		24	0.0	0.0	44	0.0	0.0	68	0.0	0.0	68	0.0	0.0
		320	0.0	0.0	318	0.0	0.0	638	0.0	0.0	638	0.0	0.0
		119	0.0	0.0	98	0.0	0.0	217	0.0	0.0	217	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
喉頭	C32	限局	43	0.0	0.0	4	0.0	0.0	47	0.0	0.0	0.0	
		リ転	4	0.0	0.0	1	0.0	0.0	5	0.0	0.0	0.0	
		隣接	11	0.0	0.0	0	.	.	11	0.0	0.0	0.0	
		遠隔	0	.	.	0	.	.	0	.	.	.	
		不明	8	0.0	0.0	0	.	.	8	0.0	0.0	0.0	
		合計	66	0.0	0.0	5	0.0	0.0	71	0.0	0.0	0.0	
領域	15	0.0	0.0	1	0.0	0.0	16	0.0	0.0	0.0			
肺	C33-C34	限局	340	0.0	0.0	262	0.0	0.0	602	0.0	0.0	0.0	
		リ転	151	0.0	0.0	51	0.0	0.0	202	0.0	0.0	0.0	
		隣接	118	0.0	0.0	35	0.0	0.0	153	0.0	0.0	0.0	
		遠隔	527	0.0	0.0	213	0.0	0.0	740	0.0	0.0	0.0	
		不明	122	0.0	0.0	71	0.0	0.0	193	0.0	0.0	0.0	
		合計	1,258	0.0	0.0	632	0.0	0.0	1,890	0.0	0.0	0.0	
領域	269	0.0	0.0	86	0.0	0.0	355	0.0	0.0	0.0			
皮膚	C43-C44	限局	176	0.0	0.0	165	0.0	0.0	341	0.0	0.0	0.0	
		リ転	3	0.0	0.0	2	0.0	0.0	5	0.0	0.0	0.0	
		隣接	11	0.0	0.0	7	0.0	0.0	18	0.0	0.0	0.0	
		遠隔	0	.	.	1	0.0	0.0	1	0.0	0.0	0.0	
		不明	10	0.0	0.0	9	0.0	0.0	19	0.0	0.0	0.0	
		合計	200	0.0	0.0	184	0.0	0.0	384	0.0	0.0	0.0	
領域	14	0.0	0.0	9	0.0	0.0	23	0.0	0.0	0.0			
乳房	C50	限局	8	0.0	0.0	960	0.0	0.0	968	0.0	0.0	0.0	
		リ転	3	0.0	0.0	344	0.0	0.0	347	0.0	0.0	0.0	
		隣接	1	0.0	0.0	45	0.0	0.0	46	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	94	0.0	0.0	95	0.0	0.0	0.0	
		不明	2	0.0	0.0	116	0.0	0.0	118	0.0	0.0	0.0	
		合計	15	0.0	0.0	1,559	0.0	0.0	1,574	0.0	0.0	0.0	
領域	4	0.0	0.0	389	0.0	0.0	393	0.0	0.0	0.0			
子宮	C53-C55	限局	-	-	-	240	0.0	0.0	240	0.0	0.0	0.0	
		リ転	-	-	-	18	0.0	0.0	18	0.0	0.0	0.0	
		隣接	-	-	-	82	0.0	0.0	82	0.0	0.0	0.0	
		遠隔	-	-	-	38	0.0	0.0	38	0.0	0.0	0.0	
		不明	-	-	-	27	0.0	0.0	27	0.0	0.0	0.0	
		合計	-	-	-	406	0.0	0.0	406	0.0	0.0	0.0	
領域	-	-	-	100	0.0	0.0	100	0.0	0.0	0.0			

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
子宮頸部	C53	-	-	-	64	0.0	0.0	64	0.0	0.0	64	0.0	0.0
		-	-	-	5	0.0	0.0	5	0.0	0.0	5	0.0	0.0
		-	-	-	46	0.0	0.0	46	0.0	0.0	46	0.0	0.0
		-	-	-	14	0.0	0.0	14	0.0	0.0	14	0.0	0.0
		-	-	-	7	0.0	0.0	7	0.0	0.0	7	0.0	0.0
		-	-	-	137	0.0	0.0	137	0.0	0.0	137	0.0	0.0
		-	-	-	51	0.0	0.0	51	0.0	0.0	51	0.0	0.0
子宮体部	C54	-	-	-	176	0.0	0.0	176	0.0	0.0	176	0.0	0.0
		-	-	-	13	0.0	0.0	13	0.0	0.0	13	0.0	0.0
		-	-	-	36	0.0	0.0	36	0.0	0.0	36	0.0	0.0
		-	-	-	23	0.0	0.0	23	0.0	0.0	23	0.0	0.0
		-	-	-	17	0.0	0.0	17	0.0	0.0	17	0.0	0.0
		-	-	-	265	0.0	0.0	265	0.0	0.0	265	0.0	0.0
		-	-	-	49	0.0	0.0	49	0.0	0.0	49	0.0	0.0
卵巣	C56	-	-	-	51	0.0	0.0	51	0.0	0.0	51	0.0	0.0
		-	-	-	2	0.0	0.0	2	0.0	0.0	2	0.0	0.0
		-	-	-	77	0.0	0.0	77	0.0	0.0	77	0.0	0.0
		-	-	-	26	0.0	0.0	26	0.0	0.0	26	0.0	0.0
		-	-	-	28	0.0	0.0	28	0.0	0.0	28	0.0	0.0
		-	-	-	184	0.0	0.0	184	0.0	0.0	184	0.0	0.0
		-	-	-	79	0.0	0.0	79	0.0	0.0	79	0.0	0.0
前立腺	C61	738	0.0	0.0	-	-	-	738	-	-	-	-	-
		14	0.0	0.0	-	-	-	14	-	-	-	-	-
		206	0.0	0.0	-	-	-	206	-	-	-	-	-
		139	0.0	0.0	-	-	-	139	-	-	-	-	-
		177	0.0	0.0	-	-	-	177	-	-	-	-	-
		1,274	0.0	0.0	-	-	-	1,274	-	-	-	-	-
		220	0.0	0.0	-	-	-	220	-	-	-	-	-
膀胱	C67	180	0.0	0.0	64	0.0	0.0	180	0.0	0.0	244	0.0	0.0
		3	0.0	0.0	2	0.0	0.0	3	0.0	0.0	5	0.0	0.0
		21	0.0	0.0	14	0.0	0.0	21	0.0	0.0	35	0.0	0.0
		16	0.0	0.0	9	0.0	0.0	16	0.0	0.0	25	0.0	0.0
		26	0.0	0.0	13	0.0	0.0	26	0.0	0.0	39	0.0	0.0
		252	0.0	0.0	103	0.0	0.0	252	0.0	0.0	355	0.0	0.0
		24	0.0	0.0	16	0.0	0.0	24	0.0	0.0	40	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

男女計

女

男

進展度
・総合

部位	ICD-10	男			女			男女計			
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
腎・尿路(膀胱除く)	C64-C66 C68	限局	151	0.0	0.0	61	0.0	0.0	212	0.0	0.0
		リ転	3	0.0	0.0	7	0.0	0.0	10	0.0	0.0
		隣接	59	0.0	0.0	38	0.0	0.0	97	0.0	0.0
		遠隔	45	0.0	0.0	27	0.0	0.0	72	0.0	0.0
		不明	26	0.0	0.0	19	0.0	0.0	45	0.0	0.0
		合計	284	0.0	0.0	152	0.0	0.0	436	0.0	0.0
		領域	62	0.0	0.0	45	0.0	0.0	107	0.0	0.0
脳・中枢神経系	C70-C72	限局	30	0.0	0.0	29	0.0	0.0	59	0.0	0.0
		リ転	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0
		隣接	6	0.0	0.0	7	0.0	0.0	13	0.0	0.0
		遠隔	2	0.0	0.0	4	0.0	0.0	6	0.0	0.0
		不明	10	0.0	0.0	9	0.0	0.0	19	0.0	0.0
		合計	48	0.0	0.0	49	0.0	0.0	97	0.0	0.0
		領域	6	0.0	0.0	7	0.0	0.0	13	0.0	0.0
甲状腺	C73	限局	23	0.0	0.0	84	0.0	0.0	107	0.0	0.0
		リ転	35	0.0	0.0	96	0.0	0.0	131	0.0	0.0
		隣接	4	0.0	0.0	16	0.0	0.0	20	0.0	0.0
		遠隔	8	0.0	0.0	8	0.0	0.0	16	0.0	0.0
		不明	4	0.0	0.0	21	0.0	0.0	25	0.0	0.0
		合計	74	0.0	0.0	225	0.0	0.0	299	0.0	0.0
		領域	39	0.0	0.0	112	0.0	0.0	151	0.0	0.0
悪性リンパ腫	C81-C85 C96	限局	74	0.0	0.0	77	0.0	0.0	151	0.0	0.0
		リ転	1	0.0	0.0	7	0.0	0.0	8	0.0	0.0
		隣接	44	0.0	0.0	44	0.0	0.0	88	0.0	0.0
		遠隔	112	0.0	0.0	86	0.0	0.0	198	0.0	0.0
		不明	29	0.0	0.0	26	0.0	0.0	55	0.0	0.0
		合計	260	0.0	0.0	241	0.0	0.0	501	0.0	0.0
		領域	45	0.0	0.0	51	0.0	0.0	96	0.0	0.0
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-
		リ転	-	-	-	-	-	-	-	-	-
		隣接	-	-	-	-	-	-	-	-	-
		遠隔	-	-	-	-	-	-	-	-	-
		不明	-	-	-	-	-	-	-	-	-
		合計	-	-	-	-	-	-	-	-	-
		領域	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率 (%) : 主要部位別、性別、進展度・総合別

宮城県

2016年

部位	進展度・総合	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
白血病	ICD-10	-	-	-	-	-	-	-	-	-
	C91-C95	-	-	-	-	-	-	-	-	-
	限局	-	-	-	-	-	-	-	-	-
	リ転	-	-	-	-	-	-	-	-	-
	隣接	-	-	-	-	-	-	-	-	-
	遠隔	-	-	-	-	-	-	-	-	-
	不明	-	-	-	-	-	-	-	-	-
	合計	-	-	-	-	-	-	-	-	-
	領域	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤