

洋糸波産子の枝肉成績(母の父別)について

令和7年4月作成 宮城県畜産試験場

宮城畜試
No.7-7-1
肉牛資料

頭数順	母の父	性別	頭数	出荷月齢	枝肉重量	ロース芯面積	バラ厚	皮下脂肪厚	歩留基準値	BMS.No
1	百合茂	去	134	30.6	581.3	79.0	9.3	2.5	75.8	9.1
		雌	26	33.8	470.5	72.1	8.4	2.5	76.2	8.5
		計	160	31.1	563.3	77.9	9.2	2.5	75.9	9.0
2	安福久	去	145	30.8	559.9	85.6	9.1	2.2	77.1	9.8
		雌	14	31.9	439.7	72.4	8.0	2.4	76.5	8.1
		計	159	30.9	549.3	84.5	9.0	2.2	77.1	9.7
3	勝忠平	去	91	30.4	579.2	76.2	9.2	2.7	75.8	8.7
		雌	13	33.7	463.6	67.2	8.5	2.6	75.7	8.6
		計	104	30.8	564.8	75.0	9.1	2.7	75.7	8.7
4	幸紀雄	去	59	30.6	546.1	76.8	9.1	2.5	75.1	9.1
		雌	11	36.4	441.1	67.5	8.3	2.6	75.9	7.7
		計	70	31.5	529.6	75.4	9.0	2.5	75.2	8.9
5	華春福	去	50	29.9	593.4	79.9	9.4	2.7	76.2	9.3
		雌	9	30.0	481.8	74.6	8.6	2.8	76.3	8.7
		計	59	29.9	576.4	79.1	9.3	2.7	76.2	9.2
6	美国桜	去	44	30.3	578.9	90.7	9.6	2.3	78.3	9.9
		雌	4	31.5	418.6	70.5	8.0	2.8	57.1	10.5
		計	48	30.4	565.5	89.0	9.5	2.3	76.6	10.0
7	勝早桜5	去	33	30.6	550.1	78.3	9.1	2.3	74.4	9.5
		雌	2	31.4	435.0	75.5	8.2	1.8	77.6	9.5
		計	35	30.6	543.5	78.1	9.0	2.3	74.5	9.5
8	好平茂	去	24	30.1	544.6	80.0	9.1	2.4	76.9	8.6
		雌	8	31.3	438.6	72.0	8.0	2.6	76.3	9.1
		計	32	30.4	518.1	78.0	8.8	2.5	76.7	8.8
9	諒太郎	去	20	30.7	572.5	87.8	9.1	2.0	73.9	9.7
		雌	6	38.9	435.8	65.7	7.5	2.2	75.5	8.0
		計	26	32.6	540.9	82.7	8.7	2.1	74.3	9.3
10	喜亀忠	去	20	30.4	564.2	77.9	9.5	2.2	76.8	8.9
		雌	2	30.0	434.5	71.0	7.8	2.5	76.2	8.0
		計	22	30.4	552.4	77.3	9.3	2.3	76.8	8.8
11	茂洋	去	18	29.8	537.7	75.9	8.6	2.4	76.2	9.0
		雌	3	29.5	463.3	79.3	8.1	2.3	77.2	9.0
		計	21	29.7	527.1	76.4	8.5	2.4	76.3	9.0
12	第1花国	去	14	30.7	573.8	74.9	8.7	2.8	75.2	7.4
		雌	5	37.7	413.3	54.6	7.4	2.2	74.3	6.6
		計	19	32.5	531.5	69.5	8.3	2.7	75.0	7.2
計		去勢	915	30.5	564.4	79.0	9.1	2.4	76.1	9.1
		雌	173	32.8	449.9	69.8	8.2	2.5	75.2	8.5
		計	1,088	30.9	546.2	77.5	9.0	2.5	76.0	9.0