

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

部位	罹患数				部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	I0D-10		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
全部位	10,096	7,895	17,991	100.0	100.0	100.0	100.0	888.7	664.6	774.1	455.3	356.0	397.2	323.1	267.9	290.3	38.9	29.4	33.9	33.9
口腔・咽頭	292	124	416	2.9	1.6	2.3	2.9	25.7	10.4	17.9	15.7	5.3	10.3	11.7	3.9	7.7	1.4	0.4	0.9	0.9
食道	417	96	513	4.1	1.2	2.9	36.7	8.1	22.1	18.5	18.5	3.5	10.5	12.9	2.5	7.5	1.7	0.3	1.0	1.0
胃	1,914	853	2,767	19.0	10.8	15.4	168.5	71.8	119.1	82.5	82.5	29.7	54.1	56.7	20.9	37.6	7.0	2.4	4.6	4.6
大腸(結腸・直腸)	1,510	1,298	2,808	15.0	16.4	15.6	132.9	109.3	120.8	71.7	71.7	48.2	59.4	51.5	34.5	42.7	6.2	3.9	5.0	5.0
結腸	948	942	1,890	9.4	11.9	10.5	83.5	79.3	81.3	42.8	42.8	31.9	37.1	30.3	22.5	26.2	3.5	2.5	3.0	3.0
直腸	562	356	918	5.6	4.5	5.1	49.5	30.0	39.5	28.9	28.9	16.3	22.3	21.3	16.5	2.7	1.4	2.0	2.0	
肝および肝内胆管	407	197	604	4.0	2.5	3.4	35.8	16.6	26.0	18.1	18.1	5.3	11.4	12.7	3.6	7.9	1.6	0.4	1.0	1.0
胆のう・胆管	252	202	454	2.5	2.6	2.5	22.2	17.0	19.5	9.7	9.7	4.7	7.1	6.5	3.0	4.6	0.7	0.3	0.5	0.5
膵臓	405	391	796	4.0	5.0	4.4	35.7	32.9	34.3	17.7	17.7	12.9	15.2	12.3	9.1	10.6	1.5	1.0	1.3	1.3
喉頭	85	4	89	0.8	0.1	0.5	7.5	0.3	3.8	4.0	4.0	0.2	2.0	2.9	0.1	1.5	0.4	0.0	0.2	0.2
肺	1,513	760	2,273	15.0	9.6	12.6	133.2	64.0	97.8	63.8	63.8	27.1	43.8	44.5	19.2	30.8	5.5	2.5	4.0	4.0
皮膚	202	208	410	2.0	2.6	2.3	17.8	17.5	17.6	8.5	8.5	5.3	6.8	5.9	3.7	4.8	0.6	0.3	0.5	0.5
乳房	11	1,758	1,769	0.1	22.3	9.8	1.0	148.0	76.1	0.4	0.4	103.5	52.5	0.3	79.9	40.4	0.0	8.8	4.4	4.4
子宮	-	429	429	-	5.4	2.4	-	36.1	-	-	-	27.4	-	-	21.3	-	-	2.3	-	-
子宮頸部	-	138	138	-	1.7	0.8	-	11.6	-	-	-	9.4	-	-	7.3	-	-	0.8	-	-
子宮体部	-	280	280	-	3.5	1.6	-	23.6	-	-	-	17.5	-	-	13.5	-	-	1.5	-	-
卵巣	-	260	260	-	3.3	1.4	-	21.9	-	-	-	17.3	-	-	13.8	-	-	1.4	-	-
前立腺	1,458	-	1,458	14.4	-	8.1	128.3	-	-	-	60.1	-	-	40.7	-	-	5.3	-	-	-
膀胱	268	102	370	2.7	1.3	2.1	23.6	8.6	15.9	10.6	10.6	2.7	6.3	7.3	1.9	4.3	0.9	0.2	0.5	0.5
腎・尿路(膀胱除く)	364	175	539	3.6	2.2	3.0	32.0	14.7	23.2	18.5	18.5	6.7	12.4	13.4	4.9	9.0	1.7	0.6	1.1	1.1
脳・中枢神経系	63	47	110	0.6	0.6	0.6	5.5	4.0	4.7	4.0	4.0	3.5	3.7	3.5	3.4	3.4	0.3	0.3	0.3	0.3
甲状腺	76	231	307	0.8	2.9	1.7	6.7	19.4	13.2	4.8	4.8	15.8	10.3	3.9	12.5	8.2	0.4	1.3	0.9	0.9
悪性リンパ腫	288	277	565	2.9	3.5	3.1	25.4	23.3	24.3	14.5	14.5	13.0	13.6	10.6	10.1	10.3	1.2	1.1	1.1	1.1
多発性骨髄腫	70	67	137	0.7	0.8	0.8	6.2	5.6	5.9	3.1	3.1	2.6	2.8	2.2	1.9	2.0	0.3	0.2	0.2	0.2
白血病	124	94	218	1.2	1.2	1.2	10.9	7.9	9.4	7.1	7.1	4.8	5.9	6.1	4.6	5.3	0.6	0.3	0.4	0.4

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

B. 上皮内がんを含む

宮城県

2017年

部位	罹患数										部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)							
	男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1	
	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
ICD-10	11,047	9,016	20,063	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	972.4	758.9	863.3	502.3	433.5	458.6	356.8	328.6	336.9	43.2	35.3	38.9	43.2	35.3	38.9	43.2	35.3	38.9	
C00-C96 D00-D09	453	106	559	4.1	1.2	2.8	39.9	8.9	24.1	20.1	4.0	11.5	14.1	2.9	8.2	1.8	1.1	1.1	1.1	1.1	1.8	0.4	1.1	1.8	0.4	1.1	1.1	1.1	1.1	
C15 D001	2,047	1,564	3,611	18.5	17.3	18.0	180.2	131.6	155.4	99.3	60.8	79.2	71.6	43.9	57.2	8.8	6.8	6.8	6.8	6.8	8.8	5.0	6.8	8.8	5.0	6.8	8.8	5.0	6.8	
大腸(結腸・直腸) *2	1,312	1,129	2,441	11.9	12.5	12.2	115.5	95.0	105.0	61.0	40.7	50.3	43.4	28.9	35.8	5.2	4.2	4.2	4.2	5.2	3.3	4.2	5.2	3.3	4.2	5.2	3.3	4.2		
結腸 *2	735	435	1,170	6.7	4.8	5.8	64.7	36.6	50.3	38.3	20.2	28.9	28.2	15.0	21.4	3.5	2.6	2.6	2.6	3.5	1.7	2.6	3.5	1.7	2.6	3.5	1.7	2.6		
直腸 *2	1,516	761	2,277	13.7	8.4	11.3	133.5	64.1	98.0	63.9	27.1	43.8	44.6	19.2	30.9	5.5	4.0	4.0	4.0	5.5	2.5	4.0	5.5	2.5	4.0	5.5	2.5	4.0		
C33-C34 D021-D022	247	266	513	2.2	3.0	2.6	21.7	22.4	22.1	10.4	6.8	8.5	7.1	4.7	5.9	0.7	0.6	0.6	0.6	0.7	0.4	0.6	0.7	0.4	0.6	0.7	0.4	0.6		
C43-C44 D030-D049	11	2,034	2,045	0.1	22.6	10.2	1.0	171.2	88.0	0.4	122.7	62.2	0.3	94.9	47.9	0.0	5.2	5.2	5.2	0.0	10.3	5.2	0.0	10.3	5.2	0.0	10.3	5.2		
C50 D05	-	819	819	-	9.1	4.1	-	68.9	-	-	65.9	-	-	52.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
C53-C55 D06	-	528	528	-	5.9	2.6	-	44.4	-	-	47.8	-	-	38.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
C53 D06	500	168	668	4.5	1.9	3.3	44.0	14.1	28.7	21.3	5.3	12.7	14.9	3.7	8.9	1.8	1.1	1.1	1.1	1.8	0.4	1.1	1.8	0.4	1.1	1.1	1.1	1.1		
C67 D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,096	6	4	1	8	14	29	34	59	94	176	279	571	1,005	1,828	1,711	1,644	1,392	878	308	49	6	0
	口腔・咽頭	C00-C14	292	0	0	0	1	2	2	2	5	7	12	18	29	32	52	52	33	26	15	3	1	0	0
	食道	C15	417	0	0	0	0	0	0	0	0	1	3	12	25	47	95	70	70	59	24	10	1	0	0
	胃	C16	1,914	0	0	0	0	0	1	4	5	4	34	36	98	166	345	346	352	297	176	41	7	2	0
	大腸(結腸・直腸)	C18-C20	1,510	0	0	0	0	2	3	3	8	21	44	56	110	193	273	227	231	184	99	51	5	0	0
	結腸	C18	948	0	0	0	0	1	2	1	6	11	24	28	50	109	163	140	155	137	73	43	5	0	0
	直腸	C19-C20	562	0	0	0	0	1	1	2	2	10	20	28	60	84	110	87	76	47	26	8	0	0	0
	肝および肝内胆管	C22	407	0	0	0	0	0	0	0	2	1	6	16	24	45	78	63	60	61	40	10	1	0	0
	胆のう・胆管	C23-C24	252	0	0	0	0	0	0	0	2	1	2	1	3	20	39	38	50	47	34	13	1	0	0
	膵臓	C25	405	0	0	0	0	0	0	0	1	5	6	10	26	33	80	62	73	55	35	16	3	0	0
	喉頭	C32	85	0	0	0	0	0	0	0	1	0	1	0	8	18	14	15	10	10	6	1	1	0	0
	肺	C33-C34	1,513	0	0	0	0	0	0	0	3	4	19	36	68	141	284	272	235	206	170	61	12	2	0
	皮膚	C43-C44	202	0	0	0	0	1	2	1	1	4	3	4	9	12	21	34	26	40	29	11	4	0	0
	乳房	C50	11	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	2	3	1	0	0	0
	前立腺	C61	1,458	0	0	0	0	0	0	0	1	0	1	13	55	123	288	304	294	203	127	43	5	1	0
	膀胱	C67	268	0	0	0	0	0	0	0	1	0	0	4	15	21	42	44	39	42	39	18	3	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	384	0	0	0	0	0	0	2	6	11	12	18	31	42	59	67	49	40	18	8	1	0	0
	脳・中枢神経系	C70-C72	63	2	0	0	1	1	3	3	1	4	2	1	5	7	7	8	8	7	2	1	0	0	0
	甲状腺	C73	76	0	0	0	3	0	0	2	3	2	5	13	5	6	20	6	3	4	2	2	0	0	0
	悪性リンパ腫	C81-C85 C96	288	0	1	0	1	1	2	4	2	5	7	19	18	34	46	36	44	42	18	7	1	0	0
	多発性骨髄腫	C88-C90	70	0	0	0	0	0	0	0	0	2	0	1	3	11	13	12	11	5	5	0	0	0	0
	白血病	C91-C95	124	3	3	0	0	0	3	2	4	1	6	6	6	15	21	11	16	17	8	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	I0D-I0	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	7,895	9	3	4	10	15	37	86	153	266	392	414	516	718	1,057	855	940	998	809	472	127	14	0
	口腔・咽頭	C00-C14	124	0	0	0	0	0	1	1	3	2	7	3	8	12	17	14	16	15	13	9	3	0	0
	食道	C15	96	0	0	0	0	0	0	0	1	1	0	2	4	9	26	10	16	13	7	6	1	0	0
	胃	C16	853	0	0	0	0	1	2	2	5	9	13	15	40	66	120	105	137	159	115	52	10	2	0
	大腸（結腸・直腸）	C18-C20	1,298	0	0	0	1	1	0	5	13	22	26	57	74	103	161	137	178	210	179	100	27	4	0
	結腸	C18	942	0	0	0	0	1	0	2	8	12	12	31	34	75	113	102	138	169	138	81	22	4	0
	直腸	C19-C20	356	0	0	0	1	0	0	3	5	10	14	26	40	28	48	35	40	41	41	19	5	0	0
	肝および肝内胆管	C22	197	0	0	0	0	0	0	0	0	0	3	3	7	7	14	22	27	44	42	21	6	1	0
	胆のう・胆管	C23-C24	202	0	0	0	0	0	0	0	0	0	1	0	3	6	10	19	42	38	50	27	5	1	0
	膵臓	C25	391	0	0	0	0	1	1	1	0	4	3	10	17	26	45	53	63	61	63	33	10	0	0
	喉頭	C32	4	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0
	肺	C33-C34	760	0	0	0	0	0	0	1	4	7	10	18	25	69	126	129	97	128	70	56	19	1	0
	皮膚	C43-C44	208	0	0	0	0	2	0	0	1	4	1	2	3	9	15	13	25	35	46	38	12	2	0
	乳房	C50	1,758	0	0	0	0	1	7	32	54	116	192	161	162	213	267	157	151	116	70	46	13	0	0
	子宮	C53-C55	429	0	0	0	0	0	3	9	22	29	54	42	58	49	50	35	29	19	18	10	2	0	0
	子宮頸部	C53	138	0	0	0	0	0	1	5	13	12	21	10	16	10	15	13	8	5	4	5	0	0	0
	子宮体部	C54	280	0	0	0	0	0	1	4	9	16	32	31	42	38	33	22	21	13	13	4	1	0	0
	卵巢	C56	260	0	0	0	3	4	5	4	14	21	28	31	26	23	28	27	15	12	12	7	0	0	0
	膀胱	C67	102	0	0	0	0	1	0	0	0	0	2	3	3	3	5	6	14	23	24	14	3	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	175	0	0	0	0	1	1	2	2	1	5	4	9	15	22	25	23	25	27	8	4	1	0
	脳・中枢神経系	C70-C72	47	2	2	1	2	0	0	3	3	4	2	1	3	6	5	6	2	1	1	3	0	0	0
	甲状腺	C73	231	0	0	0	0	1	7	14	16	26	15	19	23	26	24	23	14	9	9	2	3	0	0
	悪性リンパ腫	C81-C85 C96	277	0	0	1	1	1	5	2	3	10	10	10	22	32	50	29	31	34	23	9	3	1	0
	多発性骨髄腫	C88-C90	67	0	0	0	0	0	0	0	0	0	3	1	5	8	13	5	13	7	8	4	0	0	0
	白血病	C91-C95	94	5	0	1	2	0	2	2	3	0	2	4	5	4	10	6	19	10	8	9	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	I0D-I0	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	C00-C96	17,991	15	7	5	18	29	66	120	212	360	568	693	1,087	1,723	2,885	2,566	2,584	2,300	1,887	780	176	20	0
	口腔・咽頭	C00-C14	416	0	0	0	1	2	3	3	8	9	19	21	37	44	69	66	49	41	28	12	4	0	0
	食道	C15	513	0	0	0	0	0	0	0	1	2	3	14	29	56	121	80	86	72	31	16	2	0	0
	胃	C16	2,767	0	0	0	0	1	3	6	10	13	47	51	138	232	465	451	489	456	291	93	17	4	0
	大腸(結腸・直腸)	C18-C20	2,808	0	0	0	1	3	3	8	21	43	70	113	184	296	434	364	409	394	278	151	32	4	0
	結腸	C18	1,890	0	0	0	0	2	2	3	14	23	36	59	84	184	276	242	293	306	211	124	27	4	0
	直腸	C19-C20	918	0	0	0	1	1	1	5	7	20	34	54	100	112	158	122	116	88	67	27	5	0	0
	肝および肝内胆管	C22	604	0	0	0	0	0	0	0	2	1	9	19	31	52	92	85	87	105	82	31	7	1	0
	胆のう・胆管	C23-C24	454	0	0	0	0	0	0	0	2	1	3	1	6	26	49	57	92	85	84	40	6	2	0
	膵臓	C25	796	0	0	0	0	1	1	1	1	9	9	20	43	59	125	115	136	116	98	49	13	0	0
	喉頭	C32	89	0	0	0	0	0	0	1	1	0	1	0	8	18	14	16	11	11	6	1	1	0	0
	肺	C33-C34	2,273	0	0	0	0	0	0	1	7	11	29	54	93	210	410	401	332	334	240	117	31	3	0
	皮膚	C43-C44	410	0	0	0	0	3	2	1	2	8	4	6	12	21	36	47	51	75	75	49	16	2	0
	乳房	C50	1,769	0	0	0	0	1	7	32	54	116	193	162	162	213	268	158	162	118	73	47	13	0	0
	子宮	C53-C55	429	0	0	0	0	0	3	9	22	29	54	42	58	49	50	35	29	19	18	10	2	0	0
	子宮頸部	C53	138	0	0	0	0	0	1	5	13	12	21	10	16	10	15	13	8	5	4	5	0	0	0
	子宮体部	C54	280	0	0	0	0	0	1	4	9	16	32	31	42	38	33	22	21	13	13	4	1	0	0
	卵巢	C56	260	0	0	0	3	4	5	4	14	21	28	31	26	23	28	27	15	12	12	7	0	0	0
	前立腺	C61	1,458	0	0	0	0	0	0	0	1	0	1	13	55	123	288	304	294	203	127	43	5	1	0
	膀胱	C67	370	0	0	0	0	1	0	0	1	0	2	7	18	24	47	50	53	65	63	32	6	1	0
	腎・尿路(膀胱除く)	C64-C66 C68	539	0	0	0	0	1	1	4	8	12	17	22	40	57	81	92	72	65	45	16	5	1	0
	脳・中枢神経系	C70-C72	110	4	2	1	3	1	3	6	4	8	4	2	8	13	12	14	10	8	3	4	0	0	0
	甲状腺	C73	307	0	0	0	3	1	7	16	19	28	20	32	28	32	44	29	17	13	11	4	3	0	0
	悪性リンパ腫	C81-C85 C96	565	0	1	1	2	2	7	6	5	15	17	29	40	66	96	65	75	76	41	16	4	1	0
	多発性骨髄腫	C88-C90	137	0	0	0	0	0	0	0	0	2	3	2	8	19	26	17	25	18	13	4	0	0	0
	白血病	C91-C95	218	8	3	1	2	0	5	4	7	1	8	10	11	19	31	17	35	27	16	11	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

B. 上皮内がんを含む

宮城県 2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	11,047	6	4	1	8	14	30	37	66	105	208	331	642	1,120	1,989	1,888	1,794	1,501	925	321	50	7	0
	食道	C15 D001	453	0	0	0	0	0	0	0	0	1	4	13	28	52	100	77	76	63	28	10	1	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	2,047	0	0	0	0	2	3	5	11	26	63	95	155	263	373	329	312	241	109	55	5	0	0
	結腸*2	C18 D010	1,312	0	0	0	0	1	2	1	8	15	37	53	73	153	234	212	210	180	82	46	5	0	0
	直腸*2	C19-C20 D011-D012	735	0	0	0	0	1	1	4	3	11	26	42	82	110	139	117	102	61	27	9	0	0	0
	肺	C33-C34 D021-D022	1,516	0	0	0	0	0	0	0	3	4	19	36	68	142	284	272	236	206	170	62	12	2	0
	皮膚	C43-C44 D030-D049	247	0	0	0	0	1	3	1	1	4	5	4	10	13	22	42	40	49	36	12	4	0	0
	乳房	C50 D05	11	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	2	3	1	0	0	0
	膀胱	C67 D090	500	0	0	0	0	0	0	0	2	4	7	10	31	49	76	87	72	70	63	24	4	1	0
女	全部位	C00-C96 D00-D09	9,016	9	3	4	10	19	67	179	253	392	491	497	583	809	1,167	942	1,027	1,089	846	485	130	14	0
	食道	C15 D001	106	0	0	0	0	0	0	0	1	1	0	4	5	9	28	11	17	16	7	6	1	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	1,564	0	0	0	1	1	1	5	17	28	36	76	94	138	205	172	219	248	191	101	27	4	0
	結腸*2	C18 D010	1,129	0	0	0	0	1	1	2	12	14	19	41	49	98	145	127	172	196	144	82	22	4	0
	直腸*2	C19-C20 D011-D012	435	0	0	0	1	0	0	3	5	14	17	35	45	40	60	45	47	52	47	19	5	0	0
	肺	C33-C34 D021-D022	761	0	0	0	0	0	0	1	4	7	10	18	25	69	127	129	97	128	70	56	19	1	0
	皮膚	C43-C44 D030-D049	266	0	0	0	0	2	0	1	1	4	1	3	3	10	19	24	30	47	57	47	15	2	0
	乳房	C50 D05	2,034	0	0	0	0	1	9	37	69	151	230	196	188	250	296	176	163	137	72	46	13	0	0
	子宮	C53-C55 D06	819	0	0	0	0	3	30	96	103	112	100	64	66	57	61	40	35	21	19	10	2	0	0
	子宮頸部	C53 D06	528	0	0	0	0	3	28	92	94	95	67	32	24	18	26	18	14	7	5	5	0	0	0
	膀胱	C67 D090	168	0	0	0	0	2	0	0	0	1	3	5	6	10	13	16	30	32	31	15	3	1	0
総数*3	全部位	C00-C96 D00-D09	20,063	15	7	5	18	33	97	216	319	497	699	828	1,225	1,929	3,156	2,830	2,821	2,590	1,771	806	180	21	0
	食道	C15 D001	559	0	0	0	0	0	0	0	1	2	4	17	33	61	128	88	93	79	35	16	2	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	3,611	0	0	0	1	3	4	10	28	54	99	171	249	401	578	501	531	489	300	156	32	4	0
	結腸*2	C18 D010	2,441	0	0	0	0	2	3	3	20	29	56	94	122	251	379	339	382	376	226	128	27	4	0
	直腸*2	C19-C20 D011-D012	1,170	0	0	0	1	1	1	7	8	25	43	77	127	150	199	162	149	113	74	28	5	0	0
	肺	C33-C34 D021-D022	2,277	0	0	0	0	0	0	1	7	11	29	54	93	211	411	401	333	334	240	118	31	3	0
	皮膚	C43-C44 D030-D049	513	0	0	0	0	3	3	2	2	8	6	7	13	23	41	66	70	96	93	59	19	2	0
	乳房	C50 D05	2,045	0	0	0	0	1	9	37	69	151	231	197	188	250	297	177	164	139	75	47	13	0	0
	子宮	C53-C55 D06	819	0	0	0	0	3	30	96	103	112	100	64	66	57	61	40	35	21	19	10	2	0	0
	子宮頸部	C53 D06	528	0	0	0	0	3	28	92	94	95	67	32	24	18	26	18	14	7	5	5	0	0	0
	膀胱	C67 D090	688	0	0	0	0	2	0	0	2	5	10	15	37	59	89	103	102	102	94	39	7	2	0

*1 総数は年齢不詳を含む

*2 粘膜炎を含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C96	888.7	13.3	8.3	2.0	14.0	21.9	46.8	50.7	78.7	110.6	217.3	387.5	771.6	1,272.2	1,987.0	2,804.9	3,223.5	3,569.2	2,743.8
	口腔・咽頭	000-C14	25.7	0.0	0.0	0.0	1.8	3.1	3.2	3.0	6.7	8.2	14.8	25.0	39.2	40.5	56.5	85.2	64.7	66.7	46.9
	食道	C15	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.7	16.7	33.8	59.5	103.3	114.8	137.3	151.3	75.0
	胃	C16	168.5	0.0	0.0	0.0	0.0	0.0	1.6	6.0	6.7	4.7	42.0	50.0	132.4	210.1	375.0	567.2	690.2	761.5	550.0
	大腸（結腸・直腸）	C18-C20	132.9	0.0	0.0	0.0	0.0	3.1	4.8	4.5	10.7	24.7	54.3	77.8	148.6	244.3	296.7	372.1	452.9	471.8	309.4
	結腸	C18	83.5	0.0	0.0	0.0	0.0	1.6	3.2	1.5	8.0	12.9	29.6	38.9	67.6	138.0	177.2	229.5	303.9	351.3	228.1
	直腸	C19-C20	49.5	0.0	0.0	0.0	0.0	1.6	1.6	3.0	2.7	11.8	24.7	38.9	81.1	106.3	119.6	142.6	149.0	120.5	81.3
	肝および肝内胆管	C22	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	7.4	22.2	32.4	57.0	84.8	103.3	117.6	156.4	125.0
	胆のう・胆管	C23-C24	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	2.5	1.4	4.1	25.3	42.4	62.3	98.0	120.5	106.3
	膵臓	C25	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.9	7.4	13.9	35.1	41.8	87.0	101.6	143.1	141.0	109.4
	喉頭	C32	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	0.0	10.8	22.8	15.2	24.6	19.6	25.6	18.8
	肺	C33-C34	133.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.7	23.5	50.0	91.9	178.5	308.7	445.9	460.8	528.2	531.3
	皮膚	C43-C44	17.8	0.0	0.0	0.0	0.0	1.6	3.2	1.5	1.3	4.7	3.7	3.7	5.6	12.2	15.2	22.8	55.7	51.0	102.6	90.6	.	.	.
	乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.0	0.0	1.1	1.6	2.0	5.1	9.4
	前立腺	C61	128.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	18.1	74.3	155.7	313.0	498.4	576.5	520.5	396.9
	膀胱	C67	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	5.6	20.3	26.6	45.7	72.1	76.5	107.7	121.9
	腎・尿路（膀胱除く）	C64-C66 C68	32.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.0	12.9	14.8	25.0	41.9	53.2	64.1	109.8	96.1	102.6	56.3
	脳・中枢神経系	C70-C72	5.5	4.4	0.0	0.0	1.8	1.6	4.8	4.5	1.3	4.7	2.5	1.4	6.8	8.9	7.6	13.1	15.7	17.9	6.3
	甲状腺	C73	6.7	0.0	0.0	0.0	5.3	0.0	0.0	3.0	4.0	2.4	6.2	18.1	6.8	7.6	21.7	9.8	5.9	10.3	6.3
	悪性リンパ腫	C81-C85 C96	25.4	0.0	2.1	0.0	1.8	1.6	3.2	6.0	2.7	5.9	8.6	26.4	24.3	43.0	50.0	59.0	86.3	107.7	56.3
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	1.4	4.1	13.9	14.1	19.7	23.5	28.2	15.6
	白血病	C91-C95	10.9	6.7	6.3	0.0	0.0	0.0	4.8	3.0	5.3	1.2	7.4	8.3	8.1	19.0	22.8	18.0	31.4	43.6	25.0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	000-C96	664.6	21.4	6.5	8.3	18.9	25.4	62.7	130.3	209.6	324.4	502.6	583.1	706.8	897.5	1,101.0	1,276.1	1,492.1	1,691.5	1,123.6				
	口腔・咽頭	000-C14	10.4	0.0	0.0	0.0	0.0	0.0	1.7	1.5	4.1	2.4	9.0	4.2	11.0	15.0	17.7	20.9	25.4	25.4	18.1				
	食道	C15	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	0.0	2.8	5.5	11.3	27.1	14.9	25.4	22.0	9.7				
	胃	C16	71.8	0.0	0.0	0.0	0.0	1.7	3.4	3.0	6.8	11.0	16.7	21.1	54.8	82.5	125.0	156.7	217.5	269.5	159.7				
	大腸（結腸・直腸）	C18-C20	109.3	0.0	0.0	0.0	1.9	1.7	0.0	7.6	17.8	26.8	33.3	80.3	101.4	128.8	167.7	204.5	282.5	355.9	248.6				
	結腸	C18	79.3	0.0	0.0	0.0	0.0	1.7	0.0	3.0	11.0	14.6	15.4	43.7	46.6	93.8	117.7	152.2	219.0	286.4	191.7				
	直腸	C19-C20	30.0	0.0	0.0	0.0	1.9	0.0	0.0	4.5	6.8	12.2	17.9	36.6	54.8	35.0	50.0	52.2	63.5	69.5	56.9				
	肝および肝内胆管	C22	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	4.2	9.6	8.8	14.6	32.8	42.9	74.6	58.3				
	胆のう・胆管	C23-C24	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	7.5	10.4	28.4	66.7	64.4	69.4				
	膵臓	C25	32.9	0.0	0.0	0.0	0.0	1.7	1.7	1.5	0.0	4.9	3.8	14.1	23.3	32.5	46.9	79.1	100.0	103.4	87.5				
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	1.7	0.0				
	肺	C33-C34	64.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	5.5	8.5	12.8	25.4	34.2	86.3	131.3	192.5	154.0	216.9	97.2				
	皮膚	C43-C44	17.5	0.0	0.0	0.0	0.0	3.4	0.0	1.4	4.9	4.9	1.3	2.8	4.1	11.3	15.6	19.4	39.7	59.3	63.9				
	乳房	C50	148.0	0.0	0.0	0.0	0.0	1.7	11.9	48.5	74.0	141.5	246.2	226.8	221.9	266.3	278.1	234.3	239.7	196.6	97.2				
	子宮	C53-C55	36.1	0.0	0.0	0.0	0.0	0.0	5.1	13.6	30.1	35.4	69.2	59.2	79.5	61.3	52.1	52.2	46.0	32.2	25.0				
	子宮頸部	C53	11.6	0.0	0.0	0.0	0.0	0.0	1.7	7.6	17.8	14.6	26.9	14.1	21.9	12.5	15.6	19.4	12.7	8.5	5.6				
	子宮体部	C54	23.6	0.0	0.0	0.0	0.0	0.0	1.7	6.1	12.3	19.5	41.0	43.7	57.5	47.5	34.4	32.8	33.3	22.0	18.1				
	卵巣	C56	21.9	0.0	0.0	0.0	5.7	6.8	8.5	6.1	19.2	25.6	35.9	43.7	35.6	28.8	29.2	40.3	23.8	20.3	16.7				
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	2.6	4.2	4.1	3.8	5.2	9.0	22.2	39.0	33.3				
	腎・尿管（膀胱除く）	C64-C66 C68	14.7	0.0	0.0	0.0	0.0	1.7	1.7	3.0	2.7	1.2	6.4	5.6	12.3	18.8	22.9	37.3	36.5	42.4	37.5				
	脳・中枢神経系	C70-C72	4.0	4.8	4.3	2.1	3.8	0.0	0.0	4.5	4.1	4.9	2.6	1.4	4.1	7.5	5.2	9.0	3.2	1.7	1.4				
	甲状腺	C73	19.4	0.0	0.0	0.0	0.0	1.7	11.9	21.2	21.9	31.7	19.2	26.8	31.5	32.5	25.0	34.3	22.2	15.3	12.5				
	悪性リンパ腫	C81-C85 C96	23.3	0.0	0.0	2.1	1.9	1.7	8.5	3.0	4.1	12.2	12.8	14.1	30.1	40.0	52.1	43.3	49.2	57.6	31.9				
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	1.4	6.8	10.0	13.5	7.5	20.6	11.9	11.1				
	白血病	C91-C95	7.9	11.9	0.0	2.1	3.8	0.0	3.4	3.0	4.1	0.0	2.6	5.6	6.8	5.0	10.4	9.0	30.2	16.9	11.1				

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	774.1	17.2	7.4	5.1	16.4	23.6	54.5	90.2	143.2	215.6	357.2	484.6	739.5	1,083.6	1,534.6	2,004.7	2,266.7	2,438.8	1,622.1				
	口腔・咽頭	C00-C14	17.9	0.0	0.0	0.0	0.9	1.6	2.5	2.3	5.4	5.4	11.9	14.7	25.2	27.7	36.7	51.6	43.0	41.8	26.9				
	食道	C15	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	1.9	9.8	19.7	35.2	64.4	62.5	75.4	73.5	29.8				
	胃	C16	119.1	0.0	0.0	0.0	0.0	0.8	2.5	4.5	6.8	7.8	29.6	35.7	93.9	145.9	247.3	352.3	428.9	465.3	279.8				
	大腸（結腸・直腸）	C18-C20	120.8	0.0	0.0	0.0	0.9	2.4	2.5	6.0	14.2	25.7	44.0	79.0	125.2	186.2	230.9	284.4	358.8	402.0	267.3				
	結腸	C18	81.3	0.0	0.0	0.0	0.0	1.6	1.7	2.3	9.5	13.8	22.6	41.3	57.1	115.7	146.8	189.1	257.0	312.2	202.9				
	直腸	C19-C20	39.5	0.0	0.0	0.0	0.9	0.8	0.8	3.8	4.7	12.0	21.4	37.8	68.0	70.4	84.0	95.3	101.8	89.8	64.4				
	肝および肝内胆管	C22	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	5.7	13.3	21.1	32.7	48.9	66.4	76.3	107.1	78.8				
	胆のう・胆管	C23-C24	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	1.9	0.7	4.1	16.4	26.1	44.5	80.7	86.7	80.8				
	膵臓	C25	34.3	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.7	5.4	5.7	14.0	29.3	37.1	66.5	89.8	119.3	118.4	94.2				
	喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.0	0.6	0.0	5.4	11.3	7.4	12.5	9.6	11.2	5.8				
	肺	C33-C34	97.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.7	6.6	18.2	37.8	63.3	132.1	218.1	313.3	291.2	340.8	230.8				
	皮膚	C43-C44	17.6	0.0	0.0	0.0	0.0	2.4	1.7	0.8	1.4	4.8	2.5	4.2	8.2	13.2	19.1	36.7	44.7	76.5	72.1				
	乳房	C50	76.1	0.0	0.0	0.0	0.0	0.8	5.8	24.1	36.5	69.5	121.4	113.3	110.2	134.0	142.6	123.4	133.3	120.4	70.2				
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
	膀胱	C67	15.9	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.7	0.0	1.3	4.9	12.2	15.1	25.0	39.1	46.5	66.3	60.6				
	腎・尿路（膀胱除く）	C64-C66 C68	23.2	0.0	0.0	0.0	0.0	0.8	0.8	3.0	5.4	7.2	10.7	15.4	27.2	35.8	43.1	71.9	63.2	66.3	43.3				
	脳・中枢神経系	C70-C72	4.7	4.6	2.1	1.0	2.7	0.8	2.5	4.5	2.7	4.8	2.5	1.4	5.4	8.2	6.4	10.9	8.8	8.2	2.9				
	甲状腺	C73	13.2	0.0	0.0	0.0	2.7	0.8	5.8	12.0	12.8	16.8	12.6	22.4	19.0	20.1	23.4	22.7	14.9	13.3	10.6				
	悪性リンパ腫	C81-C85 C96	24.3	0.0	1.1	1.0	1.8	1.6	5.8	4.5	3.4	9.0	10.7	20.3	27.2	41.5	51.1	50.8	65.8	77.6	39.4				
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.9	1.4	5.4	11.9	13.8	13.3	21.9	18.4	12.5				
	白血病	C91-C95	9.4	9.2	3.2	1.0	1.8	0.0	4.1	3.0	4.7	0.6	5.0	7.0	7.5	11.9	16.5	13.3	30.7	27.6	15.4				

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-C96 D00-D09	972.4	13.3	8.3	2.0	14.0	21.9	48.4	55.2	88.0	123.5	256.8	459.7	867.6	1,417.7	2,162.0	3,095.1	3,517.6	3,848.7	2,890.6	
	食道	C15 D001	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.9	18.1	37.8	65.8	108.7	126.2	149.0	161.5	87.5	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	180.2	0.0	0.0	0.0	0.0	3.1	4.8	7.5	14.7	30.6	77.8	131.9	209.5	332.9	405.4	539.3	611.8	617.9	340.6	
	結腸 *2	C18 D010	115.5	0.0	0.0	0.0	0.0	1.6	3.2	1.5	10.7	17.6	45.7	73.6	98.6	183.7	254.3	347.5	411.8	461.5	256.3	
	直腸 *2	C19-C20 D011-D012	64.7	0.0	0.0	0.0	0.0	1.6	1.6	6.0	4.0	12.9	32.1	58.3	110.8	139.2	151.1	191.8	200.0	156.4	84.4	
	肺	C33-C34 D021-D022	133.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.7	23.5	50.0	91.9	179.7	308.7	445.9	462.7	528.2	531.3	.	.	.	
	皮膚	C43-C44 D030-D049	21.7	0.0	0.0	0.0	0.0	0.0	1.6	4.8	1.5	1.3	4.7	6.2	5.6	13.5	16.5	23.9	68.9	78.4	125.6	112.5	.	.	.	
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.0	0.0	1.1	1.6	2.0	5.1	9.4	.	.	.	
	膀胱	C67 D090	44.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.7	8.6	13.9	41.9	62.0	82.6	142.6	141.2	179.5	196.9	.	.	.	
	女	全部位	000-C96 D00-D09	758.9	21.4	6.5	8.3	18.9	32.2	113.6	271.2	346.6	478.0	629.5	700.0	798.6	1,011.3	1,215.6	1,406.0	1,630.2	1,845.8	1,175.0
		食道	C15 D001	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	0.0	0.0	5.6	6.8	11.3	29.2	16.4	27.0	27.1	9.7	.	.	.
		大腸 (結腸・直腸) *2	C18-C20 D010-D012	131.6	0.0	0.0	0.0	1.9	1.7	7.6	23.3	34.1	46.2	107.0	128.8	172.5	213.5	256.7	347.6	420.3	265.3
		結腸 *2	C18 D010	95.0	0.0	0.0	0.0	0.0	1.7	3.0	16.4	17.1	24.4	57.7	67.1	122.5	151.0	189.6	273.0	332.2	200.0
		直腸 *2	C19-C20 D011-D012	36.6	0.0	0.0	0.0	1.9	0.0	0.0	4.5	6.8	17.1	21.8	49.3	61.6	50.0	62.5	67.2	74.6	88.1	65.3
		肺	C33-C34 D021-D022	64.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	5.5	8.5	12.8	25.4	34.2	86.3	132.3	192.5	154.0	216.9	97.2
		皮膚	C43-C44 D030-D049	22.4	0.0	0.0	0.0	0.0	0.0	3.4	0.0	1.5	1.4	4.9	1.3	4.2	4.1	12.5	19.8	35.8	47.6	79.7	79.2	.	.	.
		乳房	C50 D05	171.2	0.0	0.0	0.0	0.0	0.0	1.7	15.3	56.1	94.5	184.1	294.9	276.1	257.5	312.5	308.3	262.7	258.7	232.2	100.0	.	.	.
子宮		C53-C55 D06	68.9	0.0	0.0	0.0	0.0	0.0	5.1	50.8	145.5	141.1	136.6	128.2	90.1	90.4	71.3	63.5	59.7	55.6	35.6	26.4	.	.	.	
子宮頸部		C53 D06	44.4	0.0	0.0	0.0	0.0	0.0	5.1	47.5	139.4	128.8	115.9	85.9	45.1	32.9	22.5	27.1	26.9	22.2	11.9	6.9	.	.	.	
膀胱		C67 D090	14.1	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	1.2	3.8	7.0	8.2	12.5	13.5	23.9	47.6	54.2	43.1	
総数 *3 全部位		000-C96 D00-D09	863.3	17.2	7.4	5.1	16.4	26.8	80.2	162.4	215.5	297.6	439.6	579.0	833.3	1,213.2	1,678.7	2,210.9	2,474.6	2,642.9	1,702.9	
食道		C15 D001	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	2.5	11.9	22.4	38.4	68.1	68.8	81.6	80.6	33.7	
大腸 (結腸・直腸) *2		C18-C20 D010-D012	155.4	0.0	0.0	0.0	0.9	2.4	3.3	7.5	18.9	32.3	62.3	119.6	169.4	252.2	307.4	391.4	465.8	499.0	288.5	
結腸 *2		C18 D010	105.0	0.0	0.0	0.0	0.0	1.6	2.5	2.3	13.5	17.4	35.2	65.7	83.0	157.9	201.6	264.8	335.1	383.7	217.3	
直腸 *2		C19-C20 D011-D012	50.3	0.0	0.0	0.0	0.9	0.8	0.8	5.3	5.4	15.0	27.0	53.8	86.4	94.3	105.9	126.6	130.7	115.3	71.2	
肺		C33-C34 D021-D022	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.7	6.6	18.2	37.8	63.3	132.7	218.6	313.3	292.1	340.8	230.8	
皮膚	C43-C44 D030-D049	22.1	0.0	0.0	0.0	0.0	2.4	2.5	1.5	1.4	4.8	3.8	4.9	8.8	14.5	21.8	51.6	61.4	98.0	89.4		
乳房	C50 D05	88.0	0.0	0.0	0.0	0.0	0.8	7.4	27.8	46.6	90.4	145.3	137.8	127.9	157.2	158.0	138.3	143.9	141.8	72.1		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	28.7	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	3.0	6.3	10.5	25.2	37.1	47.3	80.5	89.5	104.1	90.4		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C96	888.7	13.3	8.3	2.0	14.0	21.9	46.8	50.7	78.7	110.6	217.3	387.5	771.6	1,272.2	1,987.0	2,804.9	3,223.5	3,569.2	3,878.1	・
	口腔・咽頭	000-C14	25.7	0.0	0.0	0.0	1.8	3.1	3.2	3.0	6.7	8.2	14.8	25.0	39.2	40.5	56.5	85.2	64.7	66.7	59.4	・
	食道	C15	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.7	16.7	33.8	59.5	103.3	114.8	137.3	151.3	109.4	・
	胃	C16	168.5	0.0	0.0	0.0	0.0	0.0	1.6	6.0	6.7	4.7	42.0	50.0	132.4	210.1	375.0	567.2	690.2	761.5	706.3	・
	大腸（結腸・直腸）	C18-C20	132.9	0.0	0.0	0.0	0.0	3.1	4.8	4.5	10.7	24.7	54.3	77.8	148.6	244.3	296.7	372.1	452.9	471.8	484.4	・
	結腸	C18	83.5	0.0	0.0	0.0	0.0	1.6	3.2	1.5	8.0	12.9	29.6	38.9	67.6	138.0	177.2	229.5	303.9	351.3	378.1	・
	直腸	C19-C20	49.5	0.0	0.0	0.0	0.0	1.6	1.6	3.0	2.7	11.8	24.7	38.9	81.1	106.3	119.6	142.6	149.0	120.5	106.3	・
	肝および肝内胆管	C22	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	7.4	22.2	32.4	57.0	84.8	103.3	117.6	156.4	159.4	・
	胆のう・胆管	C23-C24	22.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	2.5	1.4	4.1	25.3	42.4	62.3	98.0	120.5	153.1	・
	膵臓	C25	35.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.9	7.4	13.9	35.1	41.8	87.0	101.6	143.1	141.0	168.8	・
	喉頭	C32	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	0.0	10.8	22.8	15.2	24.6	19.6	25.6	25.0	・
	肺	C33-C34	133.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.7	23.5	50.0	91.9	178.5	308.7	445.9	460.8	528.2	765.6	・
	皮膚	C43-C44	17.8	0.0	0.0	0.0	0.0	1.6	3.2	1.5	1.3	4.7	3.7	5.6	12.2	15.2	22.8	55.7	51.0	102.6	137.5	・
	乳房	C50	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.0	0.0	1.1	1.6	2.0	5.1	12.5	・
	前立腺	C61	128.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	18.1	74.3	155.7	313.0	498.4	576.5	520.5	550.0	・
	膀胱	C67	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	5.6	20.3	26.6	45.7	72.1	76.5	107.7	187.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	32.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.0	12.9	14.8	25.0	41.9	53.2	64.1	109.8	96.1	102.6	84.4	・
	脳・中枢神経系	C70-C72	5.5	4.4	0.0	0.0	1.8	1.6	4.8	4.5	1.3	4.7	2.5	1.4	6.8	8.9	7.6	13.1	15.7	17.9	9.4	・
	甲状腺	C73	6.7	0.0	0.0	0.0	5.3	0.0	0.0	3.0	4.0	2.4	6.2	18.1	6.8	7.6	21.7	9.8	5.9	10.3	12.5	・
	悪性リンパ腫	C81-C85 C96	25.4	0.0	2.1	0.0	1.8	1.6	3.2	6.0	2.7	5.9	8.6	26.4	24.3	43.0	50.0	59.0	86.3	107.7	81.3	・
	多発性骨髄腫	C88-C90	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	1.4	4.1	13.9	14.1	19.7	23.5	28.2	15.6	・
	白血病	C91-C95	10.9	6.7	6.3	0.0	0.0	0.0	4.8	3.0	5.3	1.2	7.4	8.3	8.1	19.0	22.8	18.0	31.4	43.6	31.3	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	664.6	21.4	6.5	8.3	18.9	25.4	62.7	130.3	209.6	324.4	502.6	583.1	706.8	897.5	1,101.0	1,276.1	1,492.1	1,691.5	1,975.0	・
	口腔・咽頭	C00-C14	10.4	0.0	0.0	0.0	0.0	0.0	1.7	1.5	4.1	2.4	9.0	4.2	11.0	15.0	17.7	20.9	25.4	25.4	34.7	・
	食道	C15	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	0.0	2.8	5.5	11.3	27.1	14.9	25.4	22.0	19.4	・
	胃	C16	71.8	0.0	0.0	0.0	0.0	1.7	3.4	3.0	6.8	11.0	16.7	21.1	54.8	82.5	125.0	156.7	217.5	269.5	248.6	・
	大腸（結腸・直腸）	C18-C20	109.3	0.0	0.0	0.0	1.9	1.7	0.0	7.6	17.8	26.8	33.3	80.3	101.4	128.8	167.7	204.5	282.5	355.9	430.6	・
	結腸	C18	79.3	0.0	0.0	0.0	0.0	1.7	0.0	3.0	11.0	14.6	15.4	43.7	46.6	93.8	117.7	152.2	219.0	286.4	340.3	・
	直腸	C19-C20	30.0	0.0	0.0	0.0	1.9	0.0	0.0	4.5	6.8	12.2	17.9	36.6	54.8	35.0	50.0	52.2	63.5	69.5	90.3	・
	肝および肝内胆管	C22	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	4.2	9.6	8.8	14.6	32.8	42.9	74.6	97.2	・
	胆のう・胆管	C23-C24	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	7.5	10.4	28.4	66.7	64.4	115.3	・
	膵臓	C25	32.9	0.0	0.0	0.0	0.0	1.7	1.7	1.5	0.0	4.9	3.8	14.1	23.3	32.5	46.9	79.1	100.0	103.4	147.2	・
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.6	1.7	0.0	・
	肺	C33-C34	64.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	5.5	8.5	12.8	25.4	34.2	86.3	131.3	192.5	154.0	216.9	202.8	・
	皮膚	C43-C44	17.5	0.0	0.0	0.0	0.0	3.4	0.0	0.0	1.4	4.9	1.3	2.8	4.1	11.3	15.6	19.4	39.7	59.3	136.1	・
	乳房	C50	148.0	0.0	0.0	0.0	0.0	1.7	11.9	48.5	74.0	141.5	246.2	226.8	221.9	266.3	278.1	234.3	239.7	196.6	179.2	・
	子宮	C53-C55	36.1	0.0	0.0	0.0	0.0	0.0	5.1	13.6	30.1	35.4	69.2	59.2	79.5	61.3	52.1	52.2	46.0	32.2	41.7	・
	子宮頸部	C53	11.6	0.0	0.0	0.0	0.0	0.0	1.7	7.6	17.8	14.6	26.9	14.1	21.9	12.5	15.6	19.4	12.7	8.5	12.5	・
	子宮体部	C54	23.6	0.0	0.0	0.0	0.0	0.0	1.7	6.1	12.3	19.5	41.0	43.7	57.5	47.5	34.4	32.8	33.3	22.0	25.0	・
	卵巣	C56	21.9	0.0	0.0	0.0	5.7	6.8	8.5	6.1	19.2	25.6	35.9	43.7	35.6	28.8	29.2	40.3	23.8	20.3	26.4	・
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	2.6	4.2	4.1	3.8	5.2	9.0	22.2	39.0	58.3	・
	腎・尿管（膀胱除く）	C64-C66 C68	14.7	0.0	0.0	0.0	0.0	1.7	1.7	3.0	2.7	1.2	6.4	5.6	12.3	18.8	22.9	37.3	36.5	42.4	55.6	・
	脳・中枢神経系	C70-C72	4.0	4.8	4.3	2.1	3.8	0.0	0.0	4.5	4.1	4.9	2.6	1.4	4.1	7.5	5.2	9.0	3.2	1.7	5.6	・
	甲状腺	C73	19.4	0.0	0.0	0.0	0.0	1.7	11.9	21.2	21.9	31.7	19.2	26.8	31.5	32.5	25.0	34.3	22.2	15.3	19.4	・
	悪性リンパ腫	C81-C85 C96	23.3	0.0	0.0	2.1	1.9	1.7	8.5	3.0	4.1	12.2	12.8	14.1	30.1	40.0	52.1	43.3	49.2	57.6	50.0	・
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	1.4	6.8	10.0	13.5	7.5	20.6	11.9	16.7	・
	白血病	C91-C95	7.9	11.9	0.0	2.1	3.8	0.0	3.4	3.0	4.1	0.0	2.6	5.6	6.8	5.0	10.4	9.0	30.2	16.9	26.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	C00-C96	774.1	17.2	7.4	5.1	16.4	23.6	54.5	90.2	143.2	215.6	357.2	484.6	739.5	1,093.6	1,534.6	2,004.7	2,266.7	2,438.8	2,560.6	・
	口腔・咽頭	C00-C14	17.9	0.0	0.0	0.0	0.9	1.6	2.5	2.3	5.4	5.4	11.9	14.7	25.2	27.7	36.7	51.6	43.0	41.8	42.3	・
	食道	C15	22.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	1.9	9.8	19.7	35.2	64.4	62.5	75.4	73.5	47.1	・
	胃	C16	119.1	0.0	0.0	0.0	0.0	0.8	2.5	4.5	6.8	7.8	29.6	35.7	93.9	145.9	247.3	352.3	428.9	465.3	389.4	・
	大腸（結腸・直腸）	C18-C20	120.8	0.0	0.0	0.0	0.9	2.4	2.5	6.0	14.2	25.7	44.0	79.0	125.2	186.2	230.9	284.4	358.8	402.0	447.1	・
	結腸	C18	81.3	0.0	0.0	0.0	0.0	1.6	1.7	2.3	9.5	13.8	22.6	41.3	57.1	115.7	146.8	189.1	257.0	312.2	351.9	・
	直腸	C19-C20	39.5	0.0	0.0	0.0	0.9	0.8	0.8	3.8	4.7	12.0	21.4	37.8	68.0	70.4	84.0	95.3	101.8	89.8	95.2	・
	肝および肝内胆管	C22	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	5.7	13.3	21.1	32.7	48.9	66.4	76.3	107.1	116.3	・
	胆のう・胆管	C23-C24	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.6	1.9	0.7	4.1	16.4	26.1	44.5	80.7	86.7	126.9	・
	膵臓	C25	34.3	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.7	5.4	5.7	14.0	29.3	37.1	66.5	89.8	119.3	118.4	153.8	・
	喉頭	C32	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.0	0.6	0.0	5.4	11.3	7.4	12.5	9.6	11.2	7.7	・
	肺	C33-C34	97.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.7	6.6	18.2	37.8	63.3	132.1	218.1	313.3	291.2	340.8	376.0	・
	皮膚	C43-C44	17.6	0.0	0.0	0.0	0.0	2.4	1.7	0.8	1.4	4.8	2.5	4.2	8.2	13.2	19.1	36.7	44.7	76.5	136.5	・
	乳房	C50	76.1	0.0	0.0	0.0	0.0	0.8	5.8	24.1	36.5	69.5	121.4	113.3	110.2	134.0	142.6	123.4	133.3	120.4	127.9	・
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	15.9	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.7	0.0	1.3	4.9	12.2	15.1	25.0	39.1	46.5	66.3	98.1	・
	腎・尿管（膀胱除く）	C64-C66 C68	23.2	0.0	0.0	0.0	0.0	0.8	0.8	3.0	5.4	7.2	10.7	15.4	27.2	35.8	43.1	71.9	63.2	66.3	64.4	・
	脳・中枢神経系	C70-C72	4.7	4.6	2.1	1.0	2.7	0.8	2.5	4.5	2.7	4.8	2.5	1.4	5.4	8.2	6.4	10.9	8.8	8.2	6.7	・
	甲状腺	C73	13.2	0.0	0.0	0.0	2.7	0.8	5.8	12.0	12.8	16.8	12.6	22.4	19.0	20.1	23.4	22.7	14.9	13.3	17.3	・
	悪性リンパ腫	C81-C85 C96	24.3	0.0	1.1	1.0	1.8	1.6	5.8	4.5	3.4	9.0	10.7	20.3	27.2	41.5	51.1	50.8	65.8	77.6	59.6	・
	多発性骨髄腫	C88-C90	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.9	1.4	5.4	11.9	13.8	13.3	21.9	18.4	16.3	・
	白血病	C91-C95	9.4	9.2	3.2	1.0	1.8	0.0	4.1	3.0	4.7	0.6	5.0	7.0	7.5	11.9	16.5	13.3	30.7	27.6	27.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県 2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-C96 D00-D09	972.4	13.3	8.3	2.0	14.0	21.9	48.4	55.2	88.0	123.5	256.8	459.7	867.6	1,417.7	2,162.0	3,095.1	3,517.6	3,848.7	4,071.9	・	
	食道	C15 D001	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.9	18.1	37.8	65.8	108.7	126.2	149.0	161.5	121.9	・	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	180.2	0.0	0.0	0.0	0.0	3.1	4.8	7.5	14.7	30.6	77.8	131.9	209.5	332.9	405.4	539.3	611.8	617.9	528.1	・	
	結腸 *2	C18 D010	115.5	0.0	0.0	0.0	0.0	1.6	3.2	1.5	10.7	17.6	45.7	73.6	98.6	193.7	254.3	347.5	411.8	461.5	415.6	・	
	直腸 *2	C19-C20 D011-D012	64.7	0.0	0.0	0.0	0.0	1.6	1.6	6.0	4.0	12.9	32.1	58.3	110.8	139.2	151.1	191.8	200.0	156.4	112.5	・	
	肺	C33-C34 D021-D022	133.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.7	23.5	50.0	179.7	308.7	445.9	462.7	528.2	768.8	・	
	皮膚	C43-C44 D030-D049	21.7	0.0	0.0	0.0	0.0	1.6	4.8	1.5	1.3	4.7	4.7	6.2	5.6	13.5	16.5	23.9	68.9	78.4	125.6	162.5	・
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.0	0.0	1.1	1.6	2.0	5.1	12.5	・
	膀胱	C67 D090	44.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	4.7	8.6	13.9	41.9	62.0	142.6	141.2	179.5	287.5	・	
	全部位	000-C96 D00-D09	758.9	21.4	6.5	8.3	18.9	32.2	113.6	271.2	346.6	478.0	629.5	700.0	798.6	1,011.3	1,215.6	1,406.0	1,630.2	1,845.8	2,048.6	・	
	食道	C15 D001	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	0.0	5.6	6.8	11.3	29.2	16.4	27.0	27.1	19.4	・
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	131.6	0.0	0.0	0.0	1.9	1.7	7.6	7.6	23.3	34.1	46.2	107.0	128.8	172.5	213.5	256.7	347.6	420.3	448.6	・	
	結腸 *2	C18 D010	95.0	0.0	0.0	0.0	0.0	1.7	1.7	3.0	16.4	17.1	24.4	57.7	67.1	122.5	151.0	189.6	273.0	332.2	350.0	・	
	直腸 *2	C19-C20 D011-D012	36.6	0.0	0.0	0.0	1.9	0.0	0.0	4.5	6.8	17.1	21.8	49.3	61.6	50.0	62.5	67.2	74.6	88.1	98.6	・	
	肺	C33-C34 D021-D022	64.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	5.5	8.5	8.5	12.8	25.4	34.2	86.3	132.3	192.5	154.0	216.9	202.8	・
	皮膚	C43-C44 D030-D049	22.4	0.0	0.0	0.0	0.0	3.4	0.0	1.5	1.4	4.9	4.9	1.3	4.2	4.1	12.5	19.8	35.8	47.6	79.7	168.1	・
	乳房	C50 D05	171.2	0.0	0.0	0.0	0.0	1.7	15.3	56.1	94.5	184.1	294.9	276.1	257.5	312.5	308.3	262.7	258.7	232.2	181.9	・	
子宮	C53-C55 D06	68.9	0.0	0.0	0.0	0.0	5.1	50.8	145.5	141.1	136.6	128.2	90.1	90.4	71.3	63.5	59.7	55.6	35.6	43.1	・		
子宮頸部	C53 D06	44.4	0.0	0.0	0.0	0.0	5.1	47.5	139.4	128.8	115.9	85.9	45.1	32.9	22.5	27.1	26.9	22.2	11.9	13.9	・		
膀胱	C67 D090	14.1	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	1.2	3.8	7.0	8.2	12.5	13.5	23.9	47.6	54.2	69.4	・		
総数 *3 全部位	000-C96 D00-D09	863.3	17.2	7.4	5.1	16.4	26.8	80.2	162.4	215.5	297.6	439.6	579.0	833.3	1,213.2	1,678.7	2,210.9	2,474.6	2,642.9	2,671.2	・		
食道	C15 D001	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	1.2	2.5	11.9	22.4	38.4	68.1	68.8	81.6	80.6	51.0	・	
大腸 (結腸・直腸) *2	C18-C20 D010-D012	155.4	0.0	0.0	0.0	0.9	2.4	3.3	7.5	18.9	32.3	46.2	119.6	169.4	252.2	307.4	391.4	465.8	499.0	473.1	・		
結腸 *2	C18 D010	105.0	0.0	0.0	0.0	0.0	1.6	2.5	2.3	13.5	17.4	35.2	65.7	83.0	157.9	201.6	264.8	335.1	383.7	370.2	・		
直腸 *2	C19-C20 D011-D012	50.3	0.0	0.0	0.0	0.9	0.8	0.8	5.3	5.4	15.0	27.0	53.8	86.4	94.3	105.9	126.6	130.7	115.3	102.9	・		
肺	C33-C34 D021-D022	98.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.7	6.6	18.2	37.8	63.3	132.7	218.6	313.3	292.1	340.8	376.9	・		
皮膚	C43-C44 D030-D049	22.1	0.0	0.0	0.0	0.0	2.4	2.5	1.5	1.4	4.8	4.8	3.8	4.9	8.8	14.5	21.8	51.6	61.4	98.0	166.3	・	
乳房	C50 D05	88.0	0.0	0.0	0.0	0.0	0.8	7.4	27.8	46.6	90.4	145.3	137.8	127.9	157.2	158.0	138.3	143.9	141.8	129.8	・		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
膀胱	C67 D090	28.7	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	3.0	6.3	10.5	25.2	37.1	47.3	80.5	89.5	104.1	136.5	・		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

宮城県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	17,758	18.8	32.5	0.1	45.3	3.3
口腔・咽頭	C00-C14	415	3.6	21.9	0.0	71.6	2.9
食道	C15	510	15.3	41.2	0.2	42.2	1.2
胃	C16	2,750	24.5	38.1	0.1	35.4	1.8
大腸 (結腸・直腸)	C18-C20	2,775	23.4	24.9	0.1	49.8	1.8
結腸	C18	1,863	23.5	27.8	0.1	46.8	1.9
直腸	C19-C20	912	23.2	19.1	0.1	55.9	1.6
肝および肝内胆管	C22	592	3.4	61.5	0.3	31.3	3.5
胆のう・胆管	C23-C24	441	5.0	38.8	0.0	54.6	1.6
膵臓	C25	780	7.2	37.1	0.1	54.2	1.4
喉頭	C32	89	2.2	18.0	0.0	76.4	3.4
肺	C33-C34	2,226	22.6	41.9	0.0	33.4	2.2
皮膚	C43-C44	408	0.5	11.0	0.0	88.0	0.5
乳房	C50	1,763	29.2	15.3	0.0	47.8	7.7
乳房 (女性のみ)	C50	1,752	29.4	15.3	0.0	47.5	7.8
子宮	C53-C55	423	11.8	19.6	0.0	64.8	3.8
子宮頸部	C53	136	15.4	22.8	0.0	57.4	4.4
子宮体部	C54	279	10.4	18.6	0.0	67.7	3.2
卵巣	C56	257	13.6	26.5	0.0	58.0	1.9
前立腺	C61	1,439	32.2	36.2	0.1	22.8	8.7
膀胱	C67	361	4.4	29.9	0.0	61.5	4.2
腎・尿路 (膀胱除く)	C64-C66 C68	531	12.4	47.6	0.0	35.2	4.7
脳・中枢神経系	C70-C72	109	2.8	13.8	0.0	81.7	1.8
甲状腺	C73	306	21.6	46.4	0.3	27.5	4.2
悪性リンパ腫	C81-C85 C96	558	7.2	30.5	0.0	61.3	1.1
多発性骨髄腫	C88-C90	134	5.2	44.8	0.0	46.3	3.7
白血病	C91-C95	212	9.0	35.4	0.0	52.4	3.3

*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

宮城県 2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	19,830	20.5	32.8	0.1	43.5	3.1
食道	C15 D001	556	16.0	42.4	0.2	40.3	1.1
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,578	27.6	27.7	0.1	43.0	1.7
結腸 *2	C18 D010	2,414	27.9	29.8	0.0	40.5	1.7
直腸 *2	C19-C20 D011-D012	1,164	27.0	23.2	0.1	48.1	1.6
肺	C33-C34 D021-D022	2,230	22.6	41.9	0.0	33.4	2.2
皮膚	C43-C44 D030-D049	511	0.4	12.5	0.0	86.7	0.4
乳房	C50 D05	2,039	30.8	17.3	0.0	44.8	7.2
乳房 (女性のみ)	C50 D05	2,028	30.9	17.3	0.0	44.6	7.2
子宮	C53-C55 D06	813	32.3	26.3	0.0	39.1	2.2
子宮頸部	C53 D06	526	44.5	30.8	0.0	23.2	1.5
膀胱	C67 D090	659	7.0	32.9	0.0	57.4	2.7

*1 DC0を除く総数

*2 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,411	49.0	9.7	13.4	18.0	9.9	23.1
口腔・咽頭	C00-C14	415	41.2	11.8	34.9	5.5	6.5	46.7
食道	C15	510	44.1	8.8	24.3	17.6	4.9	33.1
胃	C16	2,750	66.5	8.0	6.0	13.7	5.9	14.0
大腸 (結腸・直腸)	C18-C20	2,775	48.6	18.1	9.1	17.4	6.9	27.1
結腸	C18	1,863	48.3	16.9	9.9	17.5	7.4	26.8
直腸	C19-C20	912	49.2	20.4	7.3	17.1	5.9	27.7
肝および肝内胆管	C22	592	60.0	2.7	10.0	11.5	15.9	12.7
胆のう・胆管	C23-C24	441	21.3	3.2	38.5	23.4	13.6	41.7
膵臓	C25	780	13.1	4.0	28.8	46.7	7.4	32.8
喉頭	C32	89	71.9	6.7	12.4	2.2	6.7	19.1
肺	C33-C34	2,226	35.4	8.8	8.5	38.1	9.1	17.3
皮膚	C43-C44	408	88.2	1.5	6.1	0.2	3.9	7.6
乳房 (女性のみ)	C50	1,763	58.9	22.4	2.7	5.2	10.8	25.1
乳房	C50	1,752	58.9	22.4	2.6	5.2	10.8	25.0
子宮	C53-C55	423	55.1	3.8	21.5	11.8	7.8	25.3
子宮頸部	C53	136	36.8	5.1	38.2	9.6	10.3	43.4
子宮体部	C54	279	65.2	3.2	13.6	12.9	5.0	16.8
卵巣	C56	257	35.8	1.2	42.0	14.4	6.2	43.2
前立腺	C61	1,439	53.5	0.8	15.3	12.6	17.8	16.1
膀胱	C67	361	63.4	2.5	11.9	5.5	16.1	14.4
腎・尿路 (膀胱除く)	C64-C66 C68	531	58.4	3.6	16.6	12.2	9.2	20.2
脳・中枢神経系	C70-C72	109	59.6	0.0	23.9	2.8	13.8	23.9
甲状腺	C73	306	35.6	43.5	7.5	4.9	8.5	51.0
悪性リンパ腫	C81-C85 C96	554	28.3	0.7	18.4	39.5	13.0	19.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,483	10.1	44.1	8.7	12.0	16.1	9.1	20.7
食道	C15 D001	556	8.1	40.5	8.1	22.3	16.2	4.9	30.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,578	22.3	37.7	14.0	7.0	13.5	5.4	21.0
結腸 *3	C18 D010	2,414	22.7	37.3	13.0	7.7	13.5	5.8	20.7
直腸 *3	C19-C20 D011-D012	1,164	21.6	38.6	16.0	5.8	13.4	4.7	21.7
肺	C33-C34 D021-D022	2,230	0.1	35.4	8.8	8.5	38.1	9.1	17.3
皮膚	C43-C44 D030-D049	511	20.2	70.5	1.2	4.9	0.2	3.1	6.1
乳房 (女性のみ)	C50 D05	2,039	12.9	51.0	19.4	2.3	4.5	9.9	21.7
乳房	C50 D05	2,028	13.0	50.9	19.3	2.3	4.5	10.0	21.6
子宮	C53-C55 D06	813	47.7	28.7	2.0	11.2	6.2	4.3	13.2
子宮頸部	C53 D06	526	73.8	9.5	1.3	9.9	2.5	3.0	11.2
膀胱	C67 D090	659	42.9	35.1	1.4	6.5	3.0	11.1	7.9

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

宮城県

2017年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,411	1.1	48.5	7.7	12.2	17.3	13.1	19.9
口腔・咽頭	C00-C14	415	0.5	36.1	12.0	36.4	5.5	9.4	48.4
食道	C15	510	4.9	39.2	9.0	24.1	17.3	5.5	33.1
胃	C16	2,750	0.1	67.5	7.1	5.0	12.6	7.8	12.0
大腸 (結腸・直腸)	C18-C20	2,775	1.5	42.8	15.9	10.5	16.1	13.2	26.3
結腸	C18	1,863	1.4	41.9	14.8	11.3	16.0	14.5	26.1
直腸	C19-C20	912	1.8	44.7	18.1	8.7	16.4	10.3	26.8
肝および肝内胆管	C22	592	0.0	59.6	2.5	9.1	11.3	17.4	11.7
胆のう・胆管	C23-C24	441	0.2	21.5	3.6	34.0	22.2	18.4	37.6
膵臓	C25	780	0.3	14.4	2.6	27.6	45.3	10.0	30.1
喉頭	C32	89	2.2	67.4	7.9	11.2	2.2	9.0	19.1
肺	C33-C34	2,226	0.1	36.4	8.2	7.7	37.6	10.0	15.9
皮膚	C43-C44	408	1.5	82.4	1.5	5.6	0.2	8.8	7.1
乳房	C50	1,763	4.4	62.3	13.6	2.8	5.3	11.6	16.4
乳房 (女性のみ)	C50	1,752	4.4	62.4	13.6	2.7	5.3	11.6	16.3
子宮	C53-C55	423	1.9	54.8	2.1	18.4	10.9	11.8	20.6
子宮頸部	C53	136	5.9	35.3	2.2	36.8	9.6	10.3	39.0
子宮体部	C54	279	0.0	65.6	2.2	9.7	11.5	11.1	11.8
卵巣	C56	257	0.8	26.8	1.2	28.8	12.1	30.4	30.0
前立腺	C61	1,439	0.0	57.4	0.4	11.1	12.5	18.6	11.5
膀胱	C67	361	5.8	56.0	1.7	11.4	5.5	19.7	13.0
腎・尿路 (膀胱除く)	C64-C66 C68	531	0.4	61.4	3.2	10.2	12.4	12.4	13.4
脳・中枢神経系	C70-C72	109	0.0	60.6	0.0	22.0	3.7	13.8	22.0
甲状腺	C73	306	0.0	47.4	18.3	5.6	4.9	23.9	23.9
悪性リンパ腫	C81-C85 C96	554	0.0	27.4	0.7	18.2	38.8	14.8	19.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

宮城県

2017年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,483	7.3	44.6	6.9	11.0	15.5	14.8	17.8
食道	C15 D001	556	10.8	37.6	8.3	22.1	15.8	5.4	30.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,578	9.2	34.6	12.4	8.1	12.5	23.2	20.5
結腸 *3	C18 D010	2,414	9.4	33.6	11.5	8.7	12.4	24.4	20.3
直腸 *3	C19-C20 D011-D012	1,164	8.8	36.7	14.2	6.8	12.9	20.7	21.0
肺	C33-C34 D021-D022	2,230	0.1	36.4	8.2	7.7	37.6	10.0	15.8
皮膚	C43-C44 D030-D049	511	19.4	67.1	1.2	4.5	0.2	7.6	5.7
乳房 (女性のみ)	C50 D05	2,039	14.7	55.5	11.8	2.4	4.6	11.0	14.2
乳房	C50 D05	2,028	14.7	55.5	11.8	2.3	4.6	11.0	14.1
子宮	C53-C55 D06	813	46.0	29.2	1.1	9.6	5.7	8.5	10.7
子宮頸部	C53 D06	526	71.1	10.1	0.6	9.5	2.5	6.3	10.1
膀胱	C67 D090	659	29.7	41.4	0.9	6.5	3.0	18.4	7.4

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	10,866	59.4	11.2	9.8	3.6	15.9	21.1
口腔・咽頭	C00-C14	274	48.9	9.9	21.5	1.1	18.6	31.4
食道	C15	214	75.2	1.4	5.1	1.4	16.8	6.5
胃	C16	2,165	75.3	8.1	4.8	2.3	9.4	12.9
大腸 (結腸・直腸)	C18-C20	2,230	55.5	20.2	7.9	8.9	7.4	28.2
結腸	C18	1,529	54.7	19.1	9.4	9.4	7.5	28.5
直腸	C19-C20	701	57.3	22.7	4.7	7.8	7.4	27.4
肝および肝内胆管	C22	170	47.6	0.6	6.5	2.4	42.9	7.1
胆のう・胆管	C23-C24	191	25.7	2.1	46.1	5.2	20.9	48.2
膵臓	C25	241	19.9	7.5	29.0	5.4	38.2	36.5
喉頭	C32	38	63.2	7.9	13.2	0.0	15.8	21.1
肺	C33-C34	1,046	59.8	8.7	5.4	3.1	23.1	14.1
皮膚	C43-C44	380	86.3	1.1	4.5	0.3	7.9	5.5
乳房 (女性のみ)	C50	1,378	64.9	20.0	0.8	0.3	14.0	20.8
乳房	C50	1,369	65.1	19.9	0.8	0.3	14.0	20.7
子宮	C53-C55	322	66.8	4.0	14.3	4.7	10.2	18.3
子宮頸部	C53	77	51.9	7.8	20.8	0.0	19.5	28.6
子宮体部	C54	240	72.9	2.9	12.5	6.3	5.4	15.4
卵巣	C56	199	45.7	1.0	38.7	5.0	9.0	39.7
前立腺	C61	512	42.2	1.2	16.6	0.4	39.6	17.8
膀胱	C67	277	59.6	1.4	4.3	1.4	33.2	5.8
腎・尿路 (膀胱除く)	C64-C66 C68	395	64.8	1.3	15.4	3.5	14.9	16.7
脳・中枢神経系	C70-C72	54	50.0	0.0	13.0	0.0	37.0	13.0
甲状腺	C73	271	34.7	46.9	5.9	3.3	9.2	52.8
悪性リンパ腫	C81-C85 C96	100	24.0	0.0	6.0	10.0	60.0	6.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

宮城県

2017年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	12,853	14.5	50.6	9.5	8.4	3.1	14.0	17.9
食道	C15 D001	251	12.7	64.1	1.2	4.4	1.2	16.3	5.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,030	26.2	40.9	14.9	5.8	6.5	5.7	20.7
結腸 *3	C18 D010	2,080	26.3	40.2	14.0	6.9	6.9	5.7	21.0
直腸 *3	C19-C20 D011-D012	950	26.1	42.3	16.7	3.5	5.8	5.6	20.2
肺	C33-C34 D021-D022	1,049	0.3	59.6	8.7	5.3	3.1	23.1	14.0
皮膚	C43-C44 D030-D049	475	19.8	69.1	0.8	3.6	0.2	6.5	4.4
乳房 (女性のみ)	C50 D05	1,647	15.5	54.3	16.7	0.7	0.2	12.6	17.4
乳房	C50 D05	1,638	15.6	54.4	16.6	0.7	0.2	12.5	17.3
子宮	C53-C55 D06	690	50.3	31.2	1.9	6.7	2.2	7.8	8.6
子宮頸部	C53 D06	445	78.0	9.0	1.3	3.6	0.0	8.1	4.9
膀胱	C67 D090	559	47.8	29.5	0.7	2.1	0.7	19.1	2.9

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2017年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96	17,758	27.9	16.8	11.5	10.2	27.3	10.0	2.1	23.5
口腔・咽頭	C00-C14	415	52.5	0.0	2.9	29.2	24.6	0.0	0.0	19.0
食道	C15	510	2.9	15.5	29.0	33.5	37.1	0.0	1.6	20.6
胃	C16	2,750	15.2	16.9	43.2	0.3	14.0	0.0	0.5	20.2
大腸 (結腸・直腸)	C18-C20	2,775	27.0	39.4	14.1	1.6	27.3	0.0	0.2	17.8
結腸	C18	1,863	29.9	37.9	12.5	0.4	25.0	0.1	0.2	18.7
直腸	C19-C20	912	21.2	42.2	17.2	4.2	31.9	0.0	0.3	15.9
肝および肝内胆管	C22	592	15.4	1.5	0.3	2.0	36.7	0.0	39.9	37.5
胆のう・胆管	C23-C24	441	31.3	3.9	1.4	0.7	23.1	0.2	1.4	48.3
膵臓	C25	780	21.4	1.5	0.0	2.6	45.0	0.0	0.1	44.2
喉頭	C32	89	28.1	1.1	6.7	51.7	19.1	0.0	2.2	14.6
肺	C33-C34	2,226	4.0	32.3	0.0	12.4	33.3	0.1	0.2	30.8
皮膚	C43-C44	408	87.5	0.0	0.0	4.2	1.5	0.2	1.2	9.3
乳房 (女性のみ)	C50	1,763	78.2	0.1	0.0	31.1	30.1	52.0	0.0	12.8
子宮	C50	1,752	78.3	0.1	0.0	31.3	30.1	52.0	0.0	12.8
子宮頸部	C53-C55	423	59.1	11.3	0.0	18.2	40.9	2.6	0.2	14.4
子宮体部	C53	136	45.6	2.2	0.0	51.5	44.9	0.0	0.0	19.1
卵巣	C54	279	67.4	16.1	0.0	2.5	39.8	3.9	0.4	10.0
前立腺	C56	257	75.1	5.8	0.4	0.4	55.3	0.0	0.0	12.8
膀胱	C61	1,439	6.0	15.1	1.0	12.6	3.6	47.7	0.1	24.5
腎・尿路 (膀胱除く)	C64-C66 C68	361	11.1	4.4	63.7	6.4	54.6	0.6	7.2	23.5
脳・中枢神経系	C70-C72	531	20.3	46.0	0.6	3.0	15.1	0.2	2.6	23.9
甲状腺	C73	109	36.7	0.0	0.0	52.3	48.6	0.0	0.0	36.7
悪性リンパ腫	C81-C85 C96	306	80.4	0.3	0.3	12.7	2.0	46.4	0.0	17.3
多発性骨髄腫	C81-C85 C96	558	6.3	2.0	0.9	8.6	63.6	0.5	5.0	27.6
白血病	C88-C90	134	1.5	0.0	0.0	3.7	67.9	0.7	8.2	27.6
	C91-C95	212	0.0	0.0	0.0	2.8	69.3	2.8	4.7	28.3

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

宮城県

2017年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	19,830	28.9	15.7	15.7	9.6	25.5	9.1	2.1	21.6
食道	C15 D001	556	2.7	14.2	32.4	30.9	34.0	0.0	1.4	21.2
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,578	21.2	31.6	32.1	1.3	21.2	0.0	0.2	14.0
結腸 *2	C18 D010	2,414	23.2	30.6	31.2	0.3	19.3	0.0	0.2	14.5
直腸 *2	C19-C20 D011-D012	1,164	16.9	33.8	33.9	3.3	25.1	0.0	0.3	12.8
肺	C33-C34 D021-D022	2,230	4.0	32.4	0.0	12.4	33.3	0.1	0.2	30.8
皮膚	C43-C44 D030-D049	511	88.3	0.0	0.0	3.5	2.0	0.2	1.4	7.8
乳房	C50 D05	2,039	80.1	0.1	0.0	31.1	26.0	46.4	0.0	11.9
乳房 (女性のみ)	C50 D05	2,028	80.2	0.1	0.0	31.3	26.0	46.4	0.0	11.9
子宮	C53-C55 D06	813	72.0	7.4	0.2	9.7	21.3	1.5	0.2	12.5
子宮頸部	C53 D06	526	75.5	2.9	0.4	13.7	11.6	0.2	0.2	12.7
膀胱	C67 D090	659	6.8	4.2	74.7	3.5	56.9	0.5	9.3	15.3

*1 DC0を除く総数

*2 粘膜炎を含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

A. 上皮内がんを除く

宮城県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	9,760	90.9	7.7	1.4
口腔・咽頭	C00-C14	229	90.0	10.0	0.0
食道	C15	237	90.3	9.3	0.4
胃	C16	1,987	95.6	4.0	0.4
大腸(結腸・直腸)	C18-C20	2,135	92.5	7.1	0.4
結腸	C18	1,437	92.4	7.2	0.3
直腸	C19-C20	698	92.7	6.9	0.4
肝および肝内胆管	C22	101	94.1	4.0	2.0
胆のう・胆管	C23-C24	157	86.6	10.8	2.5
膵臓	C25	179	86.0	14.0	0.0
喉頭	C32	32	93.8	6.3	0.0
肺	C33-C34	809	95.2	4.7	0.1
皮膚	C43-C44	357	97.2	2.8	0.0
乳房	C50	1,379	87.8	5.6	6.6
乳房(女性のみ)	C50	1,372	87.8	5.6	6.6
子宮	C53-C55	298	95.3	4.7	0.0
子宮頸部	C53	65	96.9	3.1	0.0
子宮体部	C54	233	94.8	5.2	0.0
卵巣	C56	206	80.6	19.4	0.0
前立腺	C61	319	86.5	13.5	0.0
膀胱	C67	261	61.7	36.0	2.3
腎・尿路(膀胱除く)	C64-C66 C68	353	94.3	5.7	0.0
脳・中枢神経系	C70-C72	40	77.5	22.5	0.0
甲状腺	C73	247	89.9	7.3	2.8
悪性リンパ腫	C81-C85 C96	51	68.6	21.6	9.8
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0
白血病	C91-C95	0	.	.	.

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

B. 上皮内がんを含む

宮城県

2017年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	11,701	91.6	7.0	1.4
食道	C15 D001	269	91.1	8.6	0.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	2,932	93.9	5.5	0.6
結腸 *2	C18 D010	1,986	94.0	5.3	0.7
直腸 *2	C19-C20 D011-D012	946	93.7	5.7	0.6
肺	C33-C34 D021-D022	812	95.2	4.7	0.1
皮膚	C43-C44 D030-D049	451	97.8	2.2	0.0
乳房	C50 D05	1,635	88.9	5.4	5.7
乳房 (女性のみ)	C50 D05	1,628	88.9	5.5	5.7
子宮	C53-C55 D06	646	92.4	6.3	1.2
子宮頸部	C53 D06	413	91.0	7.0	1.9
膀胱	C67 D090	539	78.7	19.3	2.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

宮城県

2017年

部位	死亡／罹患比 (MI比)		死亡情報のみの症例および遡り調査で「がん」が確認された症例 DC1 (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HW (%)					
	男	女	男	女	男	女	男	女	男	女				
ICD-10														
全部位	0.39	0.35	0.37	2.1	2.5	2.3	1.3	1.4	1.2	1.4	83.1	83.7	83.4	
C00-C14	0.33	0.34	0.33	0.3	0.0	0.2	0.2	0.0	0.3	0.0	94.2	91.9	93.5	
食道	0.39	0.31	0.38	1.7	1.0	1.6	0.6	0.0	0.7	0.0	94.7	95.8	94.9	
胃	0.26	0.32	0.28	0.7	2.1	1.2	0.6	1.2	0.4	1.2	97.1	95.2	96.5	
大腸 (結腸・直腸)	0.31	0.35	0.33	1.8	2.4	2.1	1.2	1.2	1.1	1.2	93.8	89.4	91.8	
結腸	0.32	0.38	0.35	2.3	2.9	2.6	1.4	1.5	1.4	1.4	92.4	87.3	89.8	
直腸	0.30	0.26	0.28	0.9	1.1	1.0	0.7	0.6	0.7	0.6	96.1	95.2	95.8	
肝および肝内胆管	0.78	0.79	0.78	2.2	8.1	4.1	4.1	4.1	1.0	4.1	32.7	20.3	28.6	
胆のう・胆管	0.68	0.94	0.80	4.4	5.0	4.6	2.9	2.5	3.2	2.5	71.0	60.9	66.5	
膵臓	0.84	0.76	0.80	3.2	5.1	4.1	2.0	2.6	1.5	2.6	64.4	57.8	61.2	
喉頭	0.06	0.50	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.5	100.0	96.6	
肺	0.65	0.50	0.60	3.6	3.7	3.7	2.1	1.8	2.2	1.8	78.8	79.3	79.0	
皮膚	0.06	0.06	0.06	0.0	1.4	0.7	0.5	1.0	0.0	1.0	99.5	96.6	98.0	
乳房	0.18	0.16	0.16	0.0	0.4	0.4	0.3	0.3	0.0	0.3	100.0	94.0	94.1	
子宮	-	0.29	0.29	-	2.1	2.1	1.4	1.4	-	1.4	-	95.8	95.8	93.2
子宮頸部	-	0.38	0.38	-	1.4	1.4	1.4	1.4	-	1.4	-	94.2	94.2	91.3
子宮体部	-	0.18	0.18	-	1.1	1.1	0.4	0.4	-	0.4	-	98.2	98.2	96.1
卵巣	-	0.33	0.33	-	1.9	1.9	1.2	1.2	-	1.2	-	91.2	91.2	87.7
前立腺	0.17	-	0.17	1.5	-	1.5	1.3	-	1.3	-	85.9	-	85.5	
膀胱	0.38	0.48	0.41	3.4	5.9	4.1	2.4	1.0	3.0	1.0	88.1	78.4	85.4	
腎・尿路 (膀胱除く)	0.23	0.37	0.28	2.2	5.1	3.2	1.5	2.3	1.1	2.3	82.4	74.9	80.0	
脳・中枢神経系	0.59	0.36	0.49	3.2	0.0	1.8	0.9	0.0	1.6	0.0	57.1	74.5	64.5	
甲状腺	0.16	0.10	0.11	0.0	0.4	0.3	0.3	0.4	0.0	0.4	98.7	98.7	98.7	
悪性リンパ腫	0.38	0.32	0.35	1.4	2.2	1.8	1.2	1.4	1.0	1.4	95.8	93.5	94.7	
多発性骨髄腫	0.61	0.54	0.58	1.4	7.5	4.4	2.2	4.5	0.0	4.5	97.1	92.5	94.9	
白血病	0.52	0.53	0.53	2.4	5.3	3.7	2.8	4.3	1.6	4.3	99.2	100.0	99.5	

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

宮城県

2017年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみが確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HW (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.31	0.33	1.9	2.2	2.0	1.1	1.2	1.2	87.4	88.3	87.8	84.5	85.6	85.0
食道	C15 D001	0.36	0.28	0.35	1.5	0.9	1.4	0.7	0.0	0.5	95.1	96.2	95.3	95.1	96.2	95.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.23	0.29	0.25	1.3	2.0	1.6	0.8	1.0	0.9	95.4	91.2	93.6	95.3	91.0	93.4
結腸 *2	C18 D010	0.23	0.32	0.27	1.7	2.4	2.0	1.0	1.2	1.1	94.5	89.4	92.1	94.3	89.1	91.9
直腸 *2	C19-C20 D011-D012	0.23	0.21	0.22	0.7	0.9	0.8	0.5	0.5	0.5	97.0	96.1	96.7	97.0	95.9	96.6
肺	C33-C34 D021-D022	0.65	0.50	0.60	3.6	3.7	3.6	2.2	1.8	2.1	78.9	79.4	79.1	68.4	71.9	69.6
皮膚	C43-C44 D030-D049	0.05	0.05	0.05	0.0	1.1	0.6	0.0	0.8	0.4	99.6	97.4	98.4	99.2	97.4	98.2
乳房	C50 D05	0.18	0.14	0.14	0.0	0.3	0.3	0.0	0.3	0.3	100.0	94.8	94.9	100.0	94.6	94.6
子宮	C53-C55 D06	-	0.15	0.15	-	1.1	1.1	-	0.7	0.7	-	97.8	97.8	-	96.2	96.2
子宮頸部	C53 D06	-	0.10	0.10	-	0.4	0.4	-	0.4	0.4	-	98.5	98.5	-	97.3	97.3
膀胱	C67 D090	0.21	0.29	0.23	2.0	3.6	2.4	1.6	0.6	1.3	93.6	86.9	91.9	90.2	80.4	87.7

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別 宮城県 2017年

部位	ICD-10	死亡数						部位割合						粗死亡率						年齢調整死亡率						累積死亡率(0-74歳)										
		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1		男		女		総数 *1						
		男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女			
全部位	C00-C97	3,921	2,795	6,716	100.0	100.0	100.0	347.9	237.3	291.4	151.8	84.9	114.1	102.6	60.2	78.7	10.9	6.2	8.5																	
口腔・咽頭	C00-C14	97	42	139	2.5	1.5	2.1	8.6	3.6	6.0	4.3	1.2	2.7	3.1	0.9	2.0	0.4	0.1	0.2																	
食道	C15	164	30	194	4.2	1.1	2.9	14.6	2.5	8.4	6.4	0.9	3.4	4.2	0.6	2.3	0.5	0.1	0.3																	
胃	C16	501	277	778	12.8	9.9	11.6	44.5	23.5	33.8	18.9	7.8	12.7	12.8	5.4	8.7	1.3	0.5	0.9																	
大腸(結腸・直腸)	C18-C20	467	449	916	11.9	16.1	13.6	41.4	38.1	39.7	19.3	12.0	15.5	13.3	8.4	10.7	1.5	0.8	1.2																	
結腸	C18	299	356	655	7.6	12.7	9.8	26.5	30.2	28.4	11.8	9.3	10.5	8.1	6.5	7.2	0.9	0.6	0.7																	
直腸	C19-C20	168	93	261	4.3	3.3	3.9	14.9	7.9	11.3	7.6	2.7	5.0	5.2	1.9	3.5	0.6	0.2	0.4																	
肝および肝内胆管	C22	318	156	474	8.1	5.6	7.1	28.2	13.2	20.6	12.8	4.0	8.0	8.7	2.6	5.5	1.0	0.3	0.6																	
胆のう・胆管	C23-C24	171	190	361	4.4	6.8	5.4	15.2	16.1	15.7	6.2	4.3	5.1	4.1	2.8	3.4	0.4	0.2	0.3																	
膵臓	C25	341	299	640	8.7	10.7	9.5	30.3	25.4	27.8	14.0	8.2	10.9	9.6	5.5	7.4	1.1	0.6	0.8																	
喉頭	C32	5	2	7	0.1	0.1	0.1	0.4	0.2	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0																	
肺	C33-C34	982	380	1,362	25.0	13.6	20.3	87.1	32.3	59.1	36.7	10.4	22.0	24.7	7.0	14.9	2.7	0.7	1.7																	
皮膚	C43-C44	13	13	26	0.3	0.5	0.4	1.2	1.1	1.1	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0																	
乳房	C50	2	279	281	0.1	10.0	4.2	0.2	23.7	12.2	0.1	13.1	6.8	0.1	10.0	5.1	0.0	1.2	0.6																	
子宮	C53-C55	-	126	126	-	4.5	1.9	-	10.7	-	-	6.0	-	-	4.5	-	-	0.5	-																	
子宮頸部	C53	-	52	52	-	1.9	0.8	-	4.4	-	-	2.6	-	-	2.0	-	-	0.2	-																	
子宮体部	C54	-	50	50	-	1.8	0.7	-	4.2	-	-	2.2	-	-	1.6	-	-	0.2	-																	
卵巣	C56	-	85	85	-	3.0	1.3	-	7.2	-	-	3.9	-	-	2.9	-	-	0.3	-																	
前立腺	C61	246	-	246	6.3	-	3.7	21.8	-	-	7.7	-	-	4.7	-	-	0.3	-	-																	
膀胱	C67	103	49	152	2.6	1.8	2.3	9.1	4.2	6.6	3.5	0.8	1.9	2.2	0.6	1.3	0.2	0.0	0.1																	
腎・尿路(膀胱除く)	C64-C66 C68	85	65	150	2.2	2.3	2.2	7.5	5.5	6.5	3.2	1.4	2.2	2.1	0.9	1.4	0.2	0.1	0.1																	
脳・中枢神経系	C70-C72	37	17	54	0.9	0.6	0.8	3.3	1.4	2.3	2.3	0.9	1.6	1.7	0.7	1.2	0.2	0.1	0.1																	
甲状腺	C73	12	23	35	0.3	0.8	0.5	1.1	2.0	1.5	0.5	0.6	0.6	0.4	0.4	0.4	0.0	0.1	0.0																	
悪性リンパ腫	C81-C85 C96	108	89	197	2.8	3.2	2.9	9.6	7.6	8.5	4.3	2.1	3.1	2.9	1.3	2.1	0.3	0.1	0.2																	
多発性骨髄腫	C88-C90	43	36	79	1.1	1.3	1.2	3.8	3.1	3.4	1.7	1.0	1.3	1.1	0.6	0.8	0.1	0.1	0.1																	
白血病	C91-C95	65	50	115	1.7	1.8	1.7	5.8	4.2	5.0	3.0	2.0	2.4	2.1	1.7	1.9	0.2	0.1	0.2																	

*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数：部位別、性別

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-097	3,921	0	0	0	2	1	1	1	7	9	30	32	58	109	264	567	547	655	725	592	279	39	4	0
	口腔・咽頭	000-C14	97	0	0	0	0	0	0	0	1	0	1	1	4	3	10	26	14	12	14	5	4	2	0	0
	食道	C15	164	0	0	0	0	0	0	0	0	0	1	0	2	7	10	28	22	31	31	22	9	1	0	0
	胃	C16	501	0	0	0	0	0	0	0	1	1	3	5	12	32	85	62	83	88	84	36	5	1	0	0
	大腸(結腸・直腸)	C18-C20	467	0	0	0	0	0	0	0	2	2	5	5	28	40	74	73	89	64	53	29	3	0	0	0
	結腸	C18	299	0	0	0	0	0	0	0	1	0	3	2	14	26	42	45	55	40	43	26	2	0	0	0
	直腸	C19-C20	168	0	0	0	0	0	0	0	1	2	2	3	14	14	32	28	34	24	10	3	1	0	0	0
	肝および肝内胆管	C22	318	0	0	0	0	0	0	0	0	0	3	9	5	29	50	57	53	56	38	17	1	0	0	0
	胆のう・胆管	C23-C24	171	0	0	0	0	0	0	0	0	2	1	1	6	7	18	22	27	33	37	14	3	0	0	0
	膵臓	C25	341	0	0	0	0	0	0	0	0	1	5	8	10	27	55	60	63	52	41	16	2	0	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	0	0	0
	肺	C33-C34	982	0	0	0	0	0	0	0	3	5	8	9	21	60	148	142	147	188	171	69	9	2	0	0
	皮膚	C43-C44	13	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1	3	2	2	0	0	0	0
	乳房	C50	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
	前立腺	C61	246	0	0	0	0	0	0	0	0	0	0	0	1	4	16	23	41	70	45	40	4	1	0	0
	膀胱	C67	103	0	0	0	0	0	0	0	0	1	0	1	2	5	9	8	13	28	20	12	4	0	0	0
	腎・尿路(膀胱除く)	064-066 068	85	0	0	0	0	0	0	0	0	3	0	0	4	4	8	10	16	17	16	6	1	0	0	0
	脳・中枢神経系	C70-C72	37	0	0	0	0	0	1	2	0	7	1	2	1	2	7	5	3	5	1	0	0	0	0	0
	甲状腺	C73	12	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1	2	1	2	1	0	0	0	0
	悪性リンパ腫	C81-C85 096	108	0	0	0	0	0	0	0	0	1	1	3	4	11	8	9	21	24	18	6	1	0	0	0
	多発性骨髄腫	088-090	43	0	0	0	0	0	0	0	0	1	1	0	0	4	1	7	9	12	6	2	0	0	0	0
	白血病	091-095	65	0	0	0	1	0	0	1	2	1	0	3	1	4	11	10	10	14	3	3	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	000-097	2,795	1	1	1	2	1	4	6	11	24	49	73	98	169	273	244	338	497	520	369	105	10	0
	口腔・咽頭	000-C14	42	0	0	0	0	1	0	0	0	1	1	0	2	3	2	1	5	7	9	7	3	0	0
	食道	C15	30	0	0	0	0	0	0	0	1	0	0	1	0	0	7	3	4	6	5	2	1	0	0
	胃	C16	277	0	0	0	0	0	0	1	1	1	3	9	10	12	23	21	33	52	54	42	14	1	0
	大腸(結腸・直腸)	C18-C20	449	0	0	0	0	0	0	1	0	3	4	12	16	28	29	30	45	83	96	75	24	3	0
	結腸	C18	356	0	0	0	0	0	0	0	0	3	4	9	11	22	19	24	35	71	76	60	19	3	0
	直腸	C19-C20	93	0	0	0	0	0	0	1	0	0	0	3	5	6	10	6	10	12	20	15	5	0	0
	肝および肝内胆管	C22	156	0	0	0	0	0	0	0	0	1	1	2	4	4	9	18	23	33	32	22	6	1	0
	胆のう・胆管	C23-C24	190	0	0	0	0	0	0	0	0	0	0	3	3	6	11	13	26	40	50	32	6	0	0
	膵臓	C25	299	0	0	0	0	0	0	0	0	0	4	3	6	21	24	29	48	62	54	40	8	0	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
	肺	C33-C34	380	0	0	0	0	0	0	0	0	3	7	6	7	13	39	38	49	81	73	47	16	1	0
	皮膚	C43-C44	13	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	7	3	0	1	0
	乳房	C50	279	0	0	0	0	0	0	0	4	6	16	20	22	41	44	32	24	25	20	18	6	1	0
	子宮	C53-C55	126	0	0	0	0	0	0	3	2	4	5	6	10	16	22	15	16	9	10	4	4	0	0
	子宮頸部	C53	52	0	0	0	0	0	0	3	1	1	3	4	5	6	3	6	4	7	8	0	1	0	0
	子宮体部	C54	50	0	0	0	0	0	0	0	0	1	2	1	3	5	16	8	10	0	2	1	1	0	0
	卵巢	C56	85	0	0	0	0	1	0	0	1	4	4	5	7	6	18	5	11	13	6	3	1	0	0
	膀胱	C67	49	0	0	0	0	0	0	1	0	0	0	0	0	0	3	1	2	6	20	14	2	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	65	0	0	0	0	0	0	0	0	0	0	1	0	2	4	2	12	13	15	13	2	1	0
	脳・中枢神経系	C70-C72	17	0	1	0	0	0	0	0	1	0	0	1	1	1	3	3	4	1	1	0	0	0	0
	甲状腺	C73	23	0	0	0	0	0	0	0	0	0	0	0	0	2	4	3	1	3	6	2	2	0	0
	悪性リンパ腫	C81-C85 C96	89	0	0	0	0	0	0	0	1	0	1	0	1	2	4	4	10	8	23	11	4	1	0
	多発性骨髄腫	C88-C90	36	0	0	0	0	0	0	0	0	0	0	0	0	4	2	4	6	9	8	3	0	0	0
	白血病	C91-C95	50	1	0	0	1	1	0	0	0	0	0	2	3	3	8	3	8	6	6	6	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	6,716	6,716	1	1	1	5	2	4	13	20	54	81	131	207	433	840	791	993	1,222	1,112	648	144	14	0
	口腔・咽頭	139	139	0	0	0	1	0	0	1	0	2	2	4	5	13	28	15	17	21	14	11	5	0	0
	食道	194	194	0	0	0	0	0	0	0	1	1	0	3	7	10	35	25	35	37	27	11	2	0	0
	胃	778	778	0	0	0	0	0	0	2	2	4	6	14	22	44	108	83	116	140	138	78	19	2	0
	大腸(結腸・直腸)	916	916	0	0	0	0	0	0	1	2	5	9	17	44	68	103	103	134	147	149	104	27	3	0
	結腸	655	655	0	0	0	0	0	0	0	1	3	7	11	25	48	61	69	90	111	119	86	21	3	0
	直腸	261	261	0	0	0	0	0	0	1	1	2	2	6	19	20	42	34	44	36	30	18	6	0	0
	肝および肝内胆管	474	474	0	0	0	0	0	0	0	0	1	4	11	9	33	59	75	76	89	70	39	7	1	0
	胆のう・胆管	361	361	0	0	0	0	0	0	0	0	2	1	4	9	13	29	35	53	73	87	46	9	0	0
	膵臓	640	640	0	0	0	0	0	0	0	1	1	9	11	16	48	79	89	111	114	95	56	10	0	0
	喉頭	7	7	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	3	0	1	0	0	0
	肺	1,362	1,362	0	0	0	0	0	0	0	3	8	15	15	28	73	187	180	196	269	244	116	25	3	0
	皮膚	26	26	0	0	0	0	0	0	0	0	0	1	1	1	2	1	1	1	3	9	5	0	1	0
	乳房	281	281	0	0	0	0	0	0	0	4	6	16	20	22	41	44	33	25	25	20	18	6	1	0
	子宮	126	126	0	0	0	0	0	0	3	2	4	5	6	10	16	22	15	16	9	10	4	4	0	0
	子宮頸部	52	52	0	0	0	0	0	0	3	1	1	3	4	5	6	3	6	4	7	8	0	1	0	0
	子宮体部	50	50	0	0	0	0	0	0	0	0	1	2	1	3	5	16	8	10	0	2	1	1	0	0
	卵巢	85	85	0	0	0	1	0	1	0	1	4	4	5	7	6	18	5	11	13	6	3	1	0	0
	前立腺	246	246	0	0	0	0	0	0	0	0	0	0	1	1	4	16	23	41	70	45	40	4	1	0
	膀胱	152	152	0	0	0	0	0	0	1	0	1	0	1	2	5	12	9	15	34	40	26	6	0	0
	腎・尿路(膀胱除く)	150	150	0	0	0	0	0	0	0	0	3	0	1	4	6	12	12	28	30	31	19	3	1	0
	脳・中枢神経系	54	54	0	1	0	1	2	1	2	1	7	1	3	2	3	10	8	7	6	2	0	0	0	0
	甲状腺	35	35	0	0	0	0	0	0	0	0	0	0	1	1	3	6	4	3	4	8	3	2	0	0
	悪性リンパ腫	197	197	0	0	0	0	0	0	1	1	1	2	3	5	13	12	19	29	47	41	17	5	1	0
	多発性骨髄腫	79	79	0	0	0	0	0	0	0	0	1	1	0	0	8	3	11	15	21	14	5	0	0	0
	白血病	115	115	1	0	0	2	1	0	1	2	1	0	5	4	7	19	13	18	20	9	9	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まらめ）： 部位別、性別

宮城県

2017年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳
男	全部位	C00-C97	347.9	0.0	0.0	0.0	3.5	1.6	1.7	10.6	12.2	35.3	39.5	80.6	147.3	334.2	616.3	896.7	1,284.3	1,859.0	1,850.0	•	•	•
	口腔・咽頭	C00-C14	8.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.2	1.2	5.6	4.1	12.7	28.3	23.0	23.5	35.9	15.6	•	•	•
	食道	C15	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.8	9.5	12.7	30.4	36.1	60.8	79.5	68.8	•	•	•
	胃	C16	44.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	3.5	3.7	6.9	16.2	40.5	92.4	101.6	162.7	225.6	262.5	•	•	•
	大腸（結腸・直腸）	C18-C20	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.4	6.2	6.9	37.8	50.6	80.4	119.7	174.5	164.1	165.6	•	•	•
	結腸	C18	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.7	2.8	18.9	32.9	45.7	73.8	107.8	102.6	134.4	•	•	•
	直腸	C19-C20	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.4	2.5	4.2	18.9	17.7	34.8	45.9	66.7	61.5	31.3	•	•	•
	肝および肝内胆管	C22	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.5	6.8	36.7	54.3	93.4	103.9	143.6	118.8	•	•	•
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.4	8.1	8.9	19.6	36.1	52.9	84.6	115.6	•	•	•
	膵臓	C25	30.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	6.2	11.1	13.5	34.2	59.8	98.4	123.5	133.3	128.1	•	•	•
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.6	0.0	5.1	0.0	•	•	•
	肺	C33-C34	87.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	5.9	9.9	12.5	28.4	75.9	160.9	232.8	288.2	482.1	534.4	•	•	•
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.5	1.1	1.6	2.0	7.7	6.3	•	•	•
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	0.0	0.0	•	•	•
	前立腺	C61	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	5.1	17.4	37.7	80.4	179.5	140.6	•	•	•
	膀胱	C67	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	2.7	6.3	9.8	13.1	25.5	71.8	62.5	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	5.4	5.1	8.7	16.4	31.4	43.6	50.0	•	•	•
	脳・中枢神経系	C70-C72	3.3	0.0	0.0	0.0	0.0	0.0	1.7	3.0	0.0	8.2	1.2	2.8	1.4	2.5	7.6	8.2	5.9	12.8	3.1	•	•	•
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.3	2.2	1.6	3.9	2.6	6.3	•	•	•
	悪性リンパ腫	C81-C85 C96	9.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.2	1.2	4.2	5.4	13.9	8.7	14.8	41.2	61.5	56.3	•	•	•
	多発性骨髄腫	C88-C90	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	0.0	0.0	5.1	1.1	11.5	17.6	30.8	18.8	•	•	•
	白血病	C91-C95	5.8	0.0	0.0	0.0	1.8	0.0	0.0	1.5	2.7	1.2	0.0	4.2	1.4	5.1	12.0	16.4	19.6	35.9	9.4	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2017年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	C00-C97	237.3	2.4	2.2	0.0	3.8	1.8	7.0	9.2	15.3	29.3	63.6	104.3	134.2	211.3	287.4	364.2	536.5	842.4	732.4	•	•	•	•	
	口腔・咽頭	C00-C14	3.6	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.2	1.3	0.0	2.7	3.8	2.1	1.5	7.9	11.9	12.7	•	•	•	•	•
	食道	C15	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4	0.0	0.0	7.4	4.5	6.3	10.2	7.0	•	•	•	•	•
	胃	C16	23.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	1.2	3.9	12.9	13.7	15.0	24.2	31.3	52.4	88.1	76.1	•	•	•	•	•
	大腸（結腸・直腸）	C18-C20	38.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.7	5.2	17.1	21.9	35.0	30.5	44.8	71.4	140.7	135.2	•	•	•	•	•
	結腸	C18	30.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.7	5.2	12.9	15.1	27.5	20.0	35.8	55.6	120.3	107.0	•	•	•	•	•
	直腸	C19-C20	7.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	4.3	6.8	7.5	10.5	9.0	15.9	20.3	28.2	•	•	•	•	•
	肝および肝内胆管	C22	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	2.9	5.5	5.0	9.5	26.9	36.5	55.9	45.1	•	•	•	•	•
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.1	7.5	11.6	19.4	41.3	67.8	70.4	•	•	•	•	•
	膵臓	C25	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	4.3	8.2	26.3	25.3	43.3	76.2	105.1	76.1	•	•	•	•	•
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.7	0.0	•	•	•	•
	肺	C33-C34	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.1	8.6	9.6	16.3	41.1	56.7	77.8	137.3	102.8	•	•	•	•	•
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	9.9	•	•	•	•
	乳房	C50	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	7.3	20.8	28.6	30.1	51.3	46.3	47.8	38.1	42.4	28.2	•	•	•	•
	子宮	C53-C55	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	2.8	4.9	6.5	8.6	13.7	20.0	23.2	22.4	25.4	15.3	14.1	•	•	•	•
	子宮頸部	C53	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	1.4	1.2	3.9	5.7	6.8	7.5	3.2	9.0	6.3	11.9	11.3	•	•	•	•
	子宮体部	C54	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.6	1.4	4.1	6.3	16.8	11.9	15.9	0.0	2.8	•	•	•	•
	卵巣	C56	7.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	4.9	5.2	7.1	9.6	7.5	18.9	7.5	17.5	22.0	8.5	•	•	•	•
	膀胱	C67	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.5	3.2	10.2	28.2	•	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.5	4.2	3.0	19.0	22.0	21.1	•	•	•	•
	脳・中枢神経系	C70-C72	1.4	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.4	1.3	3.2	4.5	6.3	1.7	1.4	•	•	•	•	•
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.2	4.5	1.6	5.1	8.5	•	•	•	•
	悪性リンパ腫	C81-C85 C96	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	1.4	2.5	4.2	14.9	12.7	39.0	32.4	•	•	•	•
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	2.1	6.0	9.5	15.3	11.3	•	•	•	•
	白血病	C91-C95	4.2	2.4	0.0	0.0	1.9	1.8	0.0	0.0	0.0	0.0	0.0	2.9	4.1	3.8	8.4	4.5	12.7	10.2	8.5	•	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

宮城県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	291.4	1.1	1.1	0.0	3.6	1.7	4.3	9.9	13.7	32.3	51.3	92.3	140.8	272.3	449.2	618.0	871.1	1,246.9	1,079.6	•	•	•	•
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.0	1.2	1.3	2.8	3.4	8.2	15.0	11.7	14.9	21.4	13.6	•	•	•	•
	食道	C15	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.0	2.1	4.8	6.3	18.7	19.5	30.7	37.8	26.2	•	•	•	•
	胃	C16	33.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	3.8	9.9	15.0	27.7	57.8	64.8	101.8	142.9	134.0	•	•	•	•
	大腸（結腸・直腸）	C18-C20	39.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	3.0	5.7	12.0	29.9	42.8	55.1	80.5	117.5	150.0	144.7	•	•	•	•
	結腸	C18	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	4.4	7.7	17.0	30.2	32.6	53.9	78.9	113.3	115.5	•	•	•	•
	直腸	C19-C20	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	1.2	1.3	4.2	12.9	12.6	22.5	26.6	38.6	36.7	29.1	•	•	•	•
	肝および肝内胆管	C22	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	7.7	6.1	20.8	31.6	58.6	66.7	90.8	68.0	•	•	•	•
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	2.8	6.1	8.2	15.5	27.3	46.5	74.5	84.5	•	•	•	•
	膵臓	C25	27.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	5.7	7.7	10.9	30.2	42.2	69.5	97.4	116.3	92.2	•	•	•	•
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.6	0.0	3.1	0.0	•	•	•	•
	肺	C33-C34	59.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.8	9.5	10.6	19.0	45.9	100.0	140.6	171.9	274.5	236.9	•	•	•	•
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	1.3	0.5	0.8	0.8	0.9	3.1	8.7	•	•	•	•
	乳房	C50	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.6	10.1	14.1	15.0	25.8	23.5	25.8	21.9	25.5	19.4	•	•	•	•
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.7	1.4	3.1	6.4	7.0	13.2	34.7	38.8	•	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.7	2.7	3.8	6.4	9.4	24.6	30.6	30.1	•	•	•	•
	脳・中枢神経系	C70-C72	2.3	0.0	1.1	0.0	0.0	0.0	0.9	1.5	0.7	4.2	0.6	2.1	1.4	1.9	5.3	6.3	6.1	6.1	1.9	•	•	•	•
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.9	3.2	3.1	2.6	4.1	7.8	•	•	•	•
	悪性リンパ腫	C81-C85 C96	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.6	1.3	2.1	3.4	8.2	6.4	14.8	25.4	48.0	39.8	•	•	•	•
	多発性骨髄腫	C88-C90	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	5.0	1.6	8.6	13.2	21.4	13.6	•	•	•	•
	白血病	C91-C95	5.0	1.1	0.0	0.0	1.8	0.8	0.0	0.8	1.4	0.6	0.0	3.5	2.7	4.4	10.2	10.2	15.8	20.4	8.7	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2017年

性別	部位	I0D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	347.9	0.0	0.0	0.0	3.5	1.6	1.7	10.6	12.2	35.3	39.5	80.6	147.3	334.2	616.3	896.7	1,284.3	1,859.0	2,856.3	・
	口腔・咽頭	C00-C14	8.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.2	1.2	5.6	4.1	12.7	28.3	23.0	23.5	35.9	34.4	・
	食道	C15	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	2.8	9.5	12.7	30.4	36.1	60.8	79.5	100.0	・
	胃	C16	44.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	3.5	3.7	6.9	16.2	40.5	92.4	101.6	162.7	225.6	393.8	・
	大腸（結腸・直腸）	C18-C20	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.4	6.2	6.9	37.8	50.6	80.4	119.7	174.5	164.1	285.6	・
	結腸	C18	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	3.7	2.8	18.9	32.9	45.7	73.8	107.8	102.6	221.9	・
	直腸	C19-C20	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.4	2.5	4.2	18.9	17.7	34.8	45.9	66.7	61.5	43.8	・
	肝および肝内胆管	C22	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	12.5	6.8	36.7	54.3	93.4	103.9	143.6	175.0	・
	胆のう・胆管	C23-C24	15.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.2	1.4	8.1	8.9	19.6	36.1	52.9	84.6	168.8	・
	膵臓	C25	30.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	6.2	11.1	13.5	34.2	59.8	98.4	123.5	133.3	194.4	・
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	1.6	0.0	5.1	3.1	・
	肺	C33-C34	87.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	5.9	9.9	12.5	28.4	75.9	160.9	232.8	288.2	482.1	784.4	・
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.5	1.1	1.6	2.0	7.7	12.5	・
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.0	0.0	0.0	・
	前立腺	C61	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	5.1	17.4	37.7	80.4	179.5	281.3	・
	膀胱	C67	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	2.7	6.3	9.8	13.1	25.5	71.8	112.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	0.0	5.4	5.1	8.7	16.4	31.4	43.6	71.9	・
	脳・中枢神経系	C70-C72	3.3	0.0	0.0	0.0	0.0	0.0	1.7	3.0	0.0	8.2	1.2	2.8	1.4	2.5	7.6	8.2	5.9	12.8	3.1	・
	甲状腺	C73	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.3	2.2	1.6	3.9	2.6	9.4	・
	悪性リンパ腫	C81-C85 C96	9.6	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.2	1.2	4.2	5.4	13.9	8.7	14.8	41.2	61.5	78.1	・
	多発性骨髄腫	C88-C90	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	0.0	0.0	5.1	1.1	11.5	17.6	30.8	25.0	・
	白血病	C91-C95	5.8	0.0	0.0	0.0	1.8	0.0	0.0	1.5	2.7	1.2	0.0	4.2	1.4	5.1	12.0	16.4	19.6	35.9	21.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	237.3	2.4	2.2	0.0	3.8	1.8	7.0	9.2	15.3	29.3	63.6	104.3	134.2	211.3	287.4	364.2	536.5	842.4	1,414.1	・	
	口腔・咽頭	C00-C14	3.6	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.2	1.3	0.0	2.7	3.8	2.1	1.5	7.9	11.9	26.8	・	
	食道	C15	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	7.4	4.5	6.3	10.2	11.3	・	
	胃	C16	23.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	3.9	12.9	13.7	15.0	24.2	31.3	52.4	88.1	156.3	・	
	大腸（結腸・直腸）	C18-C20	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	3.7	5.2	17.1	21.9	30.5	44.8	71.4	140.7	278.9	・	
	結腸	C18	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	5.2	12.9	15.1	20.0	35.8	55.6	120.3	222.5	・	
	直腸	C19-C20	7.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	6.8	7.5	10.5	9.0	15.9	20.3	56.3	・	
	肝および肝内胆管	C22	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.3	2.9	5.5	9.5	26.9	36.5	55.9	85.9	・	
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	4.1	7.5	11.6	19.4	41.3	67.8	123.9	・
	膵臓	C25	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	8.2	26.3	25.3	43.3	76.2	105.1	143.7	・	
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.7	0.0	・	
	肺	C33-C34	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	9.1	8.6	9.6	16.3	41.1	56.7	77.8	137.3	193.0	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	15.5	・
	乳房	C50	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	7.3	20.8	28.6	30.1	51.3	46.3	47.8	38.1	42.4	63.4	・
	子宮	C53-C55	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	2.8	4.9	6.5	8.6	13.7	20.0	23.2	22.4	25.4	15.3	25.4	・
	子宮頸部	C53	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	1.4	1.2	3.9	5.7	6.8	7.5	3.2	9.0	6.3	11.9	12.7	・
	子宮体部	C54	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.6	1.4	4.1	6.3	16.8	11.9	15.9	0.0	5.6	・
	卵巣	C56	7.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	4.9	5.2	7.1	9.6	7.5	18.9	7.5	17.5	22.0	14.1	・
	膀胱	C67	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	3.2	1.5	3.2	10.2	50.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.5	4.2	3.0	19.0	22.0	43.7	・
	脳・中枢神経系	C70-C72	1.4	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.4	1.4	1.3	3.2	4.5	6.3	1.7	1.4	・
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	4.2	4.5	1.6	5.1	14.1	・
	悪性リンパ腫	C81-C85 C96	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	0.0	1.4	2.5	4.2	14.9	12.7	39.0	54.9	・
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	2.1	6.0	9.5	15.3	15.5	・
	白血病	C91-C95	4.2	2.4	0.0	0.0	1.9	1.8	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.1	3.8	8.4	4.5	12.7	10.2	19.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	291.4	1.1	1.1	0.0	3.6	1.7	4.3	9.9	13.7	32.3	51.3	92.3	140.8	272.3	449.2	618.0	871.1	1,246.9	1,862.1	・
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.0	1.2	1.3	2.8	3.4	8.2	15.0	11.7	14.9	21.4	29.1	・
	食道	C15	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	0.0	2.1	4.8	6.3	18.7	19.5	30.7	37.8	38.8	・
	胃	C16	33.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	2.4	3.8	9.9	15.0	27.7	57.8	64.8	101.8	142.9	230.1	・
	大腸（結腸・直腸）	C18-C20	39.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	3.0	5.7	12.0	29.9	42.8	55.1	80.5	117.5	150.0	274.8	・
	結腸	C18	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	4.4	7.7	17.0	30.2	32.6	53.9	78.9	113.3	222.3	・
	直腸	C19-C20	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	1.2	1.3	4.2	12.9	12.6	22.5	26.6	38.6	36.7	52.4	・
	肝および肝内胆管	C22	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	7.7	6.1	20.8	31.6	58.6	66.7	90.8	113.6	・
	胆のう・胆管	C23-C24	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	2.8	6.1	8.2	15.5	27.3	46.5	74.5	137.9	・
	膵臓	C25	27.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	5.7	7.7	10.9	30.2	42.2	69.5	97.4	116.3	156.3	・
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.6	0.0	3.1	1.0	・
	肺	C33-C34	59.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	4.8	9.5	10.6	19.0	45.9	100.0	140.6	171.9	274.5	376.7	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.7	1.3	0.5	0.8	0.9	3.1	14.6	・
	乳房	C50	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.6	10.1	14.1	15.0	25.8	23.5	25.8	21.9	25.5	43.7	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巢	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.7	1.4	3.1	6.4	7.0	13.2	34.7	69.9	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.7	2.7	3.8	6.4	9.4	24.6	30.6	52.4	・
	脳・中枢神経系	C70-C72	2.3	0.0	1.1	0.0	0.0	0.0	0.9	1.5	0.7	4.2	0.6	2.1	1.4	1.9	5.3	6.3	6.1	6.1	1.9	・
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.9	3.2	3.1	2.6	4.1	12.6	・
	悪性リンパ腫	C81-C85 C96	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.6	1.3	2.1	3.4	8.2	6.4	14.8	25.4	48.0	62.1	・
	多発性骨髄腫	C88-C90	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	5.0	1.6	8.6	13.2	21.4	18.4	・
	白血病	C91-C95	5.0	1.1	0.0	0.0	1.8	0.8	0.0	0.8	1.4	0.6	0.0	3.5	2.7	4.4	10.2	10.2	15.8	20.4	20.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

宮城県

2017年

男 女 男女計

部位	男			女			男女計		
	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
10D-10									
全部位	8,590	0.0	0.0	7,158	0.0	0.0	15,748	0.0	0.0
000-C96									
口腔・咽頭	236	0.0	0.0	115	0.0	0.0	351	0.0	0.0
000-C14									
食道	338	0.0	0.0	86	0.0	0.0	424	0.0	0.0
C15									
胃	1,626	0.0	0.0	769	0.0	0.0	2,395	0.0	0.0
C16									
大腸(結腸・直腸)	1,303	0.0	0.0	1,205	0.0	0.0	2,508	0.0	0.0
C18-C20									
結腸	815	0.0	0.0	870	0.0	0.0	1,685	0.0	0.0
C18									
直腸	488	0.0	0.0	335	0.0	0.0	823	0.0	0.0
C19-C20									
肝および肝内胆管	340	0.0	0.0	171	0.0	0.0	511	0.0	0.0
C22									
胆のう・胆管	212	0.0	0.0	184	0.0	0.0	396	0.0	0.0
C23-C24									
膵臓	344	0.0	0.0	347	0.0	0.0	691	0.0	0.0
C25									
喉頭	70	0.0	0.0	4	0.0	0.0	74	0.0	0.0
C32									
肺	1,264	0.0	0.0	657	0.0	0.0	1,921	0.0	0.0
C33-C34									
皮膚	181	0.0	0.0	185	0.0	0.0	366	0.0	0.0
C43-C44									
乳房	11	0.0	0.0	1,688	0.0	0.0	1,699	0.0	0.0
C50									
子宮	-	-	-	391	0.0	0.0	391	0.0	0.0
C53-C55									
子宮頸部	-	-	-	129	0.0	0.0	129	0.0	0.0
C53									
子宮体部	-	-	-	256	0.0	0.0	256	0.0	0.0
C54									
卵巢	-	-	-	189	0.0	0.0	189	0.0	0.0
C56									
前立腺	1,257	0.0	0.0	-	-	-	1,257	0.0	0.0
C61									
膀胱	229	0.0	0.0	94	0.0	0.0	323	0.0	0.0
C67									
腎・尿路(膀胱除く)	302	0.0	0.0	152	0.0	0.0	454	0.0	0.0
C64-C66 C68									
脳・中枢神経系	55	0.0	0.0	43	0.0	0.0	98	0.0	0.0
C70-C72									
甲状腺	65	0.0	0.0	202	0.0	0.0	267	0.0	0.0
C73									
悪性リンパ腫	248	0.0	0.0	250	0.0	0.0	498	0.0	0.0
C81-C85 C96									
多発性骨髄腫	65	0.0	0.0	63	0.0	0.0	128	0.0	0.0
C88-C90									
白血病	111	0.0	0.0	83	0.0	0.0	194	0.0	0.0
C91-C95									

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	4,018	0.0	0.0	3,340	0.0	0.0	7,358	0.0	0.0	7,358	0.0	0.0
		674	0.0	0.0	873	0.0	0.0	1,547	0.0	0.0	1,547	0.0	0.0
		1,197	0.0	0.0	927	0.0	0.0	2,124	0.0	0.0	2,124	0.0	0.0
		1,728	0.0	0.0	1,160	0.0	0.0	2,888	0.0	0.0	2,888	0.0	0.0
		794	0.0	0.0	710	0.0	0.0	1,504	0.0	0.0	1,504	0.0	0.0
		8,590	0.0	0.0	7,158	0.0	0.0	15,748	0.0	0.0	15,748	0.0	0.0
領域		1,871	0.0	0.0	1,800	0.0	0.0	3,671	0.0	0.0	3,671	0.0	0.0
口腔・咽頭	C00-C14	95	0.0	0.0	46	0.0	0.0	141	0.0	0.0	141	0.0	0.0
		30	0.0	0.0	12	0.0	0.0	42	0.0	0.0	42	0.0	0.0
		84	0.0	0.0	45	0.0	0.0	129	0.0	0.0	129	0.0	0.0
		17	0.0	0.0	5	0.0	0.0	22	0.0	0.0	22	0.0	0.0
		10	0.0	0.0	7	0.0	0.0	17	0.0	0.0	17	0.0	0.0
		236	0.0	0.0	115	0.0	0.0	351	0.0	0.0	351	0.0	0.0
領域		114	0.0	0.0	57	0.0	0.0	171	0.0	0.0	171	0.0	0.0
食道	C15	140	0.0	0.0	30	0.0	0.0	170	0.0	0.0	170	0.0	0.0
		30	0.0	0.0	5	0.0	0.0	35	0.0	0.0	35	0.0	0.0
		87	0.0	0.0	25	0.0	0.0	112	0.0	0.0	112	0.0	0.0
		64	0.0	0.0	20	0.0	0.0	84	0.0	0.0	84	0.0	0.0
		16	0.0	0.0	6	0.0	0.0	22	0.0	0.0	22	0.0	0.0
		338	0.0	0.0	86	0.0	0.0	424	0.0	0.0	424	0.0	0.0
領域		117	0.0	0.0	30	0.0	0.0	147	0.0	0.0	147	0.0	0.0
胃	C16	1,063	0.0	0.0	488	0.0	0.0	1,551	0.0	0.0	1,551	0.0	0.0
		147	0.0	0.0	51	0.0	0.0	198	0.0	0.0	198	0.0	0.0
		96	0.0	0.0	58	0.0	0.0	154	0.0	0.0	154	0.0	0.0
		227	0.0	0.0	124	0.0	0.0	351	0.0	0.0	351	0.0	0.0
		93	0.0	0.0	48	0.0	0.0	141	0.0	0.0	141	0.0	0.0
		1,626	0.0	0.0	769	0.0	0.0	2,395	0.0	0.0	2,395	0.0	0.0
領域		243	0.0	0.0	109	0.0	0.0	352	0.0	0.0	352	0.0	0.0
大腸(結腸・直腸)	C18-C20	649	0.0	0.0	538	0.0	0.0	1,187	0.0	0.0	1,187	0.0	0.0
		244	0.0	0.0	216	0.0	0.0	460	0.0	0.0	460	0.0	0.0
		107	0.0	0.0	129	0.0	0.0	236	0.0	0.0	236	0.0	0.0
		219	0.0	0.0	236	0.0	0.0	455	0.0	0.0	455	0.0	0.0
		84	0.0	0.0	86	0.0	0.0	170	0.0	0.0	170	0.0	0.0
		1,303	0.0	0.0	1,205	0.0	0.0	2,508	0.0	0.0	2,508	0.0	0.0
領域		351	0.0	0.0	345	0.0	0.0	696	0.0	0.0	696	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	410	0.0	0.0	380	0.0	0.0	790	0.0	0.0	790	0.0	0.0
		141	0.0	0.0	149	0.0	0.0	290	0.0	0.0	290	0.0	0.0
		75	0.0	0.0	97	0.0	0.0	172	0.0	0.0	172	0.0	0.0
		132	0.0	0.0	176	0.0	0.0	308	0.0	0.0	308	0.0	0.0
		57	0.0	0.0	68	0.0	0.0	125	0.0	0.0	125	0.0	0.0
		815	0.0	0.0	870	0.0	0.0	1,685	0.0	0.0	1,685	0.0	0.0
		216	0.0	0.0	246	0.0	0.0	462	0.0	0.0	462	0.0	0.0
直腸	C19-C20	239	0.0	0.0	158	0.0	0.0	397	0.0	0.0	397	0.0	0.0
		103	0.0	0.0	67	0.0	0.0	170	0.0	0.0	170	0.0	0.0
		32	0.0	0.0	32	0.0	0.0	64	0.0	0.0	64	0.0	0.0
		87	0.0	0.0	60	0.0	0.0	147	0.0	0.0	147	0.0	0.0
		27	0.0	0.0	18	0.0	0.0	45	0.0	0.0	45	0.0	0.0
		488	0.0	0.0	335	0.0	0.0	823	0.0	0.0	823	0.0	0.0
		135	0.0	0.0	99	0.0	0.0	234	0.0	0.0	234	0.0	0.0
肝および肝内胆管	C22	208	0.0	0.0	94	0.0	0.0	302	0.0	0.0	302	0.0	0.0
		7	0.0	0.0	8	0.0	0.0	15	0.0	0.0	15	0.0	0.0
		42	0.0	0.0	13	0.0	0.0	55	0.0	0.0	55	0.0	0.0
		43	0.0	0.0	18	0.0	0.0	61	0.0	0.0	61	0.0	0.0
		40	0.0	0.0	38	0.0	0.0	78	0.0	0.0	78	0.0	0.0
		340	0.0	0.0	171	0.0	0.0	511	0.0	0.0	511	0.0	0.0
		49	0.0	0.0	21	0.0	0.0	70	0.0	0.0	70	0.0	0.0
胆のう・胆管	C23-C24	43	0.0	0.0	40	0.0	0.0	83	0.0	0.0	83	0.0	0.0
		4	0.0	0.0	10	0.0	0.0	14	0.0	0.0	14	0.0	0.0
		90	0.0	0.0	59	0.0	0.0	149	0.0	0.0	149	0.0	0.0
		55	0.0	0.0	44	0.0	0.0	99	0.0	0.0	99	0.0	0.0
		20	0.0	0.0	31	0.0	0.0	51	0.0	0.0	51	0.0	0.0
		212	0.0	0.0	184	0.0	0.0	396	0.0	0.0	396	0.0	0.0
		94	0.0	0.0	69	0.0	0.0	163	0.0	0.0	163	0.0	0.0
膵臓	C25	36	0.0	0.0	39	0.0	0.0	75	0.0	0.0	75	0.0	0.0
		11	0.0	0.0	17	0.0	0.0	28	0.0	0.0	28	0.0	0.0
		102	0.0	0.0	105	0.0	0.0	207	0.0	0.0	207	0.0	0.0
		177	0.0	0.0	152	0.0	0.0	329	0.0	0.0	329	0.0	0.0
		18	0.0	0.0	34	0.0	0.0	52	0.0	0.0	52	0.0	0.0
		344	0.0	0.0	347	0.0	0.0	691	0.0	0.0	691	0.0	0.0
		113	0.0	0.0	122	0.0	0.0	235	0.0	0.0	235	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
喉頭	C32	限局	53	0.0	0.0	3	0.0	0.0	56	0.0	0.0	0.0	
		リ転	6	0.0	0.0	0	.	.	6	0.0	0.0	0.0	
		隣接	8	0.0	0.0	0	.	.	8	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	1	0.0	0.0	2	0.0	0.0	0.0	
		不明	2	0.0	0.0	0	.	.	2	0.0	0.0	0.0	
		合計	70	0.0	0.0	4	0.0	0.0	74	0.0	0.0	0.0	
		領域	14	0.0	0.0	0	.	.	14	0.0	0.0	0.0	
肺	C33-C34	限局	354	0.0	0.0	271	0.0	0.0	625	0.0	0.0	0.0	
		リ転	114	0.0	0.0	53	0.0	0.0	167	0.0	0.0	0.0	
		隣接	125	0.0	0.0	42	0.0	0.0	167	0.0	0.0	0.0	
		遠隔	553	0.0	0.0	224	0.0	0.0	777	0.0	0.0	0.0	
		不明	118	0.0	0.0	67	0.0	0.0	185	0.0	0.0	0.0	
		合計	1,264	0.0	0.0	657	0.0	0.0	1,921	0.0	0.0	0.0	
		領域	239	0.0	0.0	95	0.0	0.0	334	0.0	0.0	0.0	
皮膚	C43-C44	限局	159	0.0	0.0	168	0.0	0.0	327	0.0	0.0	0.0	
		リ転	5	0.0	0.0	1	0.0	0.0	6	0.0	0.0	0.0	
		隣接	9	0.0	0.0	8	0.0	0.0	17	0.0	0.0	0.0	
		遠隔	0	.	.	1	0.0	0.0	1	0.0	0.0	0.0	
		不明	8	0.0	0.0	7	0.0	0.0	15	0.0	0.0	0.0	
		合計	181	0.0	0.0	185	0.0	0.0	366	0.0	0.0	0.0	
		領域	14	0.0	0.0	9	0.0	0.0	23	0.0	0.0	0.0	
乳房	C50	限局	6	0.0	0.0	983	0.0	0.0	989	0.0	0.0	0.0	
		リ転	3	0.0	0.0	386	0.0	0.0	389	0.0	0.0	0.0	
		隣接	1	0.0	0.0	46	0.0	0.0	47	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	89	0.0	0.0	90	0.0	0.0	0.0	
		不明	0	.	.	183	0.0	0.0	183	0.0	0.0	0.0	
		合計	11	0.0	0.0	1,688	0.0	0.0	1,699	0.0	0.0	0.0	
		領域	4	0.0	0.0	432	0.0	0.0	436	0.0	0.0	0.0	
子宮	C53-C55	限局	-	-	-	214	0.0	0.0	214	0.0	0.0	0.0	
		リ転	-	-	-	13	0.0	0.0	13	0.0	0.0	0.0	
		隣接	-	-	-	87	0.0	0.0	87	0.0	0.0	0.0	
		遠隔	-	-	-	49	0.0	0.0	49	0.0	0.0	0.0	
		不明	-	-	-	28	0.0	0.0	28	0.0	0.0	0.0	
		合計	-	-	-	391	0.0	0.0	391	0.0	0.0	0.0	
		領域	-	-	-	100	0.0	0.0	100	0.0	0.0	0.0	

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
子宮頸部	C53	-	-	-	46	0.0	0.0	46	0.0	0.0	46	0.0	0.0
		-	-	-	6	0.0	0.0	6	0.0	0.0	6	0.0	0.0
		-	-	-	51	0.0	0.0	51	0.0	0.0	51	0.0	0.0
		-	-	-	13	0.0	0.0	13	0.0	0.0	13	0.0	0.0
		-	-	-	13	0.0	0.0	13	0.0	0.0	13	0.0	0.0
		-	-	-	129	0.0	0.0	129	0.0	0.0	129	0.0	0.0
		-	-	-	57	0.0	0.0	57	0.0	0.0	57	0.0	0.0
子宮体部	C54	-	-	-	167	0.0	0.0	167	0.0	0.0	167	0.0	0.0
		-	-	-	7	0.0	0.0	7	0.0	0.0	7	0.0	0.0
		-	-	-	35	0.0	0.0	35	0.0	0.0	35	0.0	0.0
		-	-	-	35	0.0	0.0	35	0.0	0.0	35	0.0	0.0
		-	-	-	12	0.0	0.0	12	0.0	0.0	12	0.0	0.0
		-	-	-	256	0.0	0.0	256	0.0	0.0	256	0.0	0.0
		-	-	-	42	0.0	0.0	42	0.0	0.0	42	0.0	0.0
卵巣	C56	-	-	-	42	0.0	0.0	42	0.0	0.0	42	0.0	0.0
		-	-	-	3	0.0	0.0	3	0.0	0.0	3	0.0	0.0
		-	-	-	96	0.0	0.0	96	0.0	0.0	96	0.0	0.0
		-	-	-	34	0.0	0.0	34	0.0	0.0	34	0.0	0.0
		-	-	-	14	0.0	0.0	14	0.0	0.0	14	0.0	0.0
		-	-	-	189	0.0	0.0	189	0.0	0.0	189	0.0	0.0
		-	-	-	99	0.0	0.0	99	0.0	0.0	99	0.0	0.0
前立腺	C61	672	0.0	0.0	-	-	-	672	0.0	0.0	-	-	-
		12	0.0	0.0	-	-	-	12	0.0	0.0	-	-	-
		201	0.0	0.0	-	-	-	201	0.0	0.0	-	-	-
		156	0.0	0.0	-	-	-	156	0.0	0.0	-	-	-
		216	0.0	0.0	-	-	-	216	0.0	0.0	-	-	-
		1,257	0.0	0.0	-	-	-	1,257	0.0	0.0	-	-	-
		213	0.0	0.0	-	-	-	213	0.0	0.0	-	-	-
膀胱	C67	148	0.0	0.0	53	0.0	0.0	201	0.0	0.0	201	0.0	0.0
		6	0.0	0.0	3	0.0	0.0	9	0.0	0.0	9	0.0	0.0
		28	0.0	0.0	13	0.0	0.0	41	0.0	0.0	41	0.0	0.0
		14	0.0	0.0	6	0.0	0.0	20	0.0	0.0	20	0.0	0.0
		31	0.0	0.0	19	0.0	0.0	50	0.0	0.0	50	0.0	0.0
		229	0.0	0.0	94	0.0	0.0	323	0.0	0.0	323	0.0	0.0
		34	0.0	0.0	16	0.0	0.0	50	0.0	0.0	50	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率 (%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	ICD-10	進展度・総合				男				女				男女計			
		5年相対生存率		標準誤差		5年相対生存率		標準誤差		5年相対生存率		標準誤差		5年相対生存率		標準誤差	
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
腎・尿路 (膀胱除く)	C64-C66 C68	限局	0.0	0.0	181	0.0	0.0	84	0.0	0.0	265	0.0	0.0	0.0	0.0	0.0	
		リ転	0.0	0.0	11	0.0	0.0	4	0.0	0.0	15	0.0	0.0	0.0	0.0	0.0	
		隣接	0.0	0.0	52	0.0	0.0	23	0.0	0.0	75	0.0	0.0	0.0	0.0	0.0	
		遠隔	0.0	0.0	37	0.0	0.0	22	0.0	0.0	59	0.0	0.0	0.0	0.0	0.0	
		不明	0.0	0.0	21	0.0	0.0	19	0.0	0.0	40	0.0	0.0	0.0	0.0	0.0	
		合計	0.0	0.0	302	0.0	0.0	152	0.0	0.0	454	0.0	0.0	0.0	0.0	0.0	
領域	0.0	0.0	63	0.0	0.0	27	0.0	0.0	90	0.0	0.0	0.0	0.0	0.0			
脳・中枢神経系	C70-C72	限局	0.0	0.0	32	0.0	0.0	30	0.0	0.0	62	0.0	0.0	0.0	0.0	0.0	
		リ転	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	
		隣接	0.0	0.0	18	0.0	0.0	6	0.0	0.0	24	0.0	0.0	0.0	0.0	0.0	
		遠隔	0.0	0.0	1	0.0	0.0	2	0.0	0.0	3	0.0	0.0	0.0	0.0	0.0	
		不明	0.0	0.0	4	0.0	0.0	5	0.0	0.0	9	0.0	0.0	0.0	0.0	0.0	
		合計	0.0	0.0	55	0.0	0.0	43	0.0	0.0	98	0.0	0.0	0.0	0.0	0.0	
領域	0.0	0.0	18	0.0	0.0	6	0.0	0.0	24	0.0	0.0	0.0	0.0	0.0			
甲状腺	C73	限局	0.0	0.0	8	0.0	0.0	83	0.0	0.0	91	0.0	0.0	0.0	0.0	0.0	
		リ転	0.0	0.0	37	0.0	0.0	80	0.0	0.0	117	0.0	0.0	0.0	0.0	0.0	
		隣接	0.0	0.0	6	0.0	0.0	16	0.0	0.0	22	0.0	0.0	0.0	0.0	0.0	
		遠隔	0.0	0.0	7	0.0	0.0	7	0.0	0.0	14	0.0	0.0	0.0	0.0	0.0	
		不明	0.0	0.0	7	0.0	0.0	16	0.0	0.0	23	0.0	0.0	0.0	0.0	0.0	
		合計	0.0	0.0	65	0.0	0.0	202	0.0	0.0	267	0.0	0.0	0.0	0.0	0.0	
領域	0.0	0.0	43	0.0	0.0	96	0.0	0.0	139	0.0	0.0	0.0	0.0	0.0			
悪性リンパ腫	C81-C85 C96	限局	0.0	0.0	62	0.0	0.0	73	0.0	0.0	135	0.0	0.0	0.0	0.0	0.0	
		リ転	0.0	0.0	1	0.0	0.0	3	0.0	0.0	4	0.0	0.0	0.0	0.0	0.0	
		隣接	0.0	0.0	40	0.0	0.0	56	0.0	0.0	96	0.0	0.0	0.0	0.0	0.0	
		遠隔	0.0	0.0	118	0.0	0.0	83	0.0	0.0	201	0.0	0.0	0.0	0.0	0.0	
		不明	0.0	0.0	25	0.0	0.0	34	0.0	0.0	59	0.0	0.0	0.0	0.0	0.0	
		合計	0.0	0.0	248	0.0	0.0	250	0.0	0.0	498	0.0	0.0	0.0	0.0	0.0	
領域	0.0	0.0	41	0.0	0.0	59	0.0	0.0	100	0.0	0.0	0.0	0.0	0.0			
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		リ転	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		隣接	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		遠隔	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		合計	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
領域	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率 (%) : 主要部位別、性別、進展度・総合別

宮城県

2017年

部位	進展度・総合	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
白血病	ICD-10 C91-C95	-	-	-	-	-	-	-	-	-
	限局	-	-	-	-	-	-	-	-	-
	リ転	-	-	-	-	-	-	-	-	-
	隣接	-	-	-	-	-	-	-	-	-
	遠隔	-	-	-	-	-	-	-	-	-
	不明	-	-	-	-	-	-	-	-	-
	合計	-	-	-	-	-	-	-	-	-
	領域	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤