

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

B. 上皮内がんを含む

宮城県

2019年

部位	罹患数										部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	男		女		男		女		男		女		男		女		男		女		男		女			
	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合	総数 *1	割合		
ICD-10	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
全部位	11,575	9,161	20,736	100.0	4.3	1.2	2.9	43.7	9.7	26.3	21.1	503.6	426.6	456.0	355.4	322.4	333.3	42.1	34.3	38.0	42.1	34.3	38.0	42.1	34.3	
食道	493	114	607	18.6	17.0	17.9	191.0	132.3	161.0	100.4	58.6	78.6	72.3	42.2	56.7	8.8	4.9	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
大腸(結腸・直腸) *2	2,153	1,560	3,713	18.6	17.0	17.9	191.0	132.3	161.0	100.4	58.6	78.6	72.3	42.2	56.7	8.8	4.9	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
結腸 *2	1,412	1,104	2,516	12.2	12.1	12.1	125.3	93.6	109.1	62.6	38.7	50.0	44.2	27.5	35.5	5.3	3.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
直腸 *2	741	456	1,197	6.4	5.0	5.8	65.7	38.7	51.9	37.8	20.0	28.6	28.1	14.8	21.2	3.4	1.7	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
肺	1,606	834	2,440	13.9	9.1	11.8	142.5	70.7	105.8	64.5	29.0	45.1	44.1	20.5	31.4	5.2	2.5	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
皮膚	282	303	585	2.4	3.3	2.8	25.0	25.7	25.4	10.9	9.1	9.8	7.4	6.4	6.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
乳房	10	2,008	2,018	0.1	21.9	9.7	0.9	170.3	87.5	0.5	120.7	61.1	0.3	92.8	46.8	0.0	10.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
子宮	-	772	772	-	8.4	3.7	-	65.5	-	-	61.8	-	-	49.3	-	-	4.7	-	-	-	-	-	-	-	-	-
子宮頸部	-	480	480	-	5.2	2.3	-	40.7	-	-	42.9	-	-	34.6	-	-	3.1	-	-	-	-	-	-	-	-	-
膀胱	584	183	767	5.0	2.0	3.7	51.8	15.5	33.3	24.3	5.6	14.3	16.9	10.1	2.0	0.4	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,514	4	4	6	9	9	18	33	59	99	173	276	501	988	1,707	1,878	1,909	1,486	904	369	76	6	0
	口腔・咽頭	C00-C14	326	0	0	1	0	1	0	5	5	5	8	8	22	41	63	55	55	36	13	7	1	0	0
	食道	C15	450	0	0	0	0	0	0	0	1	3	4	7	21	54	93	100	73	56	29	8	1	0	0
	胃	C16	1,904	0	0	0	0	0	1	1	2	11	17	31	69	174	308	367	383	301	176	56	7	0	0
	大腸(結腸・直腸)	C18-C20	1,606	0	0	0	0	0	1	3	16	23	36	60	90	182	305	261	264	182	117	53	12	1	0
	結腸	C18	1,004	0	0	0	0	0	0	1	7	11	11	22	41	98	183	172	181	139	85	44	8	1	0
	直腸	C19-C20	602	0	0	0	0	0	1	2	9	12	25	38	49	84	122	89	83	43	32	9	4	0	0
	肝および肝内胆管	C22	407	0	1	0	0	0	0	0	0	1	5	5	23	29	69	86	74	60	38	13	3	0	0
	胆のう・胆管	C23-C24	262	0	0	0	0	0	0	0	1	2	2	3	8	8	35	47	51	44	38	16	6	1	0
	膵臓	C25	428	0	0	0	0	0	0	0	0	3	9	10	19	31	69	83	72	72	36	21	3	0	0
	喉頭	C32	85	0	0	0	0	0	0	0	0	0	1	0	4	12	15	16	13	19	4	0	1	0	0
	肺	C33-C34	1,600	0	0	0	0	0	0	0	3	8	11	32	66	132	258	292	312	242	166	67	10	1	0
	皮膚	C43-C44	239	0	0	0	0	2	1	1	2	1	8	8	12	8	15	30	36	52	35	21	7	0	0
	乳房	C50	9	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0	1	2	0	1	0	0	0
	前立腺	C61	1,476	0	0	0	0	0	0	0	0	0	3	24	54	182	252	299	300	217	115	48	12	0	0
	膀胱	C67	277	0	0	0	0	0	0	1	0	1	3	5	12	28	36	44	50	38	33	21	3	2	0
	腎・尿路(膀胱除く)	C64-C66 C68	371	0	1	0	0	0	1	2	6	9	13	24	26	40	53	60	58	39	30	6	3	0	0
	脳・中枢神経系	C70-C72	46	1	0	0	1	0	1	1	2	3	1	5	3	7	3	8	7	2	1	1	0	0	0
	甲状腺	C73	73	0	0	0	1	1	2	4	1	4	6	3	8	10	7	5	11	6	4	0	0	0	0
	悪性リンパ腫	C81-C85 C96	346	0	0	1	0	2	0	2	6	5	8	15	23	31	55	48	67	43	27	11	2	0	0
	多発性骨髄腫	C88-C90	55	0	0	0	0	0	0	0	0	0	0	0	1	7	2	10	11	16	5	2	1	0	0
	白血病	C91-C95	150	3	2	2	3	2	2	4	2	3	9	12	16	7	11	17	22	21	9	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	C00-C96	8,013	11	5	4	12	21	24	63	135	270	422	440	508	627	939	941	1,038	1,029	866	503	135	20	0
	C00-C14	127	0	0	0	1	3	0	1	3	3	4	4	5	10	20	17	15	14	13	12	1	1	0
	C15	105	0	0	0	0	0	0	0	1	1	6	6	11	12	7	16	22	13	6	4	0	0	0
	C16	858	0	0	0	0	0	1	0	4	12	14	17	27	55	96	112	149	167	121	64	17	2	0
	C18-C20	1,251	0	0	1	0	1	2	3	10	18	32	46	62	94	156	151	178	193	181	94	27	2	0
	C18	877	0	0	1	0	1	1	2	4	9	20	25	39	53	101	109	126	149	149	66	20	2	0
	C19-C20	374	0	0	0	0	0	1	1	6	9	12	21	23	41	55	42	52	44	32	28	7	0	0
	C22	176	0	0	0	0	1	0	0	0	0	2	1	1	8	16	15	29	42	30	27	2	0	0
	C23-C24	221	0	0	0	0	0	0	0	1	0	1	0	7	8	12	17	28	48	53	34	10	2	0
	C25	415	0	1	0	0	0	1	4	0	0	7	6	10	18	42	45	75	80	77	43	6	0	0
	C32	10	0	0	0	0	0	0	0	0	0	0	3	1	0	3	2	0	1	0	0	0	0	0
	C33-C34	815	0	0	0	0	0	0	1	2	8	15	18	38	61	109	124	135	112	103	65	20	4	0
	C43-C44	233	0	0	0	0	0	1	2	6	5	7	3	7	11	13	20	32	29	44	33	20	0	0
	C50	1,758	0	0	0	0	1	3	18	51	125	207	187	174	176	204	192	156	135	76	43	9	1	0
	C53-C55	434	0	0	0	0	0	3	9	23	35	47	51	60	41	52	37	28	23	12	11	1	1	0
	C53	142	0	0	0	0	0	3	2	9	18	18	7	20	7	17	13	10	8	3	6	1	0	0
	C54	287	0	0	0	0	0	0	7	14	17	28	44	40	34	35	24	18	14	9	3	0	0	0
	C56	283	0	0	1	2	4	1	5	12	26	30	30	31	28	39	21	22	12	14	3	2	0	0
	C67	103	0	0	0	0	0	0	0	0	0	0	3	2	2	5	7	15	14	28	23	4	0	0
	C64-C66 C68	169	1	0	0	0	0	0	0	1	4	0	8	7	15	21	26	30	26	18	10	1	1	0
	C70-C72	42	2	0	0	1	3	0	1	0	1	3	1	2	2	6	6	4	5	4	1	0	0	0
	C73	194	0	0	0	1	3	9	8	11	11	17	12	14	16	29	22	18	10	8	3	1	1	0
	C81-C85 C96	304	0	1	1	1	2	1	4	5	4	8	13	8	28	51	48	49	44	26	9	1	0	0
	C88-C90	72	0	0	0	0	0	0	0	1	0	0	2	1	5	12	9	9	15	14	4	0	0	0
	C91-C95	93	4	2	1	2	0	1	0	1	2	5	4	11	8	6	11	9	13	9	2	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	I0D-I0	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	C00-C96	18,527	15	9	10	21	30	42	96	194	369	595	716	1,009	1,615	2,646	2,819	2,947	2,515	1,770	872	211	26	0
	口腔・咽頭	C00-C14	453	0	0	1	1	4	0	6	8	8	12	12	27	51	83	72	70	50	26	19	2	1	0
	食道	C15	555	0	0	0	0	0	0	0	2	4	10	13	32	66	100	116	95	69	35	12	1	0	0
	胃	C16	2,762	0	0	0	0	0	2	1	6	23	31	48	96	229	404	479	532	468	297	120	24	2	0
	大腸(結腸・直腸)	C18-C20	2,857	0	0	1	0	1	3	6	26	41	68	106	152	276	461	412	442	375	298	147	39	3	0
	結腸	C18	1,881	0	0	1	0	1	1	3	11	20	31	47	80	151	284	281	307	288	234	110	28	3	0
	直腸	C19-C20	976	0	0	0	0	0	2	3	15	21	37	59	72	125	177	131	135	87	64	37	11	0	0
	肝および肝内胆管	C22	583	0	1	0	0	1	0	0	0	1	7	6	24	37	85	101	103	102	68	40	5	2	0
	胆のう・胆管	C23-C24	483	0	0	0	0	0	0	0	2	2	3	3	15	16	47	64	79	92	91	50	16	3	0
	膵臓	C25	843	0	1	0	0	0	1	4	0	3	16	16	29	49	111	128	147	152	113	64	9	0	0
	喉頭	C32	95	0	0	0	0	0	0	0	0	0	1	3	5	12	18	13	20	4	0	1	0	0	0
	肺	C33-C34	2,415	0	0	0	0	0	0	1	5	16	26	50	104	193	367	416	447	354	269	132	30	5	0
	皮膚	C43-C44	472	0	0	0	0	2	2	3	8	6	15	11	19	19	28	50	68	81	79	54	27	0	0
	乳房	C50	1,767	0	0	0	0	1	3	18	51	125	208	187	174	177	207	192	157	137	76	44	9	1	0
	子宮	C53-C55	434	0	0	0	0	0	3	9	23	35	47	51	60	41	52	37	28	23	12	11	1	1	0
	子宮頸部	C53	142	0	0	0	0	0	3	9	23	35	47	51	60	41	52	37	28	23	12	11	1	1	0
	子宮体部	C54	287	0	0	0	0	0	0	2	9	18	18	7	20	7	17	13	10	8	3	6	1	0	0
	卵巢	C56	283	0	0	1	2	4	1	5	12	26	30	30	31	28	39	21	22	12	14	3	2	0	0
	前立腺	C61	1,476	0	0	0	0	0	0	0	0	0	3	24	54	152	252	299	300	217	115	48	12	0	0
	膀胱	C67	380	0	0	0	0	0	1	0	0	1	3	8	14	30	41	51	65	52	61	44	7	2	0
	腎・尿路(膀胱除く)	C64-C66 C68	540	1	1	0	0	0	1	2	7	13	13	32	33	55	74	86	88	65	48	16	4	1	0
	脳・中枢神経系	C70-C72	88	3	0	0	2	3	1	2	2	4	4	6	5	9	9	14	11	7	5	1	0	0	0
	甲状腺	C73	267	0	0	0	2	4	11	12	12	15	23	15	22	26	36	27	29	16	12	3	1	1	0
	悪性リンパ腫	C81-C85 C96	650	0	1	2	1	4	1	6	11	9	16	28	31	59	106	96	116	87	53	20	3	0	0
	多発性骨髄腫	C88-C90	127	0	0	0	0	0	0	0	1	0	0	2	2	12	14	19	20	31	19	6	1	0	0
	白血病	C91-C95	243	7	4	3	5	2	3	4	3	5	14	16	15	17	17	28	31	34	18	5	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

B. 上皮内がんを含む

宮城県 2019年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳		
男	全部位	C00-C96 D00-D09	11,575	4	4	6	9	9	18	34	68	112	191	331	576	1,124	1,886	2,072	2,081	1,621	957	389	77	6	0		
	食道	C15 D001	483	0	0	0	0	0	0	0	1	3	4	8	21	59	99	112	80	66	31	8	1	0	0		
	大腸(結腸・直腸)*2	C18-C20 D010-D012	2,153	0	0	0	0	0	1	3	23	35	48	96	131	259	410	348	352	235	141	58	12	1	0		
	結腸*2	C18 D010	1,412	0	0	0	0	0	0	1	12	16	21	48	74	158	258	235	257	179	97	47	8	1	0		
	直腸*2	C19-C20 D011-D012	741	0	0	0	0	0	1	2	11	19	27	48	57	101	152	113	95	56	44	11	4	0	0		
	肺	C33-C34 D021-D022	1,606	0	0	0	0	0	0	0	3	8	11	11	32	66	133	260	293	314	242	166	67	10	1	0	
	皮膚	C43-C44 D030-D049	282	0	0	0	0	2	1	1	2	1	8	8	8	14	9	20	38	41	62	41	27	7	0	0	
	乳房	C50 D05	10	0	0	0	0	0	0	0	0	0	0	1	1	1	3	0	1	2	0	1	0	0	0		
	膀胱	C67 D090	584	0	0	0	0	0	1	2	1	2	1	7	13	32	60	80	108	109	83	52	29	4	2	0	
	女	全部位	C00-C96 D00-D09	9,161	11	5	4	12	25	53	119	228	384	515	524	581	708	1,056	1,062	1,142	1,117	928	526	141	20	0	
		食道	C15 D001	114	0	0	0	0	0	0	0	1	1	6	7	11	12	9	17	24	14	8	4	0	0	0	
		大腸(結腸・直腸)*2	C18-C20 D010-D012	1,560	0	0	1	0	1	2	4	11	26	41	66	83	122	202	204	228	239	201	100	27	2	0	
		結腸*2	C18 D010	1,104	0	0	1	0	1	1	2	4	13	28	38	52	69	137	152	162	187	166	69	20	2	0	
		直腸*2	C19-C20 D011-D012	456	0	0	0	0	0	1	2	7	13	13	28	31	53	65	52	66	52	35	31	7	0	0	
		肺	C33-C34 D021-D022	834	0	0	0	0	0	0	0	1	3	9	16	19	39	66	114	127	136	112	103	65	20	4	0
		皮膚	C43-C44 D030-D049	303	0	0	0	0	0	1	2	7	5	8	8	5	11	11	16	25	40	40	63	44	25	0	0
		乳房	C50 D05	2,008	0	0	0	0	1	5	19	60	156	156	250	216	202	196	233	218	171	143	82	45	10	1	0
子宮		C53-C55 D06	772	0	0	0	0	3	29	62	102	107	107	77	77	71	53	61	46	32	25	14	11	1	1	0	
子宮頸部		C53 D06	480	0	0	0	0	3	29	55	88	90	90	48	33	31	19	26	22	14	10	5	6	1	0	0	
膀胱		C67 D090	183	0	0	0	0	0	1	0	0	1	5	6	5	11	19	21	21	26	38	25	4	0	0		
総数*3 全部位		C00-C96 D00-D09	20,736	15	9	10	21	34	71	153	296	496	706	855	1,157	1,832	2,942	3,134	3,223	2,738	1,885	915	218	26	0		
食道		C15 D001	607	0	0	0	0	0	0	0	2	4	4	10	15	32	71	108	129	104	80	39	12	1	0	0	
大腸(結腸・直腸)*2		C18-C20 D010-D012	3,713	0	0	1	0	1	3	7	34	61	89	162	214	381	612	552	580	474	342	158	39	3	0	0	
結腸*2		C18 D010	2,516	0	0	1	0	1	1	3	16	29	49	86	126	227	395	387	419	366	263	116	28	3	0	0	
直腸*2		C19-C20 D011-D012	1,197	0	0	0	0	0	2	4	18	32	40	76	88	154	217	165	161	108	79	42	11	0	0		
肺		C33-C34 D021-D022	2,440	0	0	0	0	0	0	0	1	6	17	27	51	105	199	374	420	450	354	269	132	30	5	0	
皮膚	C43-C44 D030-D049	585	0	0	0	0	2	2	3	9	6	16	16	13	25	20	36	63	81	102	104	71	32	0	0		
乳房	C50 D05	2,018	0	0	0	0	1	5	19	60	156	156	251	216	203	197	236	218	172	145	82	46	10	1	0		
子宮	C53-C55 D06	772	0	0	0	0	3	29	62	102	107	107	77	77	71	53	61	46	32	25	14	11	1	1	0		
子宮頸部	C53 D06	480	0	0	0	0	3	29	55	88	90	90	48	33	31	19	26	22	14	10	5	6	1	0	0		
膀胱	C67 D090	767	0	0	0	0	0	2	1	2	2	12	19	37	71	99	129	130	109	90	54	8	2	0			

*1 総数は年齢不詳を含む

*2 粘膜炎を含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-C96	932.9	9.3	8.5	12.0	16.4	14.3	29.0	50.8	83.1	123.8	203.5	373.0	695.8	1,300.0	2,008.2	2,608.3	3,470.9	3,810.3	2,582.9	•	•	•	•
	口腔・咽頭	000-C14	28.9	0.0	0.0	2.0	0.0	1.6	0.0	7.7	7.0	6.3	9.4	10.8	30.6	53.9	74.1	76.4	100.0	92.3	37.1	•	•	•	•
	食道	C15	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	4.7	9.5	29.2	71.1	109.4	138.9	132.7	143.6	82.9	•	•	•	•
	胃	C16	168.9	0.0	0.0	0.0	0.0	0.0	1.6	1.5	2.8	13.8	20.0	41.9	95.8	228.9	362.4	509.7	696.4	771.8	502.9	•	•	•	•
	大腸（結腸・直腸）	C18-C20	142.5	0.0	0.0	0.0	0.0	0.0	1.6	4.6	22.5	28.8	42.4	81.1	125.0	239.5	358.8	362.5	480.0	466.7	334.3	•	•	•	•
	結腸	C18	89.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	9.9	13.8	12.9	29.7	56.9	128.9	215.3	238.9	329.1	356.4	242.9	•	•	•	•
	直腸	C19-C20	53.4	0.0	0.0	0.0	0.0	0.0	1.6	3.1	12.7	15.0	29.4	51.4	68.1	110.5	143.5	123.6	150.9	110.3	91.4	•	•	•	•
	肝および肝内胆管	C22	36.1	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.9	6.8	31.9	38.2	81.2	119.4	134.5	153.8	108.6	•	•	•	•
	胆のう・胆管	C23-C24	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	2.4	4.1	11.1	10.5	41.2	65.3	92.7	112.8	108.6	•	•	•	•
	膵臓	C25	38.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.6	13.5	26.4	40.8	81.2	115.3	130.9	184.6	102.9	•	•	•	•
	喉頭	C32	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	5.6	15.8	17.6	22.2	23.6	48.7	11.4	•	•	•	•
	肺	C33-C34	142.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	12.9	43.2	91.7	173.7	303.5	405.6	567.3	620.5	474.3	•	•	•	•
	皮膚	C43-C44	21.2	0.0	0.0	0.0	0.0	3.2	1.6	1.5	2.8	1.3	9.4	10.8	16.7	10.5	17.6	41.7	65.5	133.3	100.0	•	•	•	•
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.3	3.5	0.0	1.8	5.1	0.0	•	•	•	•
	前立腺	C61	131.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	32.4	75.0	200.0	296.5	415.3	545.5	556.4	328.6	•	•	•	•
	膀胱	C67	24.6	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.3	3.5	6.8	16.7	36.8	42.4	61.1	90.9	97.4	94.3	•	•	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	32.9	0.0	2.1	0.0	0.0	0.0	1.6	3.1	8.5	11.3	15.3	32.4	36.1	52.6	62.4	83.3	105.5	100.0	85.7	•	•	•	•
	脳・中枢神経系	C70-C72	4.1	2.3	0.0	0.0	1.8	0.0	1.6	1.5	2.8	3.8	1.2	6.8	4.2	9.2	3.5	11.1	12.7	5.1	2.9	•	•	•	•
	甲状腺	C73	6.5	0.0	0.0	0.0	1.8	1.6	3.2	6.2	1.4	5.0	7.1	4.1	11.1	13.2	8.2	6.9	20.0	15.4	11.4	•	•	•	•
	悪性リンパ腫	C81-C85 C96	30.7	0.0	0.0	2.0	0.0	3.2	0.0	3.1	8.5	6.3	9.4	20.3	31.9	40.8	64.7	66.7	121.8	110.3	77.1	•	•	•	•
	多発性骨髄腫	C88-C90	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.2	2.4	13.9	20.0	41.0	14.3	•	•	•	•
	白血病	C91-C95	13.3	7.0	4.3	4.0	5.5	3.2	3.2	6.2	2.8	3.8	10.6	16.2	22.2	9.2	12.9	23.6	40.0	53.8	25.7	•	•	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	000-C96	679.6	26.8	11.1	8.5	23.1	36.2	42.1	101.6	192.9	346.2	514.6	611.1	705.6	814.3	1,055.1	1,222.1	1,572.7	1,774.1	1,124.7				
	口腔・咽頭	000-C14	10.8	0.0	0.0	0.0	1.9	5.2	0.0	1.6	4.3	3.8	4.9	5.6	6.9	13.0	22.5	22.1	22.7	24.1	16.9				
	食道	C15	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.3	8.3	15.3	15.6	7.9	20.8	33.3	22.4	7.8				
	胃	C16	72.8	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.7	15.4	17.1	23.6	37.5	71.4	107.9	145.5	225.8	287.9	157.1				
	大腸（結腸・直腸）	C18-C20	106.1	0.0	0.0	2.1	0.0	1.7	3.5	4.8	14.3	23.1	39.0	63.9	86.1	122.1	175.3	196.1	269.7	332.8	235.1				
	結腸	C18	74.4	0.0	0.0	2.1	0.0	1.7	1.8	3.2	5.7	11.5	24.4	34.7	54.2	68.8	113.5	141.6	190.9	256.9	193.5				
	直腸	C19-C20	31.7	0.0	0.0	0.0	0.0	0.0	1.8	1.6	8.6	11.5	14.6	29.2	31.9	53.2	61.8	54.5	78.8	75.9	41.6				
	肝および肝内胆管	C22	14.9	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	2.4	1.4	1.4	10.4	18.0	19.5	43.9	72.4	39.0				
	胆のう・胆管	C23-C24	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	9.7	10.4	13.5	22.1	42.4	82.8	68.8				
	膵臓	C25	35.2	0.0	2.2	0.0	0.0	0.0	1.8	6.5	0.0	0.0	8.5	8.3	13.9	23.4	47.2	58.4	113.6	137.9	100.0				
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	1.4	0.0	3.4	2.6	0.0	1.7	0.0				
	肺	C33-C34	69.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	10.3	18.3	25.0	52.8	79.2	122.5	161.0	204.5	193.1	133.8				
	皮膚	C43-C44	19.8	0.0	0.0	0.0	0.0	0.0	1.8	3.2	8.6	6.4	8.5	4.2	9.7	14.3	14.6	26.0	48.5	50.0	57.1				
	乳房	C50	149.1	0.0	0.0	0.0	0.0	1.7	5.3	29.0	72.9	160.3	252.4	259.7	241.7	228.6	229.2	249.4	236.4	232.8	98.7				
	子宮	C53-C55	36.8	0.0	0.0	0.0	0.0	0.0	5.3	14.5	32.9	44.9	57.3	70.8	83.3	53.2	58.4	48.1	42.4	39.7	15.6				
	子宮頸部	C53	12.0	0.0	0.0	0.0	0.0	0.0	5.3	3.2	12.9	23.1	22.0	9.7	27.8	9.1	19.1	16.9	15.2	13.8	3.9				
	子宮体部	C54	24.3	0.0	0.0	0.0	0.0	0.0	0.0	11.3	20.0	21.8	34.1	61.1	55.6	44.2	39.3	31.2	27.3	24.1	11.7				
	卵巣	C56	24.0	0.0	0.0	2.1	3.8	6.9	1.8	8.1	17.1	33.3	36.6	41.7	43.1	36.4	43.8	27.3	33.3	20.7	18.2				
	膀胱	C67	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	2.8	2.6	5.6	9.1	22.7	24.1	36.4				
	腎・尿管（膀胱除く）	C64-C66 C68	14.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.1	0.0	11.1	9.7	19.5	23.6	33.8	45.5	44.8	23.4				
	脳・中枢神経系	C70-C72	3.6	4.9	0.0	0.0	1.9	5.2	0.0	1.6	0.0	1.3	3.7	1.4	2.8	2.6	6.7	7.8	6.1	8.6	5.2				
	甲状腺	C73	16.5	0.0	0.0	0.0	1.9	5.2	15.8	12.9	15.7	14.1	20.7	16.7	19.4	20.8	32.6	28.6	27.3	17.2	10.4				
	悪性リンパ腫	C81-C85 C96	25.8	0.0	2.2	2.1	1.9	3.4	1.8	6.5	7.1	5.1	9.8	18.1	11.1	36.4	57.3	62.3	74.2	75.9	33.8				
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	2.8	1.4	6.5	13.5	11.7	13.6	25.9	18.2				
	白血病	C91-C95	7.9	9.8	4.4	2.1	3.8	0.0	1.8	0.0	1.4	2.6	6.1	5.6	15.3	10.4	6.7	14.3	13.6	22.4	11.7				

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	803.4	17.9	9.8	10.3	19.6	24.8	35.3	75.6	137.6	233.5	356.3	490.4	700.7	1,055.6	1,520.7	1,891.9	2,435.5	2,582.8	1,580.4
	口腔・咽頭	C00-C14	19.6	0.0	0.0	1.0	0.9	3.3	0.0	4.7	5.7	5.1	7.2	8.2	18.8	33.3	47.7	48.3	57.9	51.5	23.2
	食道	C15	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	6.0	8.9	22.2	43.1	57.5	77.9	78.5	71.1	31.3
	胃	C16	119.8	0.0	0.0	0.0	0.0	0.0	1.7	0.8	4.3	14.6	18.6	32.9	66.7	149.7	232.2	321.5	439.7	482.5	265.2
	大腸（結腸・直腸）	C18-C20	123.9	0.0	0.0	1.0	0.0	0.8	2.5	4.7	18.4	25.9	40.7	72.6	105.6	180.4	264.9	276.5	365.3	386.6	266.1
	結腸	C18	81.6	0.0	0.0	1.0	0.0	0.8	0.8	2.4	7.8	12.7	18.6	32.2	55.6	98.7	163.2	188.6	253.7	296.9	208.9
	直腸	C19-C20	42.3	0.0	0.0	0.0	0.0	0.0	1.7	2.4	10.6	13.3	22.2	40.4	50.0	81.7	101.7	87.9	111.6	89.7	57.1
	肝および肝内胆管	C22	25.3	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	0.6	4.2	4.1	16.7	24.2	48.9	67.8	85.1	105.2	60.7
	胆のう・胆管	C23-C24	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.8	2.1	10.4	10.5	27.0	43.0	65.3	94.8	81.3
	膵臓	C25	36.6	0.0	1.1	0.0	0.0	0.0	0.8	3.1	0.0	1.9	9.6	11.0	20.1	32.0	63.8	85.9	121.5	156.7	100.9
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	3.5	7.8	10.3	12.1	10.7	20.6	3.6
	肺	C33-C34	104.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.5	10.1	15.6	34.2	72.2	126.1	210.9	279.2	369.4	364.9	240.2
	皮膚	C43-C44	20.5	0.0	0.0	0.0	0.0	1.7	1.7	2.4	5.7	3.8	9.0	7.5	13.2	12.4	16.1	33.6	56.2	83.5	70.5
	乳房	C50	76.6	0.0	0.0	0.0	0.0	0.8	2.5	14.2	36.2	79.1	124.6	128.1	120.8	115.7	119.0	128.9	129.8	141.2	67.9
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.5	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	1.8	5.5	9.7	19.6	23.6	34.2	53.7	53.6	54.5
	腎・尿管（膀胱除く）	C64-C66 C68	23.4	1.2	1.1	0.0	0.0	0.0	0.8	1.6	5.0	8.2	7.8	21.9	22.9	35.9	42.5	57.7	72.7	67.0	42.9
	脳・中枢神経系	C70-C72	3.8	3.6	0.0	0.0	1.9	2.5	0.8	1.6	1.4	2.5	2.4	4.1	3.5	5.9	5.2	9.4	9.1	7.2	4.5
	甲状腺	C73	11.6	0.0	0.0	0.0	1.9	3.3	9.2	9.4	8.5	9.5	13.8	10.3	15.3	17.0	20.7	18.1	24.0	16.5	10.7
	悪性リンパ腫	C81-C85 C96	28.2	0.0	1.1	2.1	0.9	3.3	0.8	4.7	7.8	5.7	9.6	19.2	21.5	38.6	60.9	64.4	95.9	89.7	47.3
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.4	1.4	7.8	8.0	12.8	16.5	32.0	17.0
	白血病	C91-C95	10.5	8.3	4.3	3.1	4.7	1.7	2.5	3.1	2.1	3.2	8.4	11.0	18.8	9.8	9.8	18.8	25.6	35.1	16.1

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対, 100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	000-C96 D00-D09	1,027.1	9.3	8.5	12.0	16.4	14.3	29.0	52.3	95.8	140.0	224.7	447.3	800.0	1,478.9	2,218.8	2,877.8	3,783.6	4,156.4	2,794.3	
	食道	C15 D001	43.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	4.7	10.8	29.2	77.6	116.5	155.6	145.5	169.2	88.6	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	191.0	0.0	0.0	0.0	0.0	0.0	1.6	4.6	32.4	43.8	56.5	129.7	181.9	340.8	482.4	483.3	640.0	602.6	402.9	
	結腸 *2	C18 D010	125.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	16.9	20.0	24.7	64.9	102.8	207.9	303.5	326.4	467.3	459.0	277.1	
	直腸 *2	C19-C20 D011-D012	65.7	0.0	0.0	0.0	0.0	0.0	1.6	3.1	15.5	23.8	31.8	64.9	79.2	132.9	178.8	156.9	172.7	143.6	125.7	
	肺	C33-C34 D021-D022	142.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	12.9	43.2	91.7	175.0	305.9	406.9	570.9	620.5	474.3	
	皮膚	C43-C44 D030-D049	25.0	0.0	0.0	0.0	0.0	0.0	3.2	1.6	1.5	2.8	1.3	9.4	10.8	19.4	11.8	23.5	52.8	74.5	159.0	117.1
	乳房	C50 D05	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	1.3	3.5	0.0	1.8	5.1	0.0
	膀胱	C67 D090	51.8	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.5	2.8	1.3	8.2	17.6	44.4	78.9	94.1	150.0	198.2	212.8	148.6
	全部位	000-C96 D00-D09	777.0	26.8	11.1	8.5	23.1	43.1	93.0	191.9	325.7	492.3	628.0	727.8	806.9	919.5	1,186.5	1,379.2	1,730.3	1,925.9	1,205.2
	食道	C15 D001	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.3	9.7	15.3	15.6	10.1	22.1	36.4	24.1	10.4	
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	132.3	0.0	0.0	2.1	0.0	1.7	3.5	6.5	15.7	33.3	50.0	91.7	115.3	158.4	227.0	264.9	345.5	412.1	261.0	
	結腸 *2	C18 D010	93.6	0.0	0.0	2.1	0.0	1.7	1.8	3.2	5.7	16.7	34.1	52.8	72.2	89.6	153.9	197.4	245.5	322.4	215.6	
	直腸 *2	C19-C20 D011-D012	38.7	0.0	0.0	0.0	0.0	0.0	1.8	3.2	10.0	16.7	15.9	38.9	43.1	68.8	73.0	128.1	164.9	206.1	193.1	133.8	.	.	.	
	肺	C33-C34 D021-D022	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.3	11.5	19.5	26.4	54.2	85.7	128.1	164.9	206.1	193.1	133.8	.	.	.	
	皮膚	C43-C44 D030-D049	25.7	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.2	10.0	6.4	9.8	6.9	15.3	14.3	18.0	32.5	60.6	69.0	81.8	.	.	.	
	乳房	C50 D05	170.3	0.0	0.0	0.0	0.0	0.0	1.7	8.8	30.6	85.7	200.0	304.9	300.0	280.6	254.5	261.8	283.1	259.1	246.6	106.5	.	.	.	
子宮	C53-C55 D06	65.5	0.0	0.0	0.0	0.0	0.0	5.2	50.9	100.0	145.7	137.2	93.9	106.9	98.6	68.8	68.5	59.7	48.5	43.1	18.2	.	.	.		
子宮頸部	C53 D06	40.7	0.0	0.0	0.0	0.0	0.0	5.2	50.9	88.7	125.7	115.4	58.5	45.8	43.1	24.7	29.2	28.6	21.2	17.2	6.5	.	.	.		
膀胱	C67 D090	15.5	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.3	6.1	8.3	6.9	14.3	21.3	27.3	31.8	44.8	49.4		
総数 *3 全部位	000-C96 D00-D09	899.2	17.9	9.8	10.3	19.6	28.1	59.7	120.5	209.9	313.9	422.8	585.6	803.5	1,197.4	1,690.8	2,103.4	2,663.6	2,822.7	1,683.0	
食道	C15 D001	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	6.0	6.0	10.3	22.2	46.4	62.1	86.6	86.0	82.5	34.8	.	.	.		
大腸 (結腸・直腸) *2	C18-C20 D010-D012	161.0	0.0	0.0	1.0	0.0	0.8	2.5	5.5	24.1	38.6	53.3	111.0	148.6	249.0	351.7	370.5	479.3	488.7	305.4		
結腸 *2	C18 D010	109.1	0.0	0.0	1.0	0.0	0.8	0.8	2.4	11.3	18.4	29.3	58.9	87.5	148.4	227.0	259.7	346.3	377.3	234.8		
直腸 *2	C19-C20 D011-D012	51.9	0.0	0.0	0.0	0.0	0.0	1.7	3.1	12.8	20.3	24.0	52.1	61.1	100.7	124.7	110.7	133.1	111.3	70.5		
肺	C33-C34 D021-D022	105.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.3	10.8	16.2	34.9	72.9	130.1	214.9	281.9	371.9	364.9	240.2		
皮膚	C43-C44 D030-D049	25.4	0.0	0.0	0.0	0.0	0.0	1.7	1.7	2.4	6.4	3.8	9.6	8.9	17.4	13.1	20.7	42.3	66.9	105.2	92.9	.	.	.		
乳房	C50 D05	87.5	0.0	0.0	0.0	0.0	0.0	0.8	4.2	15.0	42.6	98.7	150.3	147.9	141.0	128.8	135.6	146.3	142.1	149.5	73.2	.	.	.		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	33.3	0.0	0.0	0.0	0.0	0.0	1.7	0.8	1.4	1.3	7.2	13.0	25.7	46.4	56.9	86.6	107.4	112.4	80.4		

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C96	932.9	9.3	8.5	12.0	16.4	14.3	29.0	50.8	83.1	123.8	203.5	373.0	695.8	1,300.0	2,008.2	2,608.3	3,470.9	3,810.3	3,871.4	・
	口腔・咽頭	000-C14	28.9	0.0	0.0	2.0	0.0	1.6	0.0	7.7	7.0	6.3	9.4	10.8	30.6	53.9	74.1	76.4	100.0	92.3	60.0	・
	食道	C15	39.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	4.7	9.5	29.2	71.1	109.4	138.9	132.7	143.6	108.6	・
	胃	C16	168.9	0.0	0.0	0.0	0.0	0.0	1.6	1.5	2.8	13.8	20.0	41.9	95.8	228.9	362.4	509.7	696.4	771.8	682.9	・
	大腸（結腸・直腸）	C18-C20	142.5	0.0	0.0	0.0	0.0	0.0	1.6	4.6	22.5	28.8	42.4	81.1	125.0	239.5	358.8	362.5	480.0	466.7	522.9	・
	結腸	C18	89.1	0.0	0.0	0.0	0.0	0.0	0.0	1.5	9.9	13.8	12.9	29.7	56.9	128.9	215.3	238.9	329.1	356.4	394.3	・
	直腸	C19-C20	53.4	0.0	0.0	0.0	0.0	0.0	1.6	3.1	12.7	15.0	29.4	51.4	68.1	110.5	143.5	123.6	150.9	110.3	128.6	・
	肝および肝内胆管	C22	36.1	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.9	6.8	31.9	38.2	81.2	119.4	134.5	153.8	154.3	・
	胆のう・胆管	C23-C24	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	2.4	4.1	11.1	10.5	41.2	65.3	92.7	112.8	174.3	・
	膵臓	C25	38.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.6	13.5	26.4	40.8	81.2	115.3	130.9	184.6	171.4	・
	喉頭	C32	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	5.6	15.8	17.6	22.2	23.6	48.7	14.3	・
	肺	C33-C34	142.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	12.9	43.2	91.7	173.7	303.5	405.6	567.3	620.5	697.1	・
	皮膚	C43-C44	21.2	0.0	0.0	0.0	0.0	3.2	1.6	1.5	2.8	1.3	9.4	10.8	16.7	10.5	17.6	41.7	65.5	133.3	180.0	・
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	1.3	3.5	0.0	1.8	5.1	2.9	・
	前立腺	C61	131.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	32.4	75.0	200.0	296.5	415.3	545.5	556.4	500.0	・
	膀胱	C67	24.6	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.3	3.5	6.8	16.7	36.8	42.4	61.1	90.9	97.4	168.6	・
	腎・尿路（膀胱除く）	C64-C66 C68	32.9	0.0	2.1	0.0	0.0	0.0	1.6	3.1	8.5	11.3	15.3	32.4	36.1	52.6	62.4	83.3	105.5	100.0	111.4	・
	脳・中枢神経系	C70-C72	4.1	2.3	0.0	0.0	1.8	0.0	1.6	1.5	2.8	3.8	1.2	6.8	4.2	9.2	3.5	11.1	12.7	5.1	2.9	・
	甲状腺	C73	6.5	0.0	0.0	0.0	1.8	1.6	3.2	6.2	1.4	5.0	7.1	4.1	11.1	13.2	8.2	6.9	20.0	15.4	11.4	・
	悪性リンパ腫	C81-C85 C96	30.7	0.0	0.0	2.0	0.0	3.2	0.0	3.1	8.5	6.3	9.4	20.3	31.9	40.8	64.7	66.7	121.8	110.3	114.3	・
	多発性骨髄腫	C88-C90	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.2	2.4	13.9	20.0	41.0	22.9	・
	白血病	C91-C95	13.3	7.0	4.3	4.0	5.5	3.2	3.2	6.2	2.8	3.8	10.6	16.2	22.2	9.2	12.9	23.6	40.0	53.8	34.3	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	000-C96	679.6	26.8	11.1	8.5	23.1	36.2	42.1	101.6	192.9	346.2	514.6	611.1	705.6	814.3	1,055.1	1,222.1	1,572.7	1,774.1	1,979.2	・
	口腔・咽頭	000-C14	10.8	0.0	0.0	0.0	1.9	5.2	0.0	1.6	4.3	3.8	4.9	5.6	6.9	13.0	22.5	22.1	22.7	24.1	35.1	・
	食道	C15	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.3	8.3	15.3	15.6	7.9	20.8	33.3	22.4	13.0	・
	胃	C16	72.8	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.7	15.4	17.1	23.6	37.5	71.4	107.9	145.5	225.8	287.9	264.9	・
	大腸（結腸・直腸）	C18-C20	106.1	0.0	0.0	2.1	0.0	1.7	3.5	4.8	14.3	23.1	39.0	63.9	86.1	122.1	175.3	196.1	269.7	332.8	394.8	・
	結腸	C18	74.4	0.0	0.0	2.1	0.0	1.7	1.8	3.2	5.7	11.5	24.4	34.7	54.2	68.8	113.5	141.6	190.9	256.9	307.8	・
	直腸	C19-C20	31.7	0.0	0.0	0.0	0.0	0.0	1.8	1.6	8.6	11.5	14.6	29.2	31.9	53.2	61.8	54.5	78.8	75.9	87.0	・
	肝および肝内胆管	C22	14.9	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	2.4	1.4	1.4	10.4	18.0	19.5	43.9	72.4	79.2	・
	胆のう・胆管	C23-C24	18.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	9.7	10.4	13.5	22.1	42.4	82.8	128.6	・
	膵臓	C25	35.2	0.0	2.2	0.0	0.0	0.0	1.8	6.5	0.0	0.0	8.5	8.3	13.9	23.4	47.2	58.4	113.6	137.9	163.6	・
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	1.4	0.0	3.4	2.6	0.0	1.7	0.0	・
	肺	C33-C34	69.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	10.3	18.3	25.0	52.8	79.2	122.5	161.0	204.5	193.1	249.4	・
	皮膚	C43-C44	19.8	0.0	0.0	0.0	0.0	0.0	1.8	3.2	8.6	6.4	8.5	4.2	9.7	14.3	14.6	26.0	48.5	50.0	126.0	・
	乳房	C50	149.1	0.0	0.0	0.0	0.0	1.7	5.3	29.0	72.9	160.3	252.4	259.7	241.7	228.6	229.2	249.4	236.4	232.8	167.5	・
	子宮	C53-C55	36.8	0.0	0.0	0.0	0.0	0.0	5.3	14.5	32.9	44.9	57.3	70.8	83.3	53.2	58.4	48.1	42.4	39.7	32.5	・
	子宮頸部	C53	12.0	0.0	0.0	0.0	0.0	0.0	5.3	3.2	12.9	23.1	22.0	9.7	27.8	9.1	19.1	16.9	15.2	13.8	13.0	・
	子宮体部	C54	24.3	0.0	0.0	0.0	0.0	0.0	0.0	11.3	20.0	21.8	34.1	61.1	55.6	44.2	39.3	31.2	27.3	24.1	15.6	・
	卵巣	C56	24.0	0.0	0.0	2.1	3.8	6.9	1.8	8.1	17.1	33.3	36.6	41.7	43.1	36.4	43.8	27.3	33.3	20.7	24.7	・
	膀胱	C67	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	2.8	2.6	5.6	9.1	22.7	24.1	71.4	・
	腎・尿管（膀胱除く）	C64-C66 C68	14.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.1	0.0	11.1	9.7	19.5	23.6	33.8	45.5	44.8	39.0	・
	脳・中枢神経系	C70-C72	3.6	4.9	0.0	0.0	1.9	5.2	0.0	1.6	0.0	1.3	3.7	1.4	2.8	2.6	6.7	7.8	6.1	8.6	6.5	・
	甲状腺	C73	16.5	0.0	0.0	0.0	1.9	5.2	15.8	12.9	15.7	14.1	20.7	16.7	19.4	20.8	32.6	28.6	27.3	17.2	16.9	・
	悪性リンパ腫	C81-C85 C96	25.8	0.0	2.2	2.1	1.9	3.4	1.8	6.5	7.1	5.1	9.8	18.1	11.1	36.4	57.3	62.3	74.2	75.9	46.8	・
	多発性骨髄腫	C88-C90	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	2.8	1.4	6.5	13.5	11.7	13.6	25.9	23.4	・
	白血病	C91-C95	7.9	9.8	4.4	2.1	3.8	0.0	1.8	0.0	1.4	2.6	6.1	5.6	15.3	10.4	6.7	14.3	13.6	22.4	16.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	803.4	17.9	9.8	10.3	19.6	24.8	35.3	75.6	137.6	233.5	356.3	490.4	700.7	1,055.6	1,520.7	1,891.9	2,435.5	2,592.8	2,570.5	-
	口腔・咽頭	C00-C14	19.6	0.0	0.0	1.0	0.9	3.3	0.0	4.7	5.7	5.1	7.2	8.2	18.8	33.3	47.7	48.3	57.9	51.5	42.9	-
	食道	C15	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	6.0	8.9	22.2	43.1	57.5	77.9	78.5	71.1	42.9	-
	胃	C16	119.8	0.0	0.0	0.0	0.0	0.0	1.7	0.8	4.3	14.6	18.6	32.9	66.7	149.7	232.2	321.5	439.7	482.5	395.5	-
	大腸（結腸・直腸）	C18-C20	123.9	0.0	0.0	1.0	0.0	0.8	2.5	4.7	18.4	25.9	40.7	72.6	105.6	180.4	264.9	276.5	365.3	386.6	434.8	-
	結腸	C18	81.6	0.0	0.0	1.0	0.0	0.8	0.8	2.4	7.8	12.7	18.6	32.2	55.6	98.7	163.2	188.6	253.7	296.9	334.8	-
	直腸	C19-C20	42.3	0.0	0.0	0.0	0.0	0.0	1.7	2.4	10.6	13.3	22.2	40.4	50.0	81.7	101.7	87.9	111.6	89.7	100.0	-
	肝および肝内胆管	C22	25.3	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	0.6	4.2	4.1	16.7	24.2	48.9	67.8	85.1	105.2	102.7	-
	胆のう・胆管	C23-C24	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.8	2.1	10.4	10.5	27.0	43.0	65.3	94.8	142.9	-
	膵臓	C25	36.6	0.0	1.1	0.0	0.0	0.0	0.8	3.1	0.0	1.9	9.6	11.0	20.1	32.0	63.8	85.9	121.5	156.7	166.1	-
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	3.5	7.8	10.3	12.1	10.7	20.6	4.5	-
	肺	C33-C34	104.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.5	10.1	15.6	34.2	72.2	126.1	210.9	279.2	369.4	364.9	389.3	-
	皮膚	C43-C44	20.5	0.0	0.0	0.0	0.0	1.7	1.7	2.4	5.7	3.8	9.0	7.5	13.2	12.4	16.1	33.6	56.2	83.5	142.9	-
	乳房	C50	76.6	0.0	0.0	0.0	0.0	0.8	2.5	14.2	36.2	79.1	124.6	128.1	120.8	115.7	119.0	128.9	129.8	141.2	116.1	-
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.5	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	1.8	5.5	9.7	19.6	23.6	34.2	53.7	53.6	101.8	-
	腎・尿管（膀胱除く）	C64-C66 C68	23.4	1.2	1.1	0.0	0.0	0.0	0.8	1.6	5.0	8.2	7.8	21.9	22.9	35.9	42.5	57.7	72.7	67.0	61.6	-
	脳・中枢神経系	C70-C72	3.8	3.6	0.0	0.0	1.9	2.5	0.8	1.6	1.4	2.5	2.4	4.1	3.5	5.9	5.2	9.4	9.1	7.2	5.4	-
	甲状腺	C73	11.6	0.0	0.0	0.0	1.9	3.3	9.2	9.4	8.5	9.5	13.8	10.3	15.3	17.0	20.7	18.1	24.0	16.5	15.2	-
	悪性リンパ腫	C81-C85 C96	28.2	0.0	1.1	2.1	0.9	3.3	0.8	4.7	7.8	5.7	9.6	19.2	21.5	38.6	60.9	64.4	95.9	89.7	67.9	-
	多発性骨髄腫	C88-C90	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.4	1.4	7.8	8.0	12.8	16.5	32.0	23.2	-
	白血病	C91-C95	10.5	8.3	4.3	3.1	4.7	1.7	2.5	3.1	2.1	3.2	8.4	11.0	18.8	9.8	9.8	18.8	25.6	35.1	22.3	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県 2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	000-C96 D00-D09	1,027.1	9.3	8.5	12.0	16.4	14.3	29.0	52.3	95.8	140.0	224.7	447.3	800.0	1,478.9	2,218.8	2,877.8	3,783.6	4,156.4	4,082.9	・
	食道	C15 D001	43.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	4.7	10.8	29.2	77.6	116.5	155.6	145.5	169.2	114.3	・
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	191.0	0.0	0.0	0.0	0.0	0.0	1.6	4.6	32.4	43.8	56.5	129.7	181.9	340.8	482.4	483.3	640.0	602.6	605.7	・
	結腸 *2	C18 D010	125.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	16.9	20.0	24.7	64.9	102.8	207.9	303.5	326.4	467.3	459.0	437.1	・
	直腸 *2	C19-C20 D011-D012	65.7	0.0	0.0	0.0	0.0	0.0	1.6	3.1	15.5	23.8	31.8	64.9	79.2	132.9	178.8	156.9	172.7	143.6	168.6	・
	肺	C33-C34 D021-D022	142.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	12.9	43.2	91.7	175.0	305.9	406.9	570.9	620.5	697.1	・
	皮膚	C43-C44 D030-D049	25.0	0.0	0.0	0.0	0.0	3.2	1.6	1.5	1.5	2.8	1.3	9.4	10.8	11.8	23.5	52.8	74.5	159.0	214.3	・
	乳房	C50 D05	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.3	3.5	0.0	1.8	5.1	2.9	・
	膀胱	C67 D090	51.8	0.0	0.0	0.0	0.0	0.0	1.6	1.5	2.8	1.3	8.2	17.6	44.4	78.9	94.1	150.0	198.2	212.8	248.6	・
	全部位	000-C96 D00-D09	777.0	26.8	11.1	8.5	23.1	43.1	93.0	191.9	325.7	492.3	628.0	727.8	806.9	919.5	1,186.5	1,379.2	1,730.3	1,925.9	2,097.4	・
	食道	C15 D001	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.3	9.7	15.3	15.6	10.1	22.1	36.4	24.1	15.6	・
	大腸 (結腸・直腸) *2	C18-C20 D010-D012	132.3	0.0	0.0	2.1	0.0	1.7	3.5	6.5	15.7	33.3	50.0	91.7	115.3	158.4	227.0	264.9	345.5	412.1	428.6	・
	結腸 *2	C18 D010	93.6	0.0	0.0	2.1	0.0	1.7	1.8	3.2	5.7	16.7	34.1	52.8	72.2	89.6	153.9	197.4	245.5	322.4	333.8	・
	直腸 *2	C19-C20 D011-D012	38.7	0.0	0.0	0.0	0.0	0.0	1.8	3.2	10.0	16.7	15.9	38.9	43.1	68.8	73.0	67.5	100.0	89.7	94.8	・
	肺	C33-C34 D021-D022	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.3	11.5	19.5	26.4	54.2	85.7	128.1	164.9	193.1	249.4	・
	皮膚	C43-C44 D030-D049	25.7	0.0	0.0	0.0	0.0	0.0	0.0	1.8	3.2	6.4	9.8	6.9	15.3	14.3	18.0	32.5	60.6	69.0	171.4	・
	乳房	C50 D05	170.3	0.0	0.0	0.0	0.0	1.7	8.8	30.6	85.7	200.0	304.9	300.0	280.6	254.5	261.8	283.1	259.1	246.6	179.2	・
子宮	C53-C55 D06	65.5	0.0	0.0	0.0	0.0	5.2	50.9	100.0	145.7	137.2	93.9	106.9	98.6	68.8	68.5	59.7	48.5	43.1	35.1	・	
子宮頸部	C53 D06	40.7	0.0	0.0	0.0	0.0	5.2	50.9	88.7	125.7	115.4	58.5	45.8	43.1	24.7	29.2	28.6	21.2	17.2	15.6	・	
膀胱	C67 D090	15.5	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.3	6.1	8.3	6.9	14.3	21.3	27.3	31.8	44.8	87.0	・	
総数 *3 全部位	000-C96 D00-D09	899.2	17.9	9.8	10.3	19.6	28.1	59.7	120.5	209.9	313.9	422.8	585.6	803.5	1,197.4	1,690.8	2,103.4	2,663.6	2,822.7	2,717.9	・	
食道	C15 D001	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	6.0	10.3	22.2	46.4	62.1	86.6	86.0	82.5	46.4	・	
大腸 (結腸・直腸) *2	C18-C20 D010-D012	161.0	0.0	0.0	1.0	0.0	0.8	2.5	5.5	24.1	38.6	53.3	111.0	148.6	249.0	351.7	370.5	479.3	488.7	483.9	・	
結腸 *2	C18 D010	109.1	0.0	0.0	1.0	0.0	0.8	0.8	2.4	11.3	18.4	29.3	58.9	87.5	148.4	227.0	259.7	346.3	377.3	366.1	・	
直腸 *2	C19-C20 D011-D012	51.9	0.0	0.0	0.0	0.0	0.0	1.7	3.1	12.8	20.3	24.0	52.1	61.1	100.7	124.7	110.7	133.1	111.3	117.9	・	
肺	C33-C34 D021-D022	105.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.3	10.8	16.2	34.9	72.9	130.1	214.9	281.9	371.9	364.9	389.3	・	
皮膚	C43-C44 D030-D049	25.4	0.0	0.0	0.0	0.0	1.7	1.7	2.4	6.4	3.8	9.6	8.9	17.4	13.1	20.7	42.3	66.9	105.2	184.8	・	
乳房	C50 D05	87.5	0.0	0.0	0.0	0.0	0.8	4.2	15.0	42.6	98.7	150.3	147.9	141.0	128.8	135.6	146.3	142.1	149.5	124.1	・	
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	33.3	0.0	0.0	0.0	0.0	0.0	1.7	0.8	7.2	1.3	7.2	13.0	25.7	46.4	56.9	86.6	107.4	112.4	137.5	・	

*1 総数は年齢不詳を含む

*2 粘膜炎を含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

宮城県

2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	18,278	17.8	33.0	0.0	46.5	2.7
口腔・咽頭	C00-C14	450	2.9	27.3	0.0	67.8	2.0
食道	C15	552	18.3	35.3	0.2	43.7	2.5
胃	C16	2,745	26.5	39.5	0.0	32.6	1.4
大腸 (結腸・直腸)	C18-C20	2,825	22.1	24.5	0.0	51.6	1.8
結腸	C18	1,856	20.9	27.7	0.0	49.6	1.8
直腸	C19-C20	969	24.4	18.4	0.0	55.5	1.8
肝および肝内胆管	C22	566	3.0	61.8	0.0	31.1	4.1
胆のう・胆管	C23-C24	464	4.7	32.8	0.0	61.9	0.6
膵臓	C25	831	3.7	34.3	0.0	60.6	1.3
喉頭	C32	94	5.3	20.2	0.0	72.3	2.1
肺	C33-C34	2,365	21.4	42.3	0.0	33.0	3.2
皮膚	C43-C44	467	0.2	12.8	0.0	86.1	0.9
乳房	C50	1,755	25.3	18.0	0.0	53.2	3.5
乳房 (女性のみ)	C50	1,746	25.4	17.9	0.0	53.2	3.6
子宮	C53-C55	426	11.5	16.9	0.0	70.9	0.7
子宮頸部	C53	140	14.3	19.3	0.0	65.0	1.4
子宮体部	C54	286	10.1	15.7	0.0	73.8	0.3
卵巣	C56	275	12.0	29.8	0.0	54.5	3.6
前立腺	C61	1,458	30.4	37.9	0.1	25.9	5.7
膀胱	C67	369	1.9	26.8	0.0	66.1	5.1
腎・尿路 (膀胱除く)	C64-C66 C68	536	8.8	49.4	0.0	39.0	2.8
脳・中枢神経系	C70-C72	87	0.0	20.7	0.0	75.9	3.4
甲状腺	C73	265	17.7	44.2	0.0	29.8	8.3
悪性リンパ腫	C81-C85 C96	647	7.3	29.2	0.0	62.4	1.1
多発性骨髄腫	C88-C90	124	2.4	53.2	0.0	39.5	4.8
白血病	C91-C95	240	12.1	37.9	0.0	45.4	4.6

*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

宮城県 2019年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	20,487	19.6	33.2	0.0	44.8	2.5
食道	C15 D001	604	18.4	37.3	0.2	41.9	2.3
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,681	27.8	26.1	0.0	44.5	1.5
結腸 *2	C18 D010	2,491	27.3	29.0	0.0	42.2	1.5
直腸 *2	C19-C20 D011-D012	1,190	28.8	20.0	0.0	49.5	1.7
肺	C33-C34 D021-D022	2,390	21.4	42.7	0.0	32.7	3.1
皮膚	C43-C44 D030-D049	580	0.3	13.3	0.0	85.7	0.7
乳房	C50 D05	2,006	27.8	18.8	0.0	50.0	3.3
乳房 (女性のみ)	C50 D05	1,996	28.0	18.7	0.0	49.9	3.4
子宮	C53-C55 D06	764	26.2	28.9	0.0	44.2	0.7
子宮頸部	C53 D06	478	35.8	36.8	0.0	26.6	0.8
膀胱	C67 D090	756	5.4	29.8	0.0	62.2	2.6

*1 DC0を除く総数

*2 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,914	50.1	9.7	13.5	17.6	9.1	23.2
口腔・咽頭	C00-C14	450	39.6	16.4	35.8	2.7	5.6	52.2
食道	C15	552	47.5	10.1	20.8	13.8	7.8	31.0
胃	C16	2,745	68.8	8.5	5.2	12.0	5.6	13.6
大腸 (結腸・直腸)	C18-C20	2,825	49.6	18.1	8.8	17.7	5.8	26.9
結腸	C18	1,856	48.9	17.1	9.6	17.7	6.6	26.7
直腸	C19-C20	969	51.0	20.0	7.2	17.6	4.1	27.2
肝および肝内胆管	C22	566	61.1	1.8	9.7	11.8	15.5	11.5
胆のう・胆管	C23-C24	464	19.6	3.2	33.6	20.5	23.1	36.9
膵臓	C25	831	22.4	6.9	19.7	41.3	9.7	26.6
喉頭	C32	94	80.9	8.5	6.4	1.1	3.2	14.9
肺	C33-C34	2,365	34.8	10.2	9.4	35.3	10.3	19.6
皮膚	C43-C44	467	86.1	1.7	5.4	0.9	6.0	7.1
乳房 (女性のみ)	C50	1,755	61.9	20.9	4.4	6.6	6.2	25.2
乳房	C50	1,746	62.0	20.9	4.3	6.6	6.2	25.2
子宮	C53-C55	426	58.7	2.8	22.3	12.4	3.8	25.1
子宮頸部	C53	140	35.0	2.9	40.0	15.7	6.4	42.9
子宮体部	C54	286	70.3	2.8	13.6	10.8	2.4	16.4
卵巣	C56	275	32.0	0.4	44.4	14.2	9.1	44.7
前立腺	C61	1,458	54.1	1.6	19.3	13.8	11.2	20.9
膀胱	C67	369	64.2	2.7	10.3	7.6	15.2	13.0
腎・尿路 (膀胱除く)	C64-C66 C68	536	60.3	2.4	16.4	11.9	9.0	18.8
脳・中枢神経系	C70-C72	87	60.9	0.0	16.1	9.2	13.8	16.1
甲状腺	C73	265	30.6	32.1	20.8	5.3	11.3	52.8
悪性リンパ腫	C81-C85 C96	637	27.3	0.2	17.7	42.9	11.9	17.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	20 123	10.3	45.0	8.7	12.0	15.7	8.2	20.7
食道	C15 D001	604	8.3	43.4	9.3	19.0	12.6	7.5	28.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,681	23.2	38.1	13.9	6.7	13.6	4.5	20.6
結腸 *3	C18 D010	2,491	25.4	36.5	12.8	7.1	13.2	5.0	19.9
直腸 *3	C19-C20 D011-D012	1,190	18.5	41.5	16.3	5.9	14.4	3.4	22.2
肺	C33-C34 D021-D022	2,390	1.0	34.4	10.1	9.3	34.9	10.2	19.4
皮膚	C43-C44 D030-D049	580	19.1	69.3	1.4	4.3	0.7	5.2	5.7
乳房 (女性のみ)	C50 D05	2,006	11.5	54.6	18.4	3.8	5.8	5.9	22.2
乳房 (女性のみ)	C50 D05	1,996	11.5	54.7	18.4	3.8	5.8	5.9	22.2
子宮	C53-C55 D06	764	43.7	32.7	1.6	12.4	6.9	2.6	14.0
子宮頸部	C53 D06	478	69.9	10.3	0.8	11.7	4.6	2.7	12.6
膀胱	C67 D090	756	50.3	31.6	1.3	5.0	3.7	8.1	6.3

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

宮城県

2019年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,914	1.0	49.4	7.7	11.9	17.1	12.9	19.6
口腔・咽頭	C00-C14	450	0.2	37.3	15.8	34.9	2.7	9.1	50.7
食道	C15	552	5.1	43.1	9.4	20.5	13.6	8.3	29.9
胃	C16	2,745	0.0	70.0	6.9	3.7	10.9	8.5	10.6
大腸 (結腸・直腸)	C18-C20	2,825	1.4	42.3	15.4	9.5	17.1	14.4	24.8
結腸	C18	1,856	1.3	40.5	14.5	10.5	17.1	16.1	24.9
直腸	C19-C20	969	1.5	45.7	17.0	7.5	17.1	11.0	24.6
肝および肝内胆管	C22	566	0.2	60.4	1.8	9.0	11.8	16.8	10.8
胆のう・胆管	C23-C24	464	0.2	19.6	2.8	27.2	18.5	31.7	30.0
膵臓	C25	831	0.0	25.5	4.2	17.9	40.6	11.8	22.1
喉頭	C32	94	0.0	76.6	7.4	7.4	2.1	6.4	14.9
肺	C33-C34	2,365	0.4	34.8	9.2	9.6	34.9	11.1	18.8
皮膚	C43-C44	467	2.6	75.6	1.5	5.1	0.6	14.6	6.6
乳房	C50	1,755	3.4	65.7	12.4	4.6	6.6	7.5	16.9
乳房 (女性のみ)	C50	1,746	3.4	65.7	12.4	4.5	6.5	7.5	16.9
子宮	C53-C55	426	1.9	55.6	1.6	21.1	11.0	8.7	22.8
子宮頸部	C53	140	5.7	26.4	2.1	41.4	15.0	9.3	43.6
子宮体部	C54	286	0.0	69.9	1.4	11.2	9.1	8.4	12.6
卵巣	C56	275	0.0	26.2	0.7	25.5	13.5	34.2	26.2
前立腺	C61	1,458	0.0	58.2	1.4	14.5	13.8	12.0	16.0
膀胱	C67	369	3.3	60.7	2.7	9.5	7.3	16.5	12.2
腎・尿路 (膀胱除く)	C64-C66 C68	536	0.4	63.6	2.8	10.6	11.8	10.8	13.4
脳・中枢神経系	C70-C72	87	0.0	59.8	0.0	17.2	9.2	13.8	17.2
甲状腺	C73	265	0.0	52.5	15.1	8.3	4.9	19.2	23.4
悪性リンパ腫	C81-C85 C96	637	0.0	26.1	0.5	17.1	43.2	13.2	17.6
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DCO、「777」を除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

宮城県

2019年

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	20 123	7.0	45.4	6.9	10.6	15.3	14.8	17.5
食道	C15 D001	604	11.3	40.6	8.6	18.7	12.4	8.4	27.3
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,681	9.2	34.1	11.8	7.3	13.1	24.4	19.1
結腸 *3	C18 D010	2,491	9.5	31.9	10.8	7.8	12.7	27.3	18.6
直腸 *3	C19-C20 D011-D012	1,190	8.7	38.9	13.9	6.1	13.9	18.5	20.0
肺	C33-C34 D021-D022	2,390	0.7	35.0	9.1	9.5	34.6	11.1	18.6
皮膚	C43-C44 D030-D049	580	18.1	62.1	1.2	4.3	0.5	13.8	5.5
乳房	C50 D05	2,006	13.1	58.8	11.0	4.0	5.7	7.4	15.0
乳房 (女性のみ)	C50 D05	1,996	13.1	58.8	11.0	4.0	5.7	7.5	15.0
子宮	C53-C55 D06	764	40.3	31.3	0.9	11.8	6.2	9.6	12.7
子宮頸部	C53 D06	478	64.4	8.2	0.6	12.1	4.4	10.3	12.8
膀胱	C67 D090	756	35.7	41.4	1.3	4.8	3.8	13.0	6.1

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	11,045	59.0	10.7	10.2	3.3	16.8	20.9
口腔・咽頭	C00-C14	303	46.2	12.2	27.4	0.7	13.5	39.6
食道	C15	266	69.9	3.8	5.3	0.4	20.7	9.0
胃	C16	2,223	74.7	8.4	4.4	2.2	10.4	12.8
大腸 (結腸・直腸)	C18-C20	2,293	55.9	20.1	8.2	8.6	7.2	28.3
結腸	C18	1,544	54.5	19.6	9.5	9.3	7.1	29.1
直腸	C19-C20	749	58.6	21.1	5.7	7.2	7.3	26.8
肝および肝内胆管	C22	166	51.2	0.0	6.0	0.0	42.8	6.0
胆のう・胆管	C23-C24	223	20.6	3.1	43.0	4.5	28.7	46.2
膵臓	C25	246	24.4	11.8	12.6	3.3	48.0	24.4
喉頭	C32	37	62.2	8.1	8.1	0.0	21.6	16.2
肺	C33-C34	1,059	57.1	8.9	5.3	2.2	26.5	14.2
皮膚	C43-C44	437	83.3	1.6	4.8	0.5	9.8	6.4
乳房 (女性のみ)	C50	1,267	70.7	18.1	1.4	0.6	9.2	19.5
乳房	C50	1,260	70.8	18.1	1.3	0.6	9.2	19.4
子宮	C53-C55	312	74.0	2.9	10.6	4.8	7.7	13.5
子宮頸部	C53	55	72.7	3.6	5.5	1.8	16.4	9.1
子宮体部	C54	257	74.3	2.7	11.7	5.4	5.8	14.4
卵巣	C56	214	39.3	0.0	45.8	3.3	11.7	45.8
前立腺	C61	484	39.3	0.4	19.4	0.6	40.3	19.8
膀胱	C67	275	38.5	1.8	3.6	2.2	53.8	5.5
腎・尿路 (膀胱除く)	C64-C66 C68	371	64.2	0.5	17.5	2.2	15.6	18.1
脳・中枢神経系	C70-C72	51	56.9	0.0	7.8	2.0	33.3	7.8
甲状腺	C73	241	28.6	34.9	20.7	2.9	12.9	55.6
悪性リンパ腫	C81-C85 C96	109	27.5	0.9	6.4	4.6	60.6	7.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

部位	I0D-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	13,161	14.9	50.1	9.0	8.6	2.8	14.7	17.6
食道	C15 D001	310	13.5	60.0	3.2	4.5	0.3	18.4	7.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,147	27.0	40.7	14.6	6.0	6.3	5.4	20.7
結腸 *3	C18 D010	2,178	28.9	38.7	13.9	6.7	6.6	5.2	20.6
直腸 *3	C19-C20 D011-D012	969	22.6	45.3	16.3	4.4	5.6	5.8	20.7
肺	C33-C34 D021-D022	1,084	2.3	55.8	8.7	5.2	2.1	25.9	13.8
皮膚	C43-C44 D030-D049	538	16.9	67.7	1.3	3.9	0.4	9.9	5.2
乳房 (女性のみ)	C50 D05	1,504	14.4	60.1	15.3	1.2	0.5	8.4	16.5
乳房	C50 D05	1,496	14.4	60.2	15.3	1.1	0.5	8.5	16.4
子宮	C53-C55 D06	626	48.1	36.9	1.4	5.3	2.4	5.9	6.7
子宮頸部	C53 D06	369	81.6	10.8	0.5	0.8	0.3	6.0	1.4
膀胱	C67 D090	649	54.7	16.3	0.8	1.5	0.9	25.7	2.3

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2019年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96	18,278	25.9	18.2	12.1	10.9	27.7	10.3	1.8	23.2
口腔・咽頭	C00-C14	450	57.6	0.0	3.6	30.4	22.2	0.0	0.2	16.4
食道	C15	552	1.6	19.2	31.0	25.9	37.9	0.0	0.7	21.7
胃	C16	2,745	12.8	17.4	46.0	0.9	14.2	0.2	0.2	19.8
大腸 (結腸・直腸)	C18-C20	2,825	21.9	45.3	15.0	2.2	28.7	0.3	0.2	15.5
結腸	C18	1,856	25.7	44.0	12.5	0.5	26.0	0.2	0.3	16.5
直腸	C19-C20	969	14.8	47.7	19.8	5.5	34.1	0.5	0.2	13.5
肝および肝内胆管	C22	566	15.9	2.5	0.2	2.1	37.8	0.0	36.9	35.0
胆のう・胆管	C23-C24	464	31.5	6.0	1.1	1.7	23.3	0.0	1.3	48.3
膵臓	C25	831	20.1	2.3	0.1	2.9	40.7	0.5	0.2	48.6
喉頭	C32	94	18.1	0.0	13.8	61.7	21.3	0.0	2.1	12.8
肺	C33-C34	2,365	1.1	32.1	0.0	17.7	34.3	0.0	0.2	31.8
皮膚	C43-C44	467	85.9	0.0	0.0	3.0	2.8	0.2	1.5	11.6
乳房	C50	1,755	82.3	0.2	0.3	31.3	33.0	59.1	0.2	8.2
乳房 (女性のみ)	C50	1,746	82.4	0.2	0.3	31.4	33.1	59.0	0.2	8.2
子宮	C53-C55	426	55.9	14.1	0.5	23.2	40.1	1.9	0.0	7.7
子宮頸部	C53	140	32.1	3.6	0.0	66.4	42.9	0.0	0.0	8.6
子宮体部	C54	286	67.5	19.2	0.7	2.1	38.8	2.8	0.0	7.3
卵巣	C56	275	73.8	7.3	0.0	0.7	59.3	1.1	0.4	14.5
前立腺	C61	1,458	4.4	15.7	0.6	13.0	3.8	52.3	0.5	24.3
膀胱	C67	369	7.9	4.3	66.4	4.6	46.1	0.3	9.8	25.2
腎・尿路 (膀胱除く)	C64-C66 C68	536	15.5	45.7	2.4	5.0	16.4	0.4	1.3	26.3
脳・中枢神経系	C70-C72	87	39.1	0.0	0.0	41.4	39.1	0.0	0.0	41.4
甲状腺	C73	265	77.4	0.0	3.4	9.4	1.1	16.6	0.0	18.9
悪性リンパ腫	C81-C85 C96	647	6.0	2.5	0.3	7.7	58.7	0.5	2.2	30.8
多発性骨髄腫	C88-C90	124	0.8	0.0	0.0	7.3	66.9	0.0	2.4	30.6
白血病	C91-C95	240	0.0	0.0	0.0	4.2	65.8	1.3	4.2	32.9

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

宮城県

2019年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96 D00-D09	20,487	26.4	17.2	16.8	10.1	26.1	9.5	1.9	21.2
食道	C15 D001	604	1.5	17.5	35.4	23.8	34.6	0.0	1.2	21.0
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,681	17.3	36.0	33.1	1.7	22.1	0.2	0.2	12.0
結腸 *2	C18 D010	2,491	19.7	34.0	33.0	0.4	19.3	0.2	0.2	12.4
直腸 *2	C19-C20 D011-D012	1,190	12.2	40.2	33.1	4.5	27.8	0.4	0.2	11.2
肺	C33-C34 D021-D022	2,390	1.2	32.7	0.0	17.5	34.0	0.0	0.2	31.5
皮膚	C43-C44 D030-D049	580	84.8	0.2	0.0	2.6	2.6	0.2	2.4	11.7
乳房	C50 D05	2,006	83.6	0.1	0.2	31.6	29.1	54.0	0.1	7.9
乳房 (女性のみ)	C50 D05	1,996	83.7	0.2	0.3	31.7	29.2	53.9	0.2	8.0
子宮	C53-C55 D06	764	66.0	13.1	0.7	13.0	22.4	1.2	0.1	8.8
子宮頸部	C53 D06	478	65.1	9.4	0.6	19.5	12.6	0.2	0.2	9.6
膀胱	C67 D090	756	4.5	2.9	81.0	2.2	55.3	0.8	10.7	13.4

*1 DC0を除く総数

*2 粘膜炎を含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

A. 上皮内がんを除く

宮城県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	10 018	89.9	8.2	1.9
口腔・咽頭	C00-C14	273	85.0	15.0	0.0
食道	C15	280	91.4	8.2	0.4
胃	C16	2,021	95.9	3.5	0.5
大腸 (結腸・直腸)	C18-C20	2,204	90.4	8.8	0.8
結腸	C18	1,459	90.7	8.5	0.8
直腸	C19-C20	745	89.9	9.4	0.7
肝および肝内胆管	C22	105	91.4	6.7	1.9
胆のう・胆管	C23-C24	173	80.9	17.3	1.7
膵臓	C25	185	89.7	10.3	0.0
喉頭	C32	30	90.0	0.0	10.0
肺	C33-C34	787	95.4	4.2	0.4
皮膚	C43-C44	401	95.3	4.7	0.0
乳房	C50	1,448	88.9	4.1	7.0
乳房 (女性のみ)	C50	1,441	88.8	4.2	7.0
子宮	C53-C55	296	93.2	5.7	1.0
子宮頸部	C53	48	93.8	4.2	2.1
子宮体部	C54	248	93.1	6.0	0.8
卵巣	C56	220	75.9	20.9	3.2
前立腺	C61	302	78.5	21.5	0.0
膀胱	C67	261	59.0	35.6	5.4
腎・尿路 (膀胱除く)	C64-C66 C68	333	91.6	4.8	3.6
脳・中枢神経系	C70-C72	34	67.6	32.4	0.0
甲状腺	C73	211	90.5	7.1	2.4
悪性リンパ腫	C81-C85 C96	57	64.9	28.1	7.0
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	.	.	.

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

B. 上皮内がんを含む

宮城県

2019年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	12,104	90.5	7.3	2.2
食道	C15 D001	323	91.3	8.0	0.6
大腸 (結腸・直腸) *2	C18-C20 D010-D012	3,055	92.4	6.7	0.9
結腸 *2	C18 D010	2,091	92.9	6.1	1.1
直腸 *2	C19-C20 D011-D012	964	91.3	8.0	0.7
肺	C33-C34 D021-D022	812	95.6	4.1	0.4
皮膚	C43-C44 D030-D049	493	94.7	5.1	0.2
乳房	C50 D05	1,681	88.7	4.2	7.1
乳房 (女性のみ)	C50 D05	1,673	88.6	4.2	7.1
子宮	C53-C55 D06	600	91.8	6.2	2.0
子宮頸部	C53 D06	352	90.9	6.3	2.8
膀胱	C67 D090	636	77.0	16.8	6.1

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

宮城県

2019年

部位	死亡／罹患比 (MI比)		死亡情報のみ「がん」が確認された症例 DC1 (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HW (%)							
	男	女	男	女	男	女	男	女	男	女						
ICD-10																
全部位	0.38	0.36	0.37	1.6	2.4	2.0	1.1	1.7	1.3	86.2	86.1	86.2	83.7	83.5	83.6	
C00-C96	0.31	0.35	0.32	1.5	3.1	2.0	0.0	2.4	0.7	96.3	93.7	95.6	93.6	85.0	91.2	
C00-C14	0.40	0.34	0.39	0.7	1.0	0.7	0.4	1.0	0.5	97.3	89.5	95.9	97.3	89.5	95.9	
C15	0.26	0.32	0.28	0.7	1.3	0.9	0.4	1.0	0.6	97.0	93.8	96.0	96.9	93.5	95.8	
C16	0.32	0.35	0.33	1.1	2.4	1.6	0.8	1.5	1.1	94.5	89.4	92.3	94.5	89.2	92.2	
C18-C20	0.32	0.38	0.35	1.1	3.0	2.0	0.8	1.9	1.3	93.3	87.2	90.5	93.2	87.0	90.3	
C18	0.31	0.29	0.30	1.0	1.1	1.0	0.8	0.5	0.7	96.5	94.7	95.8	96.5	94.4	95.7	
C19-C20	0.57	0.77	0.63	2.9	6.3	3.9	2.2	4.5	2.9	32.7	25.0	30.4	31.2	21.6	28.3	
C22	0.64	0.78	0.70	5.0	7.2	6.0	3.1	5.0	3.9	75.2	64.7	70.4	66.4	55.7	61.5	
C23-C24	0.81	0.85	0.83	1.6	2.7	2.1	0.9	1.9	1.4	70.6	57.8	64.3	66.4	53.0	59.8	
C25	0.16	0.10	0.16	1.2	0.0	1.1	1.2	0.0	1.1	98.8	100.0	98.9	98.8	100.0	98.9	
C32	0.62	0.51	0.58	2.1	4.2	2.8	1.6	3.1	2.1	76.9	71.7	75.1	70.5	65.6	68.9	
C33-C34	0.07	0.07	0.07	0.8	1.3	1.1	0.8	1.3	1.1	97.5	95.7	96.6	97.5	95.7	96.6	
C43-C44	0.11	0.14	0.14	0.0	0.7	0.7	0.0	0.7	0.7	100.0	97.3	97.3	100.0	96.9	96.9	
C50	-	0.27	0.27	-	2.5	2.5	-	1.8	1.8	-	97.2	97.2	97.2	-	95.9	95.9
C53-C55	-	0.32	0.32	-	1.4	1.4	-	1.4	1.4	-	97.9	97.9	97.9	-	95.8	95.8
C53	-	0.14	0.14	-	1.4	1.4	-	0.3	0.3	-	98.6	98.6	98.6	-	97.6	97.6
C54	-	0.35	0.35	-	3.9	3.9	-	2.8	2.8	-	90.1	90.1	90.1	-	86.9	86.9
C56	0.16	-	0.16	1.4	-	1.4	1.2	-	1.2	85.2	-	85.2	84.9	-	84.9	
C61	0.36	0.67	0.44	3.2	2.9	3.2	3.2	1.9	2.9	87.7	68.0	82.4	83.8	62.1	77.9	
C67	0.28	0.36	0.30	1.6	1.8	1.7	0.8	0.6	0.7	76.8	72.8	75.6	72.2	68.0	70.9	
C64-C66 C68	0.65	0.60	0.63	2.2	2.4	2.3	0.0	2.4	1.1	63.0	61.9	62.5	63.0	61.9	62.5	
C70-C72	0.23	0.08	0.12	2.7	0.5	1.1	1.4	0.5	0.7	93.2	93.3	93.3	87.7	87.1	87.3	
C73	0.38	0.27	0.33	2.0	2.0	2.0	0.0	1.0	0.5	95.1	94.4	94.8	91.6	93.1	92.3	
C81-C85 C96	0.75	0.46	0.58	1.8	5.6	3.9	1.8	2.8	2.4	96.4	95.8	96.1	76.4	69.4	72.4	
C88-C90	0.57	0.66	0.60	1.3	5.4	2.9	0.7	2.2	1.2	100.0	98.9	99.6	75.3	71.0	73.7	
C91-C95																

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

宮城県

2019年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみ 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DC0 (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HW (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.34	0.31	0.33	1.5	2.1	1.8	1.0	1.5	1.2	87.5	87.9	87.6	85.1	85.5	85.3
食道	C15 D001	0.37	0.32	0.36	0.6	0.9	0.7	0.4	0.9	0.5	97.6	90.4	96.2	97.6	90.4	96.2
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.24	0.28	0.25	0.8	1.9	1.3	0.6	1.2	0.9	95.9	91.5	94.1	95.9	91.3	94.0
結腸 *2	C18 D010	0.23	0.30	0.26	0.8	2.4	1.5	0.6	1.5	1.0	95.3	89.9	92.9	95.2	89.7	92.8
直腸 *2	C19-C20 D011-D012	0.25	0.23	0.24	0.8	0.9	0.8	0.7	0.4	0.6	97.2	95.6	96.6	97.2	95.4	96.5
肺	C33-C34 D021-D022	0.62	0.50	0.58	2.1	4.1	2.8	1.6	3.0	2.0	77.0	72.3	75.4	70.6	66.4	69.2
皮膚	C43-C44 D030-D049	0.06	0.06	0.06	0.7	1.0	0.9	0.7	1.0	0.9	97.9	96.7	97.3	97.9	96.7	97.3
乳房	C50 D05	0.10	0.12	0.12	0.0	0.6	0.6	0.0	0.6	0.6	100.0	97.6	97.6	100.0	97.3	97.3
子宮	C53-C55 D06	-	0.15	0.15	-	1.4	1.4	-	1.0	1.0	-	98.4	98.4	-	-	97.4
子宮頸部	C53 D06	-	0.10	0.10	-	0.4	0.4	-	0.4	0.4	-	99.4	99.4	-	-	98.3
膀胱	C67 D090	0.17	0.38	0.22	1.5	1.6	1.6	1.5	1.1	1.4	94.2	82.0	91.3	92.0	78.1	88.7

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 部位別、性別 宮城県 2019年

部位	ICD-10	死亡数										粗死亡率										年齢調整死亡率										累積死亡率(0-74歳)									
		部位割合					粗死亡率					年齢調整死亡率					累積死亡率					世界人口					日本人人口					世界人口					日本人人口				
		男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女	男	女	総数	男	女					
全部位	C00-C97	3,968	2,854	6,822	100.0	100.0	100.0	355.6	244.6	298.8	146.0	84.3	111.0	99.0	59.9	76.9	10.4	6.1	8.2																						
口腔・咽頭	C00-C14	100	45	145	2.5	1.6	2.1	9.0	3.9	6.4	4.0	1.0	2.4	2.7	0.7	1.6	0.3	0.1	0.2																						
食道	C15	182	36	218	4.6	1.3	3.2	16.3	3.1	9.5	7.2	1.4	4.0	4.9	1.0	2.8	0.6	0.1	0.4																						
胃	C16	497	275	772	12.5	9.6	11.3	44.5	23.6	33.8	18.2	6.8	11.9	12.5	4.7	8.2	1.3	0.4	0.9																						
大腸(結腸・直腸)	C18-C20	507	436	943	12.8	15.3	13.8	45.4	37.4	41.3	19.9	11.6	15.4	13.7	8.0	10.7	1.4	0.7	1.1																						
結腸	C18	321	329	650	8.1	11.5	9.5	28.8	28.2	28.5	11.7	8.0	9.7	7.9	5.5	6.6	0.8	0.5	0.6																						
直腸	C19-C20	186	107	293	4.7	3.7	4.3	16.7	9.2	12.8	8.2	3.6	5.8	5.8	2.5	4.1	0.7	0.3	0.5																						
肝および肝内胆管	C22	232	136	368	5.8	4.8	5.4	20.8	11.7	16.1	8.9	3.5	6.0	6.2	2.3	4.1	0.7	0.2	0.5																						
胆のう・胆管	C23-C24	168	172	340	4.2	6.0	5.0	15.1	14.7	14.9	5.7	3.5	4.5	3.9	2.3	3.0	0.4	0.2	0.3																						
膵臓	C25	347	353	700	8.7	12.4	10.3	31.1	30.2	30.7	13.6	9.1	11.2	9.1	6.0	7.5	1.1	0.7	0.9																						
喉頭	C32	14	1	15	0.4	0.0	0.2	1.3	0.1	0.7	0.5	0.1	0.3	0.4	0.1	0.2	0.0	0.0	0.0																						
肺	C33-C34	989	418	1,407	24.9	14.6	20.6	88.6	35.8	61.6	35.2	10.2	21.3	23.5	6.9	14.4	2.5	0.7	1.6																						
皮膚	C43-C44	17	17	34	0.4	0.6	0.5	1.5	1.5	1.5	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0																						
乳房	C50	1	246	247	0.0	8.6	3.6	0.1	21.1	10.8	0.0	11.4	5.9	0.0	8.5	4.3	0.0	1.0	0.5																						
子宮	C53-C55	-	118	118	-	4.1	1.7	-	10.1	-	-	5.9	-	-	4.5	-	-	0.5	-																						
子宮頸部	C53	-	46	46	-	1.6	0.7	-	3.9	-	-	3.0	-	-	2.4	-	-	0.2	-																						
子宮体部	C54	-	40	40	-	1.4	0.6	-	3.4	-	-	1.6	-	-	1.2	-	-	0.2	-																						
卵巣	C56	-	100	100	-	3.5	1.5	-	8.6	-	-	4.4	-	-	3.3	-	-	0.4	-																						
前立腺	C61	240	-	240	6.0	-	3.5	21.5	-	-	7.0	-	-	4.5	-	-	0.3	-	-																						
膀胱	C67	100	69	169	2.5	2.4	2.5	9.0	5.9	7.4	2.9	1.1	1.8	1.9	0.7	1.2	0.2	0.0	0.1																						
腎・尿路(膀胱除く)	C64-C66 C68	103	60	163	2.6	2.1	2.4	9.2	5.1	7.1	3.7	1.2	2.3	2.4	0.8	1.5	0.2	0.1	0.2																						
脳・中枢神経系	C70-C72	30	25	55	0.8	0.9	0.8	2.7	2.1	2.4	2.1	1.2	1.7	1.7	0.9	1.3	0.2	0.1	0.1																						
甲状腺	C73	17	15	32	0.4	0.5	0.5	1.5	1.3	1.4	0.6	0.2	0.4	0.4	0.1	0.2	0.0	0.0	0.0																						
悪性リンパ腫	C81-C85 C96	131	83	214	3.3	2.9	3.1	11.7	7.1	9.4	4.7	2.3	3.3	3.1	1.5	2.2	0.3	0.2	0.2																						
多発性骨髄腫	C88-C90	41	33	74	1.0	1.2	1.1	3.7	2.8	3.2	1.5	0.9	1.2	1.0	0.6	0.8	0.1	0.1	0.1																						
白血病	C91-C95	86	61	147	2.2	2.1	2.2	7.7	5.2	6.4	3.5	2.6	2.9	2.4	2.2	2.2	0.2	0.2	0.2																						

*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-097	3,988	0	2	0	1	2	2	3	12	15	29	56	127	250	461	620	621	714	641	336	69	7	0
	口腔・咽頭	000-C14	100	0	0	0	0	0	0	0	1	0	1	0	3	10	12	23	19	16	12	2	1	0	0
	食道	C15	182	0	0	0	0	0	0	0	0	0	1	1	14	9	36	31	29	31	21	8	1	0	0
	胃	C16	497	0	0	0	0	0	1	1	1	2	3	9	16	32	62	73	61	94	94	43	5	0	0
	大腸(結腸・直腸)	C18-C20	507	0	0	0	0	0	0	0	3	5	7	14	20	39	61	71	83	77	69	45	12	1	0
	結腸	C18	321	0	0	0	0	0	0	0	2	0	4	5	9	21	36	42	58	49	50	35	9	1	0
	直腸	C19-C20	186	0	0	0	0	0	0	0	1	5	3	9	11	18	25	29	25	28	19	10	3	0	0
	肝および肝内胆管	C22	232	0	1	0	0	0	0	0	0	1	0	3	9	17	31	47	35	40	30	15	3	0	0
	胆のう・胆管	C23-C24	168	0	0	0	0	0	0	0	0	0	1	1	1	11	24	24	23	27	32	16	7	1	0
	膵臓	C25	347	0	0	0	0	0	0	0	1	1	1	8	15	22	50	64	53	75	32	23	2	0	0
	喉頭	C32	14	0	0	0	0	0	0	0	0	0	0	0	1	2	0	4	1	2	1	3	0	0	0
	肺	C33-C34	989	0	0	0	0	0	0	0	1	1	5	9	25	61	116	159	170	175	164	86	16	1	0
	皮膚	C43-C44	17	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	0	3	3	4	2	1	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
	前立腺	C61	240	0	0	0	0	0	0	0	0	0	0	0	1	7	10	29	41	45	58	41	7	1	0
	膀胱	C67	100	0	0	0	0	0	0	0	0	0	1	0	0	3	4	17	7	17	29	17	3	2	0
	腎・尿路(膀胱除く)	C64-C66 C68	103	0	0	0	0	0	0	0	0	1	1	1	3	8	5	15	19	23	19	5	3	0	0
	脳・中枢神経系	C70-C72	30	0	0	0	1	1	0	1	2	2	2	1	5	5	1	1	4	4	2	2	0	0	0
	甲状腺	C73	17	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	4	5	2	0	1	0	0
	悪性リンパ腫	C81-C85 C96	131	0	0	0	0	0	0	1	0	0	1	4	3	6	9	17	25	26	27	10	2	0	0
	多発性骨髄腫	C88-C90	41	0	0	0	0	0	0	0	0	0	0	0	3	2	6	4	8	6	10	1	0	0	0
	白血病	C91-C95	86	0	1	0	0	0	0	0	1	1	1	2	3	3	12	10	15	22	12	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	000-097	2,854	2	0	2	0	0	2	3	11	19	31	41	66	92	164	234	276	346	479	543	408	113	22	0
	口腔・咽頭	000-C14	45	0	0	0	0	0	0	0	0	0	0	1	0	0	4	5	5	3	7	6	13	5	0	0
	食道	C15	36	0	0	0	0	0	0	0	0	0	0	2	2	4	5	6	8	3	3	3	0	0	0	0
	胃	C16	275	0	0	0	0	0	0	0	0	4	3	5	3	16	17	20	37	39	63	54	10	4	0	0
	大腸(結腸・直腸)	C18-C20	436	0	0	0	2	0	0	2	2	5	4	8	11	27	29	27	51	83	86	73	25	3	0	0
	結腸	C18	329	0	0	0	1	0	0	1	2	3	4	4	7	14	25	14	34	66	72	63	19	1	0	0
	直腸	C19-C20	107	0	0	0	1	0	0	1	0	2	0	4	4	13	4	13	17	17	14	10	6	2	0	0
	肝および肝内胆管	C22	136	0	0	0	0	0	0	0	2	0	2	1	3	3	10	11	19	36	21	26	1	1	0	0
	胆のう・胆管	C23-C24	172	0	0	0	0	0	0	0	0	0	1	0	5	6	9	8	19	29	46	37	10	2	0	0
	膵臓	C25	353	0	0	0	0	0	0	0	0	0	1	3	9	12	34	47	52	72	74	40	9	0	0	0
	喉頭	C32	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	418	0	0	0	0	0	0	0	1	2	4	6	6	18	28	42	51	77	95	66	18	4	0	0
	皮膚	C43-C44	17	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	2	5	4	1	0	0
	乳房	C50	246	0	0	0	4	7	9	7	17	16	25	37	25	28	27	25	28	27	27	11	5	1	0	0
	子宮	C53-C55	118	0	0	0	2	0	2	5	10	8	12	9	14	15	14	15	10	9	7	13	1	1	0	0
	子宮頸部	C53	46	0	0	0	2	0	2	3	8	6	4	4	4	2	3	3	4	3	0	4	1	0	0	0
	子宮体部	C54	40	0	0	0	0	0	0	2	0	0	0	0	4	3	8	8	4	3	3	5	0	0	0	0
	卵巢	C56	100	0	0	0	2	2	4	6	9	14	11	12	11	12	11	12	11	6	15	5	3	0	0	0
	膀胱	C67	69	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	9	12	23	14	5	0	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	60	0	0	0	0	0	0	0	1	1	4	7	3	4	7	3	3	12	16	11	4	1	0	0
	脳・中枢神経系	C70-C72	25	0	0	0	2	1	0	1	4	3	5	3	2	2	1	4	3	2	2	1	0	0	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	3	5	1	1	0
	悪性リンパ腫	C81-C85 C96	83	0	0	0	0	0	0	1	0	2	2	2	2	2	9	10	15	17	15	8	2	0	0	0
	多発性骨髄腫	C88-C90	33	0	0	0	0	0	0	1	0	3	2	2	2	2	2	2	2	11	5	6	0	0	0	0
	白血病	C91-C95	61	1	0	1	0	1	1	1	0	3	2	7	2	7	2	8	7	9	10	5	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2019年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	000-097	6,822	2	2	2	1	4	5	14	31	46	70	122	219	414	695	896	967	1,193	1,184	744	182	29	0
	口腔・咽頭	000-C14	145	0	0	0	0	0	0	0	1	0	2	0	4	10	16	28	22	23	18	15	6	0	0
	食道	C15	218	0	0	0	0	0	0	0	0	0	1	3	16	13	41	37	37	34	24	11	1	0	0
	胃	C16	772	0	0	0	0	0	1	1	1	6	6	14	19	48	79	93	98	133	157	97	15	4	0
	大腸（結腸・直腸）	C18-C20	943	0	0	0	0	0	0	2	5	10	11	22	31	66	90	98	134	160	155	118	37	4	0
	結腸	C18	650	0	0	0	0	0	0	1	4	3	8	9	16	35	61	56	92	115	122	98	28	2	0
	直腸	C19-C20	293	0	0	0	0	0	0	1	1	7	3	13	15	31	29	42	42	45	33	20	9	2	0
	肝および肝内胆管	C22	368	0	1	0	0	0	0	0	2	1	2	4	12	20	41	58	54	76	51	41	4	1	0
	胆のう・胆管	C23-C24	340	0	0	0	0	0	0	0	0	0	2	1	6	17	33	32	42	56	78	53	17	3	0
	膵臓	C25	700	0	0	0	0	0	0	0	1	1	2	11	24	34	84	111	105	147	106	63	11	0	0
	喉頭	C32	15	0	0	0	0	0	0	0	0	0	0	0	2	2	0	4	1	2	1	3	0	0	0
	肺	C33-C34	1,407	0	0	0	0	0	0	0	2	3	9	15	31	79	144	201	221	252	259	152	34	5	0
	皮膚	C43-C44	34	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	1	4	5	9	6	2	0
	乳房	C50	247	0	0	0	0	0	0	4	7	9	7	17	16	25	37	25	28	27	27	11	6	1	0
	子宮	C53-C55	118	0	0	0	0	0	2	0	2	5	10	8	12	9	14	15	10	9	7	13	1	1	0
	子宮頸部	C53	46	0	0	0	0	0	2	0	2	3	8	6	4	4	2	3	4	3	0	4	1	0	0
	子宮体部	C54	40	0	0	0	0	0	0	0	0	2	0	0	4	3	8	8	4	3	3	5	0	0	0
	卵巢	C56	100	0	0	0	0	0	0	0	2	2	4	6	9	14	11	12	11	6	15	5	3	0	0
	前立腺	C61	240	0	0	0	0	0	0	0	0	0	0	0	1	7	10	29	41	45	58	41	7	1	0
	膀胱	C67	169	0	0	0	0	0	0	0	0	0	0	0	0	4	4	22	16	29	52	31	8	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	163	0	0	0	0	0	0	0	0	1	1	1	4	9	9	22	22	35	35	16	7	1	0
	脳・中枢神経系	C70-C72	55	0	0	0	1	1	0	3	3	2	3	1	6	9	4	6	7	4	4	4	1	0	0
	甲状腺	C73	32	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	7	7	5	5	2	1	0
	悪性リンパ腫	C81-C85 C96	214	0	0	0	0	0	0	1	0	1	1	6	5	8	18	27	40	43	42	18	4	0	0
	多発性骨髄腫	C88-C90	74	0	0	0	0	0	0	0	0	1	1	1	3	5	8	6	10	17	15	7	0	0	0
	白血病	C91-C95	147	1	1	1	0	1	1	0	2	2	1	5	5	10	14	18	22	31	22	8	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

宮城県

2019年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
男	全部位	C00-C97	355.6	0.0	4.3	0.0	0.0	1.9	3.3	3.4	4.8	17.1	18.8	34.1	76.7	176.4	333.3	542.4	861.1	1,150.0	1,830.8	1,831.4	・	・	
	口腔・咽頭	C00-C14	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	4.2	13.3	14.1	31.9	35.2	41.0	34.3	・	・	
	食道	C15	16.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	19.4	12.0	42.4	43.1	53.7	79.5	60.0	・	・	
	胃	C16	44.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.6	1.4	2.5	3.5	12.3	22.2	42.7	72.9	101.4	113.0	241.0	268.6	・	・	
	大腸（結腸・直腸）	C18-C20	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.3	8.2	19.2	27.8	52.0	71.8	98.6	153.7	197.4	197.1	・	・	
	結腸	C18	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.7	6.8	12.5	28.0	42.4	58.3	107.4	125.6	142.9	・	・	
	直腸	C19-C20	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.3	3.5	12.3	15.3	24.0	29.4	40.3	46.3	71.8	54.3	・	・	
	肝および肝内胆管	C22	20.8	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	12.5	22.7	36.5	65.3	64.8	102.6	85.7	・	・	
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	14.7	28.2	33.3	42.6	69.2	91.4	・	・	
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	11.0	20.8	29.3	58.8	88.9	98.1	192.3	91.4	・	・	
	喉頭	C32	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	0.0	5.6	1.9	5.1	2.9	・	・	
	肺	C33-C34	88.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	5.9	12.3	34.7	81.3	136.5	220.8	314.8	448.7	468.6	・	・	
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.4	1.4	0.0	7.7	8.6	・	・	
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・	・
	前立腺	C61	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.3	11.8	40.3	75.9	115.4	165.7	・	・	
	膀胱	C67	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	4.0	4.7	23.6	13.0	43.6	82.9	・	・	
	腎・尿路（膀胱除く）	C64-C66 C68	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.4	4.2	10.7	5.9	20.8	35.2	59.0	54.3	・	・	
	脳・中枢神経系	C70-C72	2.7	0.0	0.0	0.0	0.0	1.9	1.7	0.0	1.6	2.9	2.5	2.4	1.4	6.9	6.7	1.2	1.4	7.4	5.1	5.7	・	・	
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	2.8	7.4	12.8	5.7	・	・	
	悪性リンパ腫	C81-C85 C96	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.2	5.5	4.2	8.0	10.6	23.6	46.3	66.7	77.1	・	・	
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	2.7	7.1	5.6	14.8	15.4	28.6	・	・	
	白血病	C91-C95	7.7	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	2.7	4.2	4.0	14.1	13.9	27.8	56.4	34.3	・	・	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

宮城県

2019年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳
女	全部位	C00-C97	244.6	5.0	0.0	4.3	0.0	3.6	5.5	18.0	27.5	39.7	50.6	93.0	129.6	215.8	265.9	358.4	524.2	825.9	705.2	•	•	•
	口腔・咽頭	C00-C14	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	0.0	4.5	6.5	4.5	12.1	7.8	•	•	•
	食道	C15	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.3	5.7	7.8	12.1	5.2	3.9	•	•	•
	胃	C16	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	3.7	7.0	4.2	21.1	19.3	26.0	56.1	67.2	81.8	•	•	•
	大腸（結腸・直腸）	C18-C20	37.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	6.4	4.9	11.3	35.5	33.0	35.1	77.3	143.1	111.7	•	•	•
	結腸	C18	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	3.8	4.9	5.6	18.4	28.4	18.2	51.5	113.8	93.5	•	•	•
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.6	0.0	5.6	17.1	4.5	16.9	25.8	29.3	18.2	•	•	•
	肝および肝内胆管	C22	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.5	1.4	4.2	3.9	11.4	14.3	28.8	62.1	27.3	•	•
	胆のう・胆管	C23-C24	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	7.0	7.9	10.2	10.4	28.8	50.0	59.7	•	•
	膵臓	C25	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.2	12.7	15.8	38.6	61.0	78.8	124.1	96.1	•	•
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	•	•
	肺	C33-C34	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	4.9	8.5	23.7	31.8	54.5	77.3	132.8	123.4	•	•	•
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.3	1.5	1.7	2.6	•	•
	乳房	C50	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	10.1	11.5	8.6	23.9	22.5	32.9	42.0	32.5	42.4	46.6	35.1	•	•
	子宮	C53-C55	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.9	6.4	12.3	11.3	16.9	11.8	15.9	19.5	15.2	15.5	9.1	•	•
	子宮頸部	C53	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2.9	3.8	9.9	8.5	5.6	5.3	2.3	3.9	6.1	5.2	0.0	•	•
	子宮体部	C54	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	5.6	3.9	9.1	10.4	6.1	5.2	3.9	•	•
	卵巣	C56	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	4.9	8.5	12.7	18.4	12.5	15.6	16.7	10.3	19.5	•	•
	膀胱	C67	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	6.5	13.6	20.7	29.9	•	•
	腎・尿路（膀胱除く）	C64-C66 C68	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.5	9.1	4.5	20.7	20.8	•	•
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.4	0.0	1.2	0.0	1.4	5.3	3.4	6.5	4.5	3.4	2.6	•	•
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.4	3.9	•	•
	悪性リンパ腫	C81-C85 C96	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.8	2.8	2.6	10.2	13.0	22.7	29.3	19.5	•	•
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.4	0.0	3.9	2.3	2.6	3.0	19.0	6.5	•	•
	白血病	C91-C95	5.2	2.5	0.0	2.1	0.0	1.8	1.8	0.0	1.4	1.3	0.0	0.0	4.2	2.8	9.2	2.3	10.4	10.6	15.5	13.0	•	•

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まゝ）： 部位別、性別

宮城県

2019年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	298.8	2.4	2.2	2.1	0.9	3.5	4.4	11.3	22.3	29.1	42.2	84.7	153.1	274.2	401.7	601.3	805.8	1,229.9	1,057.1
	口腔・咽頭	C00-C14	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.2	0.0	2.8	6.6	9.2	18.8	18.3	23.7	16.1
	食道	C15	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	11.2	8.6	23.7	24.8	30.8	35.1	21.4
	胃	C16	33.8	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.7	3.8	3.6	9.7	13.3	31.8	45.7	62.4	81.7	137.1	140.2
	大腸（結腸・直腸）	C18-C20	41.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.6	6.3	6.6	15.3	21.7	43.7	52.0	65.8	111.7	164.9	138.4
	結腸	C18	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.9	1.9	4.8	6.3	11.2	23.2	35.3	37.6	76.7	118.6	108.9
	直腸	C19-C20	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	4.4	1.8	9.0	10.5	20.5	16.8	28.2	35.0	46.4	29.5
	肝および肝内胆管	C22	16.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.4	0.6	1.2	2.8	8.4	13.2	23.7	38.9	45.0	78.4	45.5
	胆のう・胆管	C23-C24	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	4.2	11.3	19.1	21.5	35.0	57.7	69.6
	膵臓	C25	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.2	7.6	16.8	22.5	48.6	74.5	87.5	151.5	94.6
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	2.7	0.8	2.1	0.9
	肺	C33-C34	61.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.9	5.4	10.4	21.7	52.3	83.2	134.9	184.2	259.8	231.3
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.7	1.3	0.8	4.1	4.5
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.0	5.7	4.2	11.8	11.2	16.6	21.4	16.8	23.3	27.8	24.1
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.6	2.3	14.8	13.3	29.9	46.4
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.7	2.8	6.0	5.2	14.8	18.3	36.1	31.3
	脳・中枢神経系	C70-C72	2.4	0.0	0.0	0.0	0.9	0.9	0.0	2.4	2.2	1.3	1.8	0.7	4.2	6.0	2.3	4.0	5.8	4.1	3.6
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	5.8	7.2	4.5
	悪性リンパ腫	C81-C85 C96	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.6	4.2	3.5	5.3	10.4	18.1	33.3	44.3	37.5
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.7	2.1	3.3	4.6	4.0	8.3	17.5	13.4
	白血病	C91-C95	6.4	1.2	1.1	1.0	0.0	0.9	0.9	0.0	1.4	1.3	0.6	3.5	3.5	6.6	8.1	12.1	18.3	32.0	19.6

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C97	355.6	0.0	4.3	0.0	1.9	3.3	3.4	4.8	17.1	18.8	34.1	76.7	176.4	333.3	542.4	861.1	1,150.0	1,830.8	3,008.6	・	
	口腔・咽頭	C00-C14	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	4.2	13.3	14.1	31.9	35.2	41.0	42.9	・	
	食道	C15	16.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	19.4	12.0	42.4	43.1	53.7	79.5	85.7	・	
	胃	C16	44.5	0.0	0.0	0.0	0.0	0.0	1.7	1.6	1.4	2.5	3.5	12.3	22.2	42.7	72.9	101.4	113.0	241.0	405.7	・	
	大腸（結腸・直腸）	C18-C20	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	6.3	8.2	19.2	27.8	52.0	71.8	98.6	153.7	197.4	362.9	・	
	結腸	C18	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.7	6.8	12.5	28.0	42.4	58.3	107.4	125.6	271.4	・	
	直腸	C19-C20	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.3	3.5	12.3	15.3	24.0	29.4	40.3	46.3	71.8	91.4	・	
	肝および肝内胆管	C22	20.8	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.1	12.5	22.7	36.5	65.3	64.8	102.6	137.1	・	
	胆のう・胆管	C23-C24	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	1.4	14.7	28.2	33.3	42.6	69.2	160.0	・	
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	11.0	20.8	29.3	58.8	88.9	98.1	192.3	162.9	・	
	喉頭	C32	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.7	0.0	5.6	1.9	5.1	11.4	・	
	肺	C33-C34	88.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	5.9	12.3	34.7	81.3	136.5	220.8	314.8	448.7	762.9	・	
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.4	1.4	0.0	7.7	28.6	・	
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	・	
	前立腺	C61	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.3	11.8	40.3	75.9	115.4	305.7	・	
	膀胱	C67	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	4.0	4.7	23.6	13.0	43.6	145.7	・	
	腎・尿路（膀胱除く）	C64-C66 C68	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.4	4.2	10.7	5.9	20.8	35.2	59.0	77.1	・	
	脳・中枢神経系	C70-C72	2.7	0.0	0.0	0.0	1.9	1.7	0.0	1.6	2.9	2.5	2.4	1.4	6.9	6.7	1.2	1.4	7.4	7.4	5.1	5.7	・
	甲状腺	C73	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	1.2	2.8	7.4	12.8	8.6	・	
	悪性リンパ腫	C81-C85 C96	11.7	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.2	5.5	4.2	8.0	10.6	23.6	46.3	66.7	111.4	・	
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	4.2	2.7	7.1	5.6	14.8	15.4	31.4	・	
	白血病	C91-C95	7.7	0.0	2.2	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	2.7	4.2	4.0	14.1	13.9	27.8	56.4	42.9	・	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2019年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C97	244.6	5.0	0.0	4.3	0.0	3.6	5.5	18.0	27.5	39.7	50.6	93.0	129.6	215.8	285.9	388.4	524.2	825.9	1,410.4	・	
	口腔・咽頭	C00-C14	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.4	0.0	4.5	6.5	4.5	12.1	31.2	・	
	食道	C15	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.3	5.7	7.8	12.1	5.2	7.8	・	
	胃	C16	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	3.7	7.0	21.1	19.3	26.0	56.1	67.2	170.1	・	
	大腸（結腸・直腸）	C18-C20	37.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	6.4	4.9	11.3	15.5	35.5	33.0	35.1	77.3	143.1	242.9	・
	結腸	C18	28.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	3.8	4.9	5.6	9.9	18.4	28.4	18.2	51.5	113.8	201.3	・
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.6	0.0	5.6	5.6	17.1	4.5	16.9	25.8	29.3	41.6	・
	肝および肝内胆管	C22	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.5	1.4	4.2	3.9	11.4	14.3	28.8	62.1	63.6	・
	胆のう・胆管	C23-C24	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	7.0	7.9	10.2	10.4	28.8	50.0	123.4	・
	膵臓	C25	30.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.2	12.7	15.8	38.6	61.0	78.8	124.1	159.7	・
	喉頭	C32	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	35.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	4.9	8.5	8.5	23.7	31.8	54.5	77.3	132.8	237.7	・
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.3	1.5	1.7	15.6	・
	乳房	C50	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	10.1	11.5	8.6	23.9	22.5	32.9	42.0	32.5	42.4	46.6	57.1	・
	子宮	C53-C55	10.1	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	2.9	6.4	12.3	11.3	16.9	11.8	15.9	19.5	15.2	15.5	28.6	・
	子宮頸部	C53	3.9	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	2.9	3.8	9.9	8.5	5.6	5.3	2.3	3.9	6.1	5.2	6.5	・
	子宮体部	C54	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	5.6	3.9	9.1	10.4	6.1	5.2	10.4	・
	卵巣	C56	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	4.9	8.5	12.7	18.4	12.5	15.6	16.7	10.3	29.9	・
	膀胱	C67	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	6.5	13.6	20.7	54.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.5	9.1	4.5	20.7	41.6	・
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.4	0.0	1.2	0.0	1.4	5.3	3.4	6.5	4.5	3.4	3.9	・
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.4	13.0	・
	悪性リンパ腫	C81-C85 C96	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	2.8	2.8	2.6	10.2	13.0	22.7	29.3	32.5	・
	多発性骨髄腫	C88-C90	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	0.0	3.9	2.3	2.6	3.0	19.0	14.3	・
	白血病	C91-C95	5.2	2.5	0.0	2.1	0.0	1.8	1.8	1.8	0.0	1.4	1.3	0.0	4.2	2.8	9.2	2.3	10.4	10.6	15.5	22.1	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

宮城県

2019年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	C00-C97	298.8	2.4	2.2	2.1	0.9	3.5	4.4	11.3	22.3	29.1	42.2	84.7	153.1	274.2	401.7	601.3	805.8	1,229.9	1,909.8	・
	口腔・咽頭	C00-C14	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.2	0.0	2.8	6.6	9.2	18.8	18.3	23.7	34.8	・
	食道	C15	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	11.2	8.6	23.7	24.8	30.8	35.1	32.1	・
	胃	C16	33.8	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.7	3.8	3.6	9.7	13.3	31.8	45.7	62.4	81.7	137.1	243.8	・
	大腸（結腸・直腸）	C18-C20	41.3	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.6	6.3	6.6	15.3	21.7	43.7	52.0	65.8	111.7	164.9	280.4	・
	結腸	C18	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.9	1.9	4.8	6.3	11.2	23.2	35.3	37.6	76.7	118.6	223.2	・
	直腸	C19-C20	12.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	4.4	1.8	9.0	10.5	20.5	16.8	28.2	35.0	46.4	57.1	・
	肝および肝内胆管	C22	16.1	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.4	0.6	1.2	2.8	8.4	13.2	23.7	38.9	45.0	78.4	86.6	・
	胆のう・胆管	C23-C24	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	4.2	11.3	19.1	21.5	35.0	57.7	134.8	・
	膵臓	C25	30.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.2	7.6	16.8	22.5	48.6	74.5	87.5	151.5	160.7	・
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	2.7	0.8	2.1	3.6	・
	肺	C33-C34	61.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.9	5.4	10.4	21.7	52.3	83.2	134.9	184.2	259.8	401.8	・
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.7	1.3	0.8	4.1	19.6	・
	乳房	C50	10.8	0.0	0.0	0.0	0.0	0.0	0.0	3.2	5.0	5.7	4.2	11.8	11.2	16.6	21.4	16.8	23.3	27.8	40.2	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.6	2.3	14.8	13.3	29.9	83.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.7	2.8	6.0	5.2	14.8	18.3	36.1	52.7	・
	脳・中枢神経系	C70-C72	2.4	0.0	0.0	0.0	0.9	0.9	0.0	2.4	2.2	1.3	1.8	0.7	4.2	6.0	2.3	4.0	5.8	4.1	4.5	・
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	5.8	7.2	11.6	・
	悪性リンパ腫	C81-C85 C96	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	0.6	4.2	3.5	5.3	10.4	18.1	33.3	44.3	57.1	・
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.7	2.1	3.3	4.6	4.0	8.3	17.5	19.6	・
	白血病	C91-C95	6.4	1.2	1.1	1.0	0.0	0.9	0.9	0.0	1.4	1.3	0.6	3.5	3.5	6.6	8.1	12.1	18.3	32.0	28.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

宮城県

2019年

男 女 男女計

部位	男			女			男女計		
	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
10D-10									
全部位	8,672	0.0	0.0	7,094	0.0	0.0	15,766	0.0	0.0
C00-C96									
000-C14	251	0.0	0.0	112	0.0	0.0	363	0.0	0.0
口腔・咽頭									
C15	334	0.0	0.0	80	0.0	0.0	414	0.0	0.0
食道									
C16	1,606	0.0	0.0	772	0.0	0.0	2,378	0.0	0.0
胃									
C18-C20	1,359	0.0	0.0	1,126	0.0	0.0	2,485	0.0	0.0
大腸(結腸・直腸)									
C18	849	0.0	0.0	787	0.0	0.0	1,636	0.0	0.0
結腸									
C19-C20	510	0.0	0.0	339	0.0	0.0	849	0.0	0.0
直腸									
C22	321	0.0	0.0	142	0.0	0.0	463	0.0	0.0
肝および肝内胆管									
C23-C24	210	0.0	0.0	191	0.0	0.0	401	0.0	0.0
胆のう・胆管									
C25	349	0.0	0.0	352	0.0	0.0	701	0.0	0.0
膵臓									
C32	69	0.0	0.0	8	0.0	0.0	77	0.0	0.0
喉頭									
C33-C34	1,288	0.0	0.0	689	0.0	0.0	1,977	0.0	0.0
肺									
C43-C44	190	0.0	0.0	211	0.0	0.0	401	0.0	0.0
皮膚									
C50	7	0.0	0.0	1,634	0.0	0.0	1,641	0.0	0.0
乳房									
C53-C55	-	-	-	396	0.0	0.0	396	0.0	0.0
子宮									
C53	-	-	-	129	0.0	0.0	129	0.0	0.0
子宮頸部									
C54	-	-	-	267	0.0	0.0	267	0.0	0.0
子宮体部									
C56	-	-	-	209	0.0	0.0	209	0.0	0.0
卵巢									
C61	1,255	0.0	0.0	-	-	-	1,255	0.0	0.0
前立腺									
C67	220	0.0	0.0	93	0.0	0.0	313	0.0	0.0
膀胱									
C64-C66 C68	303	0.0	0.0	146	0.0	0.0	449	0.0	0.0
腎・尿路(膀胱除く)									
C70-C72	39	0.0	0.0	37	0.0	0.0	76	0.0	0.0
脳・中枢神経系									
C73	60	0.0	0.0	169	0.0	0.0	229	0.0	0.0
甲状腺									
C81-C85 C96	292	0.0	0.0	273	0.0	0.0	565	0.0	0.0
悪性リンパ腫									
C88-C90	45	0.0	0.0	65	0.0	0.0	110	0.0	0.0
多発性骨髄腫									
C91-C95	131	0.0	0.0	86	0.0	0.0	217	0.0	0.0
白血病									

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	4,168	0.0	0.0	3,382	0.0	0.0	7,550	0.0	0.0	7,550	0.0	0.0
		735	0.0	0.0	812	0.0	0.0	1,547	0.0	0.0	1,547	0.0	0.0
		1,223	0.0	0.0	904	0.0	0.0	2,127	0.0	0.0	2,127	0.0	0.0
		1,656	0.0	0.0	1,190	0.0	0.0	2,846	0.0	0.0	2,846	0.0	0.0
		717	0.0	0.0	650	0.0	0.0	1,367	0.0	0.0	1,367	0.0	0.0
		8,672	0.0	0.0	7,094	0.0	0.0	15,766	0.0	0.0	15,766	0.0	0.0
		1,958	0.0	0.0	1,716	0.0	0.0	3,674	0.0	0.0	3,674	0.0	0.0
口腔・咽頭	C00-C14	95	0.0	0.0	40	0.0	0.0	135	0.0	0.0	135	0.0	0.0
		46	0.0	0.0	15	0.0	0.0	61	0.0	0.0	61	0.0	0.0
		92	0.0	0.0	45	0.0	0.0	137	0.0	0.0	137	0.0	0.0
		6	0.0	0.0	4	0.0	0.0	10	0.0	0.0	10	0.0	0.0
		12	0.0	0.0	8	0.0	0.0	20	0.0	0.0	20	0.0	0.0
		251	0.0	0.0	112	0.0	0.0	363	0.0	0.0	363	0.0	0.0
		138	0.0	0.0	60	0.0	0.0	198	0.0	0.0	198	0.0	0.0
食道	C15	144	0.0	0.0	31	0.0	0.0	175	0.0	0.0	175	0.0	0.0
		33	0.0	0.0	10	0.0	0.0	43	0.0	0.0	43	0.0	0.0
		85	0.0	0.0	16	0.0	0.0	101	0.0	0.0	101	0.0	0.0
		50	0.0	0.0	18	0.0	0.0	68	0.0	0.0	68	0.0	0.0
		22	0.0	0.0	5	0.0	0.0	27	0.0	0.0	27	0.0	0.0
		334	0.0	0.0	80	0.0	0.0	414	0.0	0.0	414	0.0	0.0
		118	0.0	0.0	26	0.0	0.0	144	0.0	0.0	144	0.0	0.0
胃	C16	1,099	0.0	0.0	512	0.0	0.0	1,611	0.0	0.0	1,611	0.0	0.0
		156	0.0	0.0	52	0.0	0.0	208	0.0	0.0	208	0.0	0.0
		79	0.0	0.0	47	0.0	0.0	126	0.0	0.0	126	0.0	0.0
		193	0.0	0.0	111	0.0	0.0	304	0.0	0.0	304	0.0	0.0
		79	0.0	0.0	50	0.0	0.0	129	0.0	0.0	129	0.0	0.0
		1,606	0.0	0.0	772	0.0	0.0	2,378	0.0	0.0	2,378	0.0	0.0
		235	0.0	0.0	99	0.0	0.0	334	0.0	0.0	334	0.0	0.0
大腸(結腸・直腸)	C18-C20	693	0.0	0.0	503	0.0	0.0	1,196	0.0	0.0	1,196	0.0	0.0
		249	0.0	0.0	217	0.0	0.0	466	0.0	0.0	466	0.0	0.0
		114	0.0	0.0	111	0.0	0.0	225	0.0	0.0	225	0.0	0.0
		241	0.0	0.0	215	0.0	0.0	456	0.0	0.0	456	0.0	0.0
		62	0.0	0.0	80	0.0	0.0	142	0.0	0.0	142	0.0	0.0
		1,359	0.0	0.0	1,126	0.0	0.0	2,485	0.0	0.0	2,485	0.0	0.0
		363	0.0	0.0	328	0.0	0.0	691	0.0	0.0	691	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	ICD-10	進展度・総合						男女計					
		男			女			男			女		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	441	0.0	0.0	339	0.0	0.0	780	0.0	0.0	289	0.0	0.0
		146	0.0	0.0	143	0.0	0.0	289	0.0	0.0	163	0.0	0.0
		74	0.0	0.0	89	0.0	0.0	163	0.0	0.0	295	0.0	0.0
		144	0.0	0.0	151	0.0	0.0	295	0.0	0.0	109	0.0	0.0
		44	0.0	0.0	65	0.0	0.0	109	0.0	0.0	1,636	0.0	0.0
		849	0.0	0.0	787	0.0	0.0	1,636	0.0	0.0	452	0.0	0.0
		220	0.0	0.0	232	0.0	0.0	452	0.0	0.0	0.0	0.0	0.0
直腸	C19-C20	252	0.0	0.0	164	0.0	0.0	416	0.0	0.0	177	0.0	0.0
		103	0.0	0.0	74	0.0	0.0	177	0.0	0.0	62	0.0	0.0
		40	0.0	0.0	22	0.0	0.0	62	0.0	0.0	33	0.0	0.0
		97	0.0	0.0	64	0.0	0.0	161	0.0	0.0	849	0.0	0.0
		18	0.0	0.0	15	0.0	0.0	33	0.0	0.0	239	0.0	0.0
		510	0.0	0.0	339	0.0	0.0	849	0.0	0.0	0.0	0.0	0.0
		143	0.0	0.0	96	0.0	0.0	239	0.0	0.0	0.0	0.0	0.0
肝および肝内胆管	C22	196	0.0	0.0	78	0.0	0.0	274	0.0	0.0	9	0.0	0.0
		5	0.0	0.0	4	0.0	0.0	9	0.0	0.0	49	0.0	0.0
		36	0.0	0.0	13	0.0	0.0	49	0.0	0.0	61	0.0	0.0
		39	0.0	0.0	22	0.0	0.0	61	0.0	0.0	70	0.0	0.0
		45	0.0	0.0	25	0.0	0.0	70	0.0	0.0	463	0.0	0.0
		321	0.0	0.0	142	0.0	0.0	463	0.0	0.0	58	0.0	0.0
		41	0.0	0.0	17	0.0	0.0	58	0.0	0.0	73	0.0	0.0
胆のう・胆管	C23-C24	38	0.0	0.0	35	0.0	0.0	73	0.0	0.0	14	0.0	0.0
		10	0.0	0.0	4	0.0	0.0	14	0.0	0.0	136	0.0	0.0
		83	0.0	0.0	53	0.0	0.0	136	0.0	0.0	86	0.0	0.0
		37	0.0	0.0	49	0.0	0.0	86	0.0	0.0	92	0.0	0.0
		42	0.0	0.0	50	0.0	0.0	92	0.0	0.0	401	0.0	0.0
		210	0.0	0.0	191	0.0	0.0	401	0.0	0.0	150	0.0	0.0
		93	0.0	0.0	57	0.0	0.0	150	0.0	0.0	146	0.0	0.0
膵臓	C25	68	0.0	0.0	78	0.0	0.0	146	0.0	0.0	39	0.0	0.0
		20	0.0	0.0	19	0.0	0.0	39	0.0	0.0	146	0.0	0.0
		76	0.0	0.0	70	0.0	0.0	146	0.0	0.0	299	0.0	0.0
		160	0.0	0.0	139	0.0	0.0	299	0.0	0.0	71	0.0	0.0
		25	0.0	0.0	46	0.0	0.0	71	0.0	0.0	701	0.0	0.0
		349	0.0	0.0	352	0.0	0.0	701	0.0	0.0	185	0.0	0.0
		96	0.0	0.0	89	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
喉頭	C32	限局	57	0.0	0.0	6	0.0	0.0	63	0.0	0.0	0.0	
		リ転	5	0.0	0.0	1	0.0	0.0	6	0.0	0.0	0.0	
		隣接	4	0.0	0.0	1	0.0	0.0	5	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	0	.	.	1	0.0	0.0	0.0	
		不明	2	0.0	0.0	0	.	.	2	0.0	0.0	0.0	
		合計	69	0.0	0.0	8	0.0	0.0	77	0.0	0.0	0.0	
領域	9	0.0	0.0	2	0.0	0.0	11	0.0	0.0	0.0			
肺	C33-C34	限局	383	0.0	0.0	259	0.0	0.0	642	0.0	0.0	0.0	
		リ転	136	0.0	0.0	56	0.0	0.0	192	0.0	0.0	0.0	
		隣接	143	0.0	0.0	42	0.0	0.0	185	0.0	0.0	0.0	
		遠隔	508	0.0	0.0	240	0.0	0.0	748	0.0	0.0	0.0	
		不明	118	0.0	0.0	92	0.0	0.0	210	0.0	0.0	0.0	
		合計	1,288	0.0	0.0	689	0.0	0.0	1,977	0.0	0.0	0.0	
領域	279	0.0	0.0	98	0.0	0.0	377	0.0	0.0	0.0			
皮膚	C43-C44	限局	156	0.0	0.0	189	0.0	0.0	345	0.0	0.0	0.0	
		リ転	4	0.0	0.0	3	0.0	0.0	7	0.0	0.0	0.0	
		隣接	16	0.0	0.0	5	0.0	0.0	21	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	2	0.0	0.0	3	0.0	0.0	0.0	
		不明	13	0.0	0.0	12	0.0	0.0	25	0.0	0.0	0.0	
		合計	190	0.0	0.0	211	0.0	0.0	401	0.0	0.0	0.0	
領域	20	0.0	0.0	8	0.0	0.0	28	0.0	0.0	0.0			
乳房	C50	限局	3	0.0	0.0	1,000	0.0	0.0	1,003	0.0	0.0	0.0	
		リ転	1	0.0	0.0	351	0.0	0.0	352	0.0	0.0	0.0	
		隣接	2	0.0	0.0	72	0.0	0.0	74	0.0	0.0	0.0	
		遠隔	1	0.0	0.0	111	0.0	0.0	112	0.0	0.0	0.0	
		不明	0	.	.	100	0.0	0.0	100	0.0	0.0	0.0	
		合計	7	0.0	0.0	1,634	0.0	0.0	1,641	0.0	0.0	0.0	
領域	3	0.0	0.0	423	0.0	0.0	426	0.0	0.0	0.0			
子宮	C53-C55	限局	-	-	-	233	0.0	0.0	233	0.0	0.0	0.0	
		リ転	-	-	-	11	0.0	0.0	11	0.0	0.0	0.0	
		隣接	-	-	-	89	0.0	0.0	89	0.0	0.0	0.0	
		遠隔	-	-	-	50	0.0	0.0	50	0.0	0.0	0.0	
		不明	-	-	-	13	0.0	0.0	13	0.0	0.0	0.0	
		合計	-	-	-	396	0.0	0.0	396	0.0	0.0	0.0	
領域	-	-	-	100	0.0	0.0	100	0.0	0.0	0.0			

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
子宮頸部	C53	-	-	-	46	0.0	0.0	46	0.0	0.0	46	0.0	0.0
		-	-	-	3	0.0	0.0	3	0.0	0.0	3	0.0	0.0
		-	-	-	52	0.0	0.0	52	0.0	0.0	52	0.0	0.0
		-	-	-	21	0.0	0.0	21	0.0	0.0	21	0.0	0.0
		-	-	-	7	0.0	0.0	7	0.0	0.0	7	0.0	0.0
		-	-	-	129	0.0	0.0	129	0.0	0.0	129	0.0	0.0
領域		-	-	-	55	0.0	0.0	55	0.0	0.0	55	0.0	0.0
子宮体部	C54	-	-	-	187	0.0	0.0	187	0.0	0.0	187	0.0	0.0
		-	-	-	8	0.0	0.0	8	0.0	0.0	8	0.0	0.0
		-	-	-	37	0.0	0.0	37	0.0	0.0	37	0.0	0.0
		-	-	-	29	0.0	0.0	29	0.0	0.0	29	0.0	0.0
		-	-	-	6	0.0	0.0	6	0.0	0.0	6	0.0	0.0
		-	-	-	267	0.0	0.0	267	0.0	0.0	267	0.0	0.0
領域		-	-	-	45	0.0	0.0	45	0.0	0.0	45	0.0	0.0
卵巣	C56	-	-	-	50	0.0	0.0	50	0.0	0.0	50	0.0	0.0
		-	-	-	1	0.0	0.0	1	0.0	0.0	1	0.0	0.0
		-	-	-	102	0.0	0.0	102	0.0	0.0	102	0.0	0.0
		-	-	-	37	0.0	0.0	37	0.0	0.0	37	0.0	0.0
		-	-	-	19	0.0	0.0	19	0.0	0.0	19	0.0	0.0
		-	-	-	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0
領域		-	-	-	103	0.0	0.0	103	0.0	0.0	103	0.0	0.0
前立腺	C61	676	0.0	0.0	-	-	-	-	-	-	676	0.0	0.0
		22	0.0	0.0	-	-	-	-	-	-	22	0.0	0.0
		239	0.0	0.0	-	-	-	-	-	-	239	0.0	0.0
		179	0.0	0.0	-	-	-	-	-	-	179	0.0	0.0
		139	0.0	0.0	-	-	-	-	-	-	139	0.0	0.0
		1,255	0.0	0.0	-	-	-	-	-	-	1,255	0.0	0.0
領域		261	0.0	0.0	-	-	-	-	-	261	0.0	0.0	
膀胱	C67	152	0.0	0.0	45	0.0	0.0	45	0.0	0.0	197	0.0	0.0
		6	0.0	0.0	2	0.0	0.0	2	0.0	0.0	8	0.0	0.0
		20	0.0	0.0	14	0.0	0.0	14	0.0	0.0	34	0.0	0.0
		14	0.0	0.0	13	0.0	0.0	13	0.0	0.0	27	0.0	0.0
		28	0.0	0.0	19	0.0	0.0	19	0.0	0.0	47	0.0	0.0
		220	0.0	0.0	93	0.0	0.0	93	0.0	0.0	313	0.0	0.0
領域		26	0.0	0.0	16	0.0	16	0.0	0.0	42	0.0	0.0	

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
腎・尿路(膀胱除く)	C64-C66 C68	限局	189	0.0	0.0	80	0.0	0.0	269	0.0	0.0	0.0	
		リ転	9	0.0	0.0	3	0.0	0.0	12	0.0	0.0	0.0	
		隣接	51	0.0	0.0	28	0.0	0.0	79	0.0	0.0	0.0	
		遠隔	34	0.0	0.0	18	0.0	0.0	52	0.0	0.0	0.0	
		不明	20	0.0	0.0	17	0.0	0.0	37	0.0	0.0	0.0	
		合計	303	0.0	0.0	146	0.0	0.0	449	0.0	0.0	0.0	
領域		60	0.0	0.0	31	0.0	0.0	91	0.0	0.0	0.0		
脳・中枢神経系	C70-C72	限局	26	0.0	0.0	21	0.0	0.0	47	0.0	0.0	0.0	
		リ転	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0.0	
		隣接	5	0.0	0.0	7	0.0	0.0	12	0.0	0.0	0.0	
		遠隔	5	0.0	0.0	3	0.0	0.0	8	0.0	0.0	0.0	
		不明	3	0.0	0.0	6	0.0	0.0	9	0.0	0.0	0.0	
		合計	39	0.0	0.0	37	0.0	0.0	76	0.0	0.0	0.0	
領域		5	0.0	0.0	7	0.0	0.0	12	0.0	0.0	0.0		
甲状腺	C73	限局	11	0.0	0.0	53	0.0	0.0	64	0.0	0.0	0.0	
		リ転	21	0.0	0.0	56	0.0	0.0	77	0.0	0.0	0.0	
		隣接	17	0.0	0.0	32	0.0	0.0	49	0.0	0.0	0.0	
		遠隔	5	0.0	0.0	9	0.0	0.0	14	0.0	0.0	0.0	
		不明	6	0.0	0.0	19	0.0	0.0	25	0.0	0.0	0.0	
		合計	60	0.0	0.0	169	0.0	0.0	229	0.0	0.0	0.0	
領域		38	0.0	0.0	88	0.0	0.0	126	0.0	0.0	0.0		
悪性リンパ腫	C81-C85 C96	限局	66	0.0	0.0	78	0.0	0.0	144	0.0	0.0	0.0	
		リ転	0	0.0	0.0	1	0.0	0.0	1	0.0	0.0	0.0	
		隣接	52	0.0	0.0	47	0.0	0.0	99	0.0	0.0	0.0	
		遠隔	133	0.0	0.0	113	0.0	0.0	246	0.0	0.0	0.0	
		不明	38	0.0	0.0	28	0.0	0.0	66	0.0	0.0	0.0	
		合計	292	0.0	0.0	273	0.0	0.0	565	0.0	0.0	0.0	
領域		52	0.0	0.0	48	0.0	0.0	100	0.0	0.0	0.0		
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-	-	
		リ転	-	-	-	-	-	-	-	-	-	-	
		隣接	-	-	-	-	-	-	-	-	-	-	
		遠隔	-	-	-	-	-	-	-	-	-	-	
		不明	-	-	-	-	-	-	-	-	-	-	
		合計	-	-	-	-	-	-	-	-	-	-	
領域		-	-	-	-	-	-	-	-	-	-		

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率 (%) : 主要部位別、性別、進展度・総合別

宮城県

2019年

部位	進展度・総合	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
白血病	ICD-10	-	-	-	-	-	-	-	-	-
	C91-C95	-	-	-	-	-	-	-	-	-
	限局	-	-	-	-	-	-	-	-	-
	リ転	-	-	-	-	-	-	-	-	-
	隣接	-	-	-	-	-	-	-	-	-
	遠隔	-	-	-	-	-	-	-	-	-
	不明	-	-	-	-	-	-	-	-	-
	合計	-	-	-	-	-	-	-	-	-
	領域	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤